

# PARTS LISTING CATALOGUE

|   | ASIA MOTORS Rocsta  DAEWOO  Musso  DAIHATSU F10, F20, F50, F60 F25, F55, F65 Feroza-F300 Feroza II-F310 Rocky: LWB & SWB Rocky: Trayback                                     | 4<br>5<br>6<br>7<br>8<br>9<br>10<br>11                | HYUNDAI Terracan ISUZU D-Max-MY09: 2008 On D-Max: 05/2012 on MU-X  JEEP Cherokee: XJ Cherokee: Grand/ZG 4 Cherokee: Grand/WJ-WG Wrangler: TJ | 33<br>34<br>35-36<br>37<br>38<br>39<br>39<br>40 | Triton: MA-MK Triton: ML,MN  NISSAN Navara: D21 & D22 Navara: D40-12/05 on 2.5,4L Navara: D40 ST-X-550-V6 T/D Pathfinder: D21 Pathfinder: R50 Pathfinder: R51 Patrol: G60,MQ, MK Patrol: GQ & GU Wagon-50mm | 62<br>63-64<br>65<br>66-67<br>68-69<br>70<br>71<br>72-73<br>74-75<br>76-77 | Landcruiser: 40,42 Series Landcruiser: 45,47 Series Landcruiser: 60,61,62 Ser Landcruiser: Bundeera Landcruiser: 70,73,74 Landcruiser: 71,74(0/S model) Landcruiser: 75 series Landcruiser: 76 Series-V8 Wagon Landcruiser: 77 Series Landcruiser: KZJ78 | 104-105<br>106-107<br>108-109<br>110<br>111-112<br>113<br>114-115<br>116-117<br>118 |
|---|--|---|--|---|---|--|--|---|
|   | Rocky: W/Coil Rear   | 12  | Wrangler: JK  LADA  Niva   | 41  | Patrol: GQ,GU 3,4,5,6" Lifts Patrol: GQ Cab Chassis-50mm  | 78-82<br>83  | Landcruiser: 78,79 series-Single cab<br>Landcruiser: 78,79 Series- Double cab  | 120-121<br>122  |
|   | Courier-PC to PH<br>Explorer<br>F250<br>Bronco<br>Ranger: PJ<br>Ranger: PX<br>GREAT WALL   | 13<br>14<br>15-16<br>17<br>18<br>19-20                | LANDROVER 80, 88, 109 County & Defender: 90 ,110,130 Discovery: Series 1 Discovery: Series 2 Discovery: Series 3 RangeRover: 6/72-4/95       | 43<br>44-45<br>46<br>47<br>47<br>48             | Patrol: GQ,GU Ute/Cab Chassis With Coil/Leaf Suspension Patrol: GQ,GU Ute/Cab Chas With Coil/Coil Suspension Patrol: Y62 2013 On Terrano II SSANYONG Musso  | 84-85<br>86<br>87-88<br>89   | Landcruiser: 80,100 series-2" lift Landcruiser: 80-100 Series-3,4,5&6" Lift Landcruiser: 100 Series-IFS Landcruiser: 200 Series Prado: 95 Series Prado: 120 Series LWB Prado: 120 Series SWB   | 123-124<br>125-128<br>129-130<br>131-132<br>133<br>134<br>135                       |
|   | 4WD Ute-V200,240<br>X240 Wagon<br>HOLDEN<br>Frontera SWB-w/coil rear.<br>Frontera LWB-w/Coil rear  | 21<br>22<br>23<br>23                                  | MAZDA<br>B2500, B2600<br>BT50: 11/06-10/11<br>BT50: 11/2011 on   | 49<br>50<br>51-52                               | SUZUKI<br>Jimny<br>LJ Serie s & Sierra<br>Vitara inc XL7  | 91<br>92<br>93   | Prado: 150 Series LWB<br>Prado: 150 Series SWB<br>FJ Cruiser<br>Rav 4  | 136<br>137<br>138<br>139  |
| 4 | Jackaroo: 81-86 Jackaroo: 11/86-92 Jackaroo: 5/92-98 Rodeo: 81-88 (KB4,KBD4) Rodeo: 8/88-03 (TFS,G3,6,T7,9 Rodeo: RA & Colorado Colorado: RG 2011 on Colorado 7, Trailblazer | 25<br>24<br>25<br>26<br>27<br>28<br>29<br>30-31<br>32 | MITSUBISHI Challenger-PA11 Challenger PB L200 L300 Pajero: NA-NJ/w/Leaf Susp Pajero: NF-NL/W/Coil Susp Pajero: NM-NT LWB Pajero: NM-NT SWB   | 53<br>54<br>55<br>56<br>57<br>58<br>59-60<br>61 | TOYOTA  Fortuner 4 Runner: IFS/Leaf 4 Runner: IFS/Coil Hilux: Leaf/Leaf Hilux: IFS/Leaf-(106,7,10,11) Hilux: IFS/Leaf-(167,69) Hilux: Coil/Leaf-KUN-26R   | 94<br>95<br>96<br>97-98<br>99<br>100<br>101-103                            | <b>VW</b><br>Amarok  | 140   |

#### **PLEASE NOTE:**

All warranty claims are to be made to the store where the purchase was made.

# Terms, Conditions and **Warranties**

1st January, 2015

#### **ACCOUNTS:**

Account applications that are approved must comply with the following Terms and Conditions:

- **1.** All export orders are to be prepaid prior to shipment.
- 2. Credit terms are 30 days from end of the trading
- 3. Credit will be suspended if payment isn't made within the trading terms.
  - **4.** Unpaid Accounts at 30 days are on stop supply.
- 5. If no credit account exists all goods must be prepaid before leaving 4Way Suspension factory.
- 6. If applicant is a company, the Directors Guarantee must be completed by all relevant parties.

## **FREIGHT & INSURANCE:**

Trading terms - ex warehouse unless specified. Goods property passes to the buyer as soon as they leave the 4Way premises, 2a Bessemer St, Blacktown NSW 2148. The buyer may at his option, collect the goods from these premises, or arrange FREIGHT/INSURANCE on his own behalf. Alternatively, freight and insurance will be arranged on the buyers behalf by 4Way Suspension.

## **CREDIT/WARRANTY RETURNS**

Goods for credit or exchange must be returned within fourteen (14) days of invoice date, accompanied by a completed **REQUEST FOR CREDIT** form. Goods retuned for a possible warranty claim must be accompanied by a completed RE-QUEST FOR CREDIT FORM and a COPY OF THE CUS-TOMERS INVOICE. Freight account details will be advised at ■ this time. If returned goods are found not to be within the warranty guidelines and are rejected for warranty, 4Way reserve the right to charge the claimant freight charges.

15% WILL BE CHARGED ON ALL CREDIT RETURNS ■ THAT REQUIRE REPACKAGING.

## **EXCLUDED FROM WARRANTY**

- 1. Parts that have been incorrectly installed.
- 2. Interference between shock and other suspension components, causing noise or failure of the shock.
- 3. Parts that have been involved in an accident or are bent and/or dented.
- 4. Parts showing evidence of improper tightening of the mounting bolts causing parts to wear or bend.
- 5. Vice jaw or multi-grip marks on polished section of steel rod, causing damage to oil seals and oil leakage.
- **6.** All parts subject to abusive off road use.
- 7. All parts used for any type of racing not covered by any warranty.

PLEASE NOTE: Any Springs (Leaf or Coil) or Shocks built as "special order" ie. changed from the 4Way specifications, are not covered by warranty. These units are built to **NOTE: 4WAY SUSPENSION'S OBLIGATION UNDER** order and therefore 4Way has no control over the usage of these units in any or all circumstances that may vary from what the springs or shocks were intended and designed for. ONLY PART NUMBERS THAT ARE LISTED IN THE 4WAY CATALOGUE WILL BE COVERED BY WARRANTY

#### **PROOF OF PURCHASE:**

Copy of proof of purchase by the end user, (Retail Customer) **MUST** be attached to the claim with a kilometre reading if applicable to the claim. Each 4WD suspension kit must have a warranty card completed with the details and measurements of the vehicle marked as required so that any claim can be processed.

53mm Ralph: (excl. Landcruiser, commercial use ie Tour Operators etc

3 Years / 60.000kms

53mm Ralph: Landcruiser 100 Series Front ONLY

2 Years / 40,000kms

53mm Ralph: Commercial use, Tour Operators inc Mining application: 1 Years / 20,000kms

45mm Big Bore Adjustable: - up to 50mm raised susp: 2 Years/40,000kms-exc Mining Applications (1 year warranty) 45mm Big Bore Adjustable: - above 50mm raised susp: 1 Years / 20,000kms-exc Mining Applications (no warranty) 45mm Big Bore Adjustable: - used in any off-road competitive event: No Warranty

### Foam Cell / Gas / 40mm Adjustable \*

2 Years / 40,000kms-exc Mining Applications (1 Year War-

41mm Foam cell shocks /40mm Adjustable: above 50mm lift 1 year / 20,000km warranty

41mmFoam Cell for Landcruiser 100 Series IFS- Front 1 Year / 20,000kms

### Return to Centre / EXT / SV Steering Stabilizers:

2 Years/40,000km-exc Mining Applications(1 Year Warranty) **Tough Dog Leaf Springs:** 

2 Years/40,000km\_exc Mining Applications (1 Year Warranty) Toughdog Coil Springs: - up to 50mm lift:

3 Years/60,000km-exc Mining Applications (1 Year Warranty) Toughdog Coil Springs: - above 50mm lift: No Warranty Toughdog Coil Springs - used in any off-road competitive event: No Warranty

## ■ SELF FIT (DIY) SUSPENSIONS:

■ If suspension is fitted by the purchaser and not the licensed workshop, the following must be adhered to if warranty is to apply

- 1. A fitment measurement sheet must be completed with measurements - (A) Before fitment - (B) After the kit has been fitted and - (C) 500kms after kit is fitted.
- 2. U-Bolts must be replaced at time of fitment. U-Bolts must also be re-tightened after 500kms have been trav-■ elled. Failure to provide these details will void your warranty.

**■ THIS WARRANTY IS LIMITED TO THE REPLACE-■ MENT OF THE DEFECTIVE PART ONLY. COSTS OF REMOVAL & INSTALLATION OF THE PART ARE** NOT INCLUDED. FREIGHT CHARGES TO AND FROM 4WAY ARE TO BE PREPAID BY THE CUSTOMER.

| ASIA MOT             | ORS: Rocs                                  | sta                  |                     |   | 1 of 1                 |
|----------------------|--|----------------------|---------------------|---|------------------------|
| ID, JS<br>//93-00    | PRODUCT                                    | PART No              | RRP                 | PRODUCT INFORMATION                     | TYPE                   |
| Leaf Spring F        | ront Suspensi                              | on                   |                     |   |                        |
| SHOCK                | 35mm Nitrogen gas                          | BD1102T<br>BD1104T   | \$125 ea            | Twin tube                               | OE Height<br>50mm lift |
| ABSORBERS            | 40mm Adjustable                            | BM401102<br>BM401104 | \$200 ea            | Twin tube / 60mm casing                 | OE Height<br>50mm lift |
| LEAF<br>SPRINGS      |  | T72                  | \$280 ea            | Petrol/Alloy Bar                        | 50mm lift              |
| STEERING<br>DAMPERS  |  | SD5700               | \$105 ea            | Replacemant S/Damper                    | Standard O             |
| URETHANE             | Shackle bushes                             | TDUK-001             | \$65 kit            | 1 Kit required                          | All models             |
| U BOLTS              | U Bolts must be tightened at 500km service | TDUB-001             | \$50 kit            | 2 kits required                         | All models             |
| Leaf Spring R        | ear Suspensio                              | on                   |                     |   |                        |
| sноск                | 35mm Nitrogen gas                          | BD1364T<br>BD1366T   | \$125 ea            | Twin tube                               | OE Height<br>50mm lift |
| ABSORBERS            | 40mm Adjustable                            | BM401364<br>BM401366 | \$200 ea            | Twin tube / 60mm casing                 | OE Height<br>50mm lift |
| LEAF<br>SPRINGS      |  | T73                  | \$310 ea            | Carries up to 300kg                     | 50mm lift              |
| URETHANE             | Shackle bushes                             | TDUK-001             | \$65 kit            | 1 kit required                          | All models             |
| U BOLTS              | U Bolts must betightened at 500km service  | TDUB-001             | \$50 kit            | 2 kits required                         | All models             |
| REPLACEMENT<br>SHOCK | Top pin mount Bottom Eyering mount         | TW959<br>404702      | \$2.50 ea<br>\$3 ea | Two bushes per shock One bush per shock | Front<br>Front         |
| BUSHING              | Top & bottom eyering mount                 | 404702               | \$3 ea              | Two bushes per shock                    | Rear                   |
|                      | +  |                      |                     | <del>1</del>                            |                        |

T72, T73

Nitrogen gas kit

Adjustable kit

\$2,010

\$2,310

<u>Kit includes:</u> 4 x shock absorbers

4 x leaf springs

4 x ubolt kits

2 x shackle bush kits

Complete

Suspension

Kit

**Pricing** 

**DAEWOO:** Musso - inc Ute 1 of 1

7/98-02: All

PRODUCT INFORMATION PART No **PRODUCT** RRP **TYPE** Also see SSangyong

# **Torsion Bar Front Suspension**

| 1 |                    |  |                       |          |  |                       |
|---|--------------------|--|-----------------------|----------|--|-----------------------|
|   | SHOCK<br>ABSORBERS | 35mm Nitrogen gas                                | BD2057T               | \$125 ea | Twin tube                                  | All                   |
|   |                    |  |                       |          |  | Applications          |
|   | TORSION BARS       | A minimum droop of<br>60mm must be<br>maintained | 4WTB-1800<br>Remember |          | 26mm / 1040mm<br>orsion Bars after fitting | Pair<br><b>Shocks</b> |

## **Coil Spring Rear Suspension**

| SHOCK                                    | 35mm Nitrogen gas                        | BD1104T<br>BD1105T   | \$125 ea               | Twin tube   | OE Height<br>35mm lift |
|--|--|----------------------|------------------------|---|------------------------|
| ABSORBERS                                | 40mm Adjustable                          | BM401104<br>BM401105 | \$200 ea               | Twin tube / 60mm casing   | OE Height              |
| COIL SPRINGS                             |  | TDC100<br>TDC100H    | \$120 ea               | Carries up to 300kg  Constant Load of 300kg to GVM              | 35mm lift<br>35mm lift |
| REPLACEMENT<br>SHOCK                     | Top pin mount<br>Bottom Eyering mount    | TW959<br>412773      | \$2.50 ea<br>\$5.50 ea | Two bushes per shock One bush per shock                         | Front<br>Front         |
| BUSHING                                  | Top pin mount<br>Bottom Eyering mount    | TW959<br>404702      | \$2.50 ea<br>\$3 ea    | Two bushes per shock One bush per shock                         | Rear<br>Rear           |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit<br>Gas Front / Adj Rear |                      | \$740<br>\$890         | <u>Kit includes:</u><br>4 x shock absorbers<br>2 x coil springs |                        |

| DAIHATSU                  | J: F10, F20,                               | F50, F6              | 0                    | ,                             | 1 of 1                   |
|---------------------------|--|----------------------|----------------------|-------------------------------|--------------------------|
| 8/75-84<br>Including Scat | PRODUCT                                    | PART No              | RRP                  | PRODUCT<br>INFORMATION        | ТҮРЕ                     |
| Leaf Spring Fr            | ont Suspensi                               | on                   |                      |                               |                          |
| sноск                     | 35mm Nitrogen gas                          | BD1364T<br>BD1366T   | \$125 ea             | Twin tube                     | OE Height<br>50mm lift   |
| ABSORBERS                 | 40mm Adjustable                            | BM401364<br>BM401366 | \$200 ea             | Twin tube /60mm casing        | OE Height<br>50mm lift   |
| URETHANE                  | Shackle bushes<br>Shackle bushes           | TDUK-019<br>TDUK-020 | \$85 kit<br>\$65 kit | 1 kit required 1 kit required | All exc. F50<br>F50 only |
| U BOLTS                   | U Bolts must be tightened at 500km service | TDUB-027             | \$30 kit             | 2 kits required               | All models               |
| Leaf Spring Re            | ear Suspensio                              | n                    |                      |                               |                          |
| sноск                     | 35mm Nitrogen gas                          | BD1366T<br>BD1382T   | \$125 ea             | Twin tube                     | OE Height<br>50mm lift   |
| ABSORBERS                 | 40mm Adjustable                            | BM401366<br>BM401382 | \$200 ea             | Twin tube / 60mm casing       | OE Height<br>50mm lift   |
| URETHANE                  | Shackle bushes<br>Shackle bushes           | TDUK-019<br>TDUK-020 | \$85 kit<br>\$65 kit | 1 kit required 1 kit required | All exc. F50<br>F50 only |
| U BOLTS                   | U Bolts must be tightened at 500km service | TDUB-027             | \$30 kit             | 2 kits required               | All models               |
| REPLACEMENT<br>SHOCK      | Top & bottom eyering mount                 | 404702               | \$3 ea               | Two bushes per shock          | Front                    |
| BUSHING                   | Top & bottom eyering mount                 | 404702               | \$3 ea               | Two bushes per shock          | Rear                     |

| ATHATCH | • F25 F55 F65 | 1 of 1 |
|---------|---------------|--------|
|         | THIS HAS HOS  |        |

100 . F25, F55, FU5 2/80-84 PRODUCT INFORMATION **PART No PRODUCT RRP TYPE Leaf Spring Front Suspension BD1366T** 35mm Nitrogen gas \$125 ea Twin tube DE Height **BD1382T** 50mm lift SHOCK **ABSORBERS** 40mm Adjustable BM401366 \$200 ea Twin tube /60mm casing 50mm lift BM401382 50mm lift **URETHANE** Shackle bushes **TDUK-002** \$95 kit All models 1 kit required U Bolts must be tightened at **TDUB-027** \$30 kit 2 kits required All models **U BOLTS** 500km service **Leaf Spring Rear Suspension** 35mm Nitrogen gas **BD1400T** \$125 ea Twin tube OE Height **BD1441T** 50mm lift SHOCK **ABSORBERS** BM401400 40mm Adjustable \$200 ea Twin tube / 60mm casing **OE** Height BM401441 50mm Lift Shackle bushes **TDUK-023** \$105 kit **URETHANE** 1 kit required U Bolts must be tightened at **TDUB-027** \$30 kit **U BOLTS** 2 kits required 500km service 404702 \$3.00 ea Front Top & bottom eyering mount Two bushes per shock **REPLACEMENT** SHOCK 404702 Top eyering mount \$3 ea Rear One bush per shock **BUSHING** Bottom pin mount **TW959** \$2.50 ea Rear Two bushes per shock

| DA | IH             | AT | 'SI | J •      | Feroza   |
|----|----------------|----|-----|----------|----------|
|    | <b>, , , ,</b> |    |     | <b>→</b> | I CI ULA |

10/88-98 PRODUCT INFORMATION **PART No PRODUCT** RRP **TYPE** CX12, F300 **Torsion Bar Front Suspension** SHOCK **BD2057T** \$125 ea 35mm Nitrogen gas Twin tube ΔII **ABSORBERS** Applications A minimum droop of **4WTB-0197** \$250 pair **TORSION** 26mm/1093mm 60mm must be **BARS** maintained Remember to adjust Torsion Bars after fitting Shocks Leaf Spring Rear Suspension **BD1102T** 35mm Nitrogen gas \$125 ea Twin tube OE Height SHOCK **BD1104T** 40mm lift **ABSORBERS** BM401104 40mm Adjustable \$200 ea Twin tube / 60mm casing 40mm lift **LEAF SPRINGS T67** \$150 ea Carries up to 300kg 40mm lift **URETHANE TDUK-003** \$105 kit 1 kit required All models U Bolts must be **U BOLTS TDUB-027** \$30 kit 2 Kits Required All Models tightened at 500km service REPLACEMENT TW959 **Front** Top pin mount \$2.50 ea Two bushes per shock SHOCK **Bottom Eyering mount** 412772 \$6.50 ea One bush per shock Rear **BUSHING TW959** Top pin mount \$2.50 ea Two bushes per shock Rear 404702 **Bottom Eyering mount** \$3 ea One bush per shock Rear Kit includes: Complete \$965 Nitrogen gas Kit 4 x shock absorbers Suspension

\$1,115

2 x leaf springs 2 x ubolt kits

1 x shackle bush kits

Front Gas/Rear Adjustable

Kit

**Price** 

| DAIHATSU                                 | : Feroza II                                   |                      |                        | 1 (   | of 1                   |  |  |  |  |
|--|---|----------------------|------------------------|---|------------------------|--|--|--|--|
| 4/93-99<br>F310                          | PRODUCT                                       | PART No              | RRP                    | PRODUCT<br>INFORMATION  | TYPE                   |  |  |  |  |
| Torsion Bar Fr                           | ont Suspensi                                  | on                   |                        |   |                        |  |  |  |  |
| SHOCK<br>ABSORBERS                       | 35mm Nitrogen gas                             | BD2057T              | \$125 ea               | Twin tube   | All<br>Applications    |  |  |  |  |
| TORSION                                  | A minimum droop of 60mm must be               | 4WTB-0197            | \$ 250 pair            | 26mm/1093mm   |                        |  |  |  |  |
| BARS                                     | maintained                                    | Remembe              | r to adjust T          | orsion Bars after fitting   | Shocks                 |  |  |  |  |
| Leaf Spring Re                           | Leaf Spring Rear Suspension                   |                      |                        |   |                        |  |  |  |  |
| SHOCK                                    | 35mm Nitrogen gas                             | BD1005T<br>BD1007T   | \$125 ea               | Twin tube   | OE Height              |  |  |  |  |
| ABSORBERS                                | 40mm Adjustable                               | BM401005<br>BM401007 | \$200 ea               | Twin tube / 60mm casing   | OE Height<br>40mm lift |  |  |  |  |
| LEAF<br>SPRINGS                          |   | T76                  | \$190 ea               | Carries up to 300kg   | 40mm lift              |  |  |  |  |
| URETHANE                                 | Shackle bushes                                | TDUK-022             | \$105 kit              | 1 kit required  | All models             |  |  |  |  |
| U BOLTS                                  | U Bolts must be<br>tightened at 500km service | TDUB-027             | \$30 kit               | 2 kits required   | All models             |  |  |  |  |
| REPLACEMENT<br>SHOCK<br>BUSHING          | Top pin mount  Bottom eyering mount           | TW959<br>412772      | \$2.50 ea<br>\$6.50 ea | Two bushes per shock One bushes per shock   | Front<br>Front         |  |  |  |  |
| Возпис                                   | Top & bottom pin mount                        | TW959                | \$2.50 ea              | Four bushes per shock   | Rear                   |  |  |  |  |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit<br>Gas Front / Adj Rear      |                      | \$1,045<br>\$1,195     | <u>Kit includes:</u><br>4 x shock absorbe<br>2 x leaf springs<br>2 x Ubolt kits<br>1 x shackle bush k |                        |  |  |  |  |

**DAIHATSU**: Rocky

1 of 1

6/84-93: F70, F75

PRODUCT INFORMATION PART No **PRODUCT** RRP **TYPE** 6/84-89: F80, F85 **Leaf Spring Front Suspension** 

|              | -   |                      | -                    | -                                      |                        |
|--------------|---|----------------------|----------------------|--|------------------------|
| SHOCK        | 35mm Nitrogen gas                             | BD1102TB<br>BD1104TB | \$125 ea             | Twin tube                              | OE Height<br>40mm lift |
| ABSORBERS    | 40mm Adjustable                               | BM401102<br>BM401104 | \$200 ea             | Twin tube / 60mm casing                | OE Height<br>40mm lift |
| LEAF SPRINGS | LWB<br>SWB                                    | T65<br>T65C          | \$280 ea<br>\$265 ea | Petrol/Diesel Bar<br>Petrol/Diesel Bar | 40mm lift              |
| URETHANE     | Shackle bushes                                | TDUK-002             | \$95 kit             | 1 kit required                         | All models             |
| U BOLTS      | U Bolts must be tightened at<br>500km service | TDUB-002<br>TDUB-027 | \$30 kit             | 1 kit required-D/S 1 kit required-P/S  | All models             |

## **Leaf Spring Front Suspension**

| SHOCK                  | 35mm Nitrogen gas                          | BD1102T<br>BD1104T   | \$125 ea             | Twin tube   | OE Height<br>40mm lift |
|------------------------|--|----------------------|----------------------|---|------------------------|
| ABSORBERS              | 40mm Adjustable                            | BM401102<br>BM401104 | \$200 ea             | Twin tube / 60mm casing   | OE Height<br>40mm lift |
| LEAF SPRINGS           | LWB<br>SWB                                 | T64<br>T64M          | \$300 ea<br>\$280 ea | Carries up to 300kg Carries up to 300kg   | 40mm lift<br>40mm lift |
| URETHANE               | Shackle bushes                             | TDUK-003             | \$105 kit            | 1 kit required  | All models             |
| U BOLTS                | U Bolts must be tightened at 500km service | TDUB-027             | \$30 kit             | 2 kits required   | All models             |
| REPLACEMENT<br>SHOCK   | Top pin mount<br>Bottom Eyering mount      | TW959<br>404702      | \$2.50 ea<br>\$3 ea  | Two bushes per shock One bush per shock   | Front<br>Front         |
| BUSHING                | Top pin mount<br>Bottom Eyering mount      | TW959<br>404702      | \$2.50 ea<br>\$3 ea  | Two bushes per shock One bush per shock   | Rear<br>Rear           |
| Complete<br>Suspension | Nitrogen gas Kit                           | \$1,910<br>\$1,980   | SWB<br>LWB           | Kit includes: 4 x shock absorbers 4 x leaf springs 4 x ubolt kits 2 x shackle bush kits |                        |
| Kit<br>Pricing         | Adjustable kit                             | \$2,210<br>\$2,280   | SWB<br>LWB           |   |                        |

| DAIHATSU                     | J: Rocky Pic                               | : Rocky Pick-Up & Tray Back |                     |   |                        |  |
|------------------------------|--|-----------------------------|---------------------|---|------------------------|--|
| 11/86-93 F77<br>11/86-89 F87 | PRODUCT                                    | PART No                     | RRP                 | PRODUCT<br>INFORMATION                  | TYPE                   |  |
| Leaf Spring Fr               | ont Suspensio                              | on                          |                     |   |                        |  |
| SHOCK                        | 35mm Nitrogen gas                          | BD1102TB<br>BD1104TB        | \$125 ea            | Twin tube                               | OE Height<br>40mm lift |  |
| ABSORBERS                    | 40mm Adjustable                            | BM401102<br>BM401104        | \$200 ea            | Twin tube / 60mm casing                 | OE Height<br>40mm lift |  |
| URETHANE                     | Shackle bushes                             | TDUK-002                    | \$95 kit            | 1 kit required                          | All models             |  |
| U BOLTS                      | U Bolts must be tightened at 500km service | TDUB-002                    | \$30 kit            | 2 kits required                         | All models             |  |
| Leaf Spring Re               | ar Suspensio                               | n                           |                     |   |                        |  |
| SHOCK                        | 35mm Nitrogen gas                          | BD1400T<br>BD1441T          | \$125 ea            | Twin tube                               | OE Height<br>40mm lift |  |
| ABSORBERS                    | 40mm Adjustable                            | BM401400<br>BM401441        | \$200 ea            | Twin tube / 60mm casing                 | OE Height<br>40mm lift |  |
| U BOLTS                      | U Bolts must be tightened at 500km service | TDUB-027                    | \$30 ea             | 2 kits required                         | All models             |  |
| REPLACEMENT<br>SHOCK         | Top pin mount  Bottom Eyering mount        | TW959<br>404702             | \$2.50 ea<br>\$3 ea | Two bushes per shock One bush per shock | Front<br>Front         |  |
| BUSHING                      | Top eyering mount  Bottom pin mount        | 404702<br>TW959             | \$2.50 ea<br>\$3 ea | Two bushes per shock One bush per shock | Rear<br>Rear           |  |

1 of 1

**DAIHATSU**: Rocky

8/93-99: F73, F78 w/Coil Springs

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

| SHOCK<br>ABSORBERS | 41mm foam cell                     | FC42019B  | \$160 ea                    | Twin tube / 60mm casing | All |
|--------------------|------------------------------------|-----------|-----------------------------|-------------------------|-----|
| TOROLON BARO       | A minimum droop of<br>60mm must be | 4WTB-0198 | \$250 pair                  | 26mm / 1093mm           |     |
| TORSION BARS       | maintained                         | Remember  | orsion Bars after fitting S | Shocks                  |     |

# **Coil Spring Rear Suspension**

| Complete Suspension Kit Pricing | Foam cell kit Foam Cell Front / Adj Rear           |                          | \$880<br>\$960                      | Kit includes: 4 x shock absorbers 4 x coil springs           |                        |
|---------------------------------|--|--------------------------|-------------------------------------|--|------------------------|
| REPLACEMENT<br>SHOCK<br>BUSHING | Top pin mount  Bottom Eyering mount  Top pin mount | TW959<br>412772<br>TW959 | \$2.50 ea<br>\$6.50 ea<br>\$2.50 ea | Two bushes per shock One bush per shock Two bushes per shock | Front<br>Front<br>Rear |
| COIL SPRINGS                    |  | TDC066                   | \$120 ea                            | Carries up to 300kg  | 40mm lift              |
| SHOCK<br>ABSORBERS              | 41mm foam cell 40mm Adjustable                     | FC41184<br>BM401184      | \$160 ea<br>\$200 ea                | Twin tube / 60mm casing Twin tube / 60mm casing              | All                    |

\* Freight should be added where required. \*

FS367

\$1,245

\$1,315

\$1,395

Foam cell Front / Gas Rear

Foam cell kit

Foam Cell Front / Adj Rear

Kit

**Pricing** 

Kit includes:

4 x shock absorbers

2 x leaf springs 2 x Ubolt kits

1 x shackle bush kits

All models

All models

Kit includes:

4 x shock absorbers

2 x leaf springs 2 x ubolt kits

1 x shackle bush kit

| FORD: Exp                         | lorer                       |                         |                           | 1 of 1                                      |           |  |  |  |
|-----------------------------------|-----------------------------|-------------------------|---------------------------|---|-----------|--|--|--|
| <b>10/96 On: UN, UP, UQ</b><br>UN | PRODUCT                     | PART No                 | RRP                       | PRODUCT INFORMATION                         | TYPE      |  |  |  |
| Torsion Bar Front Suspension      |                             |                         |                           |   |           |  |  |  |
| SHOCK<br>ABSORBERS                | 41mm Foam cell              | FC41450B                | \$160 ea                  | Twin tube / 60mm casing                     | All       |  |  |  |
| Leaf Spring Re                    | ar Suspensio                | n                       |                           |   |           |  |  |  |
| SHOCK<br>ABSORBERS                | 41mm Foam cell              | FC41446                 | \$160 ea                  | Twin tube / 60mm casing                     | OE & 40mm |  |  |  |
| LEAF SPRINGS                      | All Models PLEASE NOTE: The | FS24<br>Limited sits 35 | \$360 ea<br>Smm lower tha | Carries up to 300kg an the XLT with OE susp | 40mm lift |  |  |  |
|                                   |                             |                         |                           |   |           |  |  |  |

**TDUK-024** 

**TDUB-022** 

\$205 kit

\$50 kit

\$1,665

1 kit required

2 kits required

Shackle bushes

U Bolts must be

tightened at

500km service

Foam cell kit

The Limited comes standard with (Self Levelling) air shocks. These can be retained or removed as required. If the (Self Levelling) air shocks are removed the self levelling dash light will come on and off intermittently. The air hoses should be sealed off and taped to the chassis so they can be reused at a later date if needed.

## Please Note:

The air compressor will need to be turned off. The switch is located in the L/H rear inspection console. An Auto Electrician may need to be consulted if further electrical work is required.

Remember to adjust Torsion Bars after fitting Shocks

**URETHANE** 

**U BOLTS** 


Complete


Suspension

Kit

**Pricing** 

# F250 fitted with 4" leaf springs and 45mm Big Bore Toughdog Adjustable shocks.





Close up of Return-to-Center steering Stabilizer

## F250 2003-on

There is a choice of medium and heavy duty springs for the front end of this vehicle.

Original rubber bonded bushes are used for the spring eyes.
45mm bore Big Bore Adjustable shocks are used in this application.

FORD: F250 4WD

03-On PRODUCT INFORMATION **PART No PRODUCT RRP TYPE** with Quad rear shocks **Leaf Spring Front Suspension** SHOCK **TDR3500** 53mm Ralph \$275 ea Twin tube / 70mm casing OE Height **ABSORBERS** 03-on Quad R/Shocks BMX3500/4 45mm Adjustable \$275 ea Twin tube / 70mm casing 100mm lift LEAF **FS26** \$300 ea Petrol / Diesel / Alloy Bar 100mm lift **SPRINGS** FS26H \$350 ea 100mm lift Petrol / Diesel / Bar / Winch **STEERING** SS5250-XHD \$300 ea RTC S/Stabilizer for 100mm lift kit Large Bore **STABILIZERS** SV5250 \$300 ea Adjustable Seering Stabilizer SHACKLE BUSHES **TDUK-064** OE Style Shackle bushes \$120 kit 1kit required-(Fitted to springs) 2003-on U Bolts must be tightened at **U BOLTS TDUB-033** \$30 kit 2 kits equired 2003-on 500km service **PANHARD RODS** Adjustable **TDPR-250** \$240 ea 1 required 2003-on Leaf Spring Rear Suspension **BMX3501** \$275 ea Forward of rear axle 45mm Adjustable OE Height **BMX3502** Rear of rear axle OE Height SHOCK **ABSORBERS** BMX3501/4 45mm Adjustable \$275 ea Forward of rear axle (Outer) 100mm lift BMX3502/4 Rear of rear axle (Inner) 100mm lift **LEAF FS27** \$300 ea Carries up to 500kg 100mm lift **SPRINGS** FS27H \$350 ea 100mm lift Constant Load of 500kg SHACKLE BUSHES **TDUK-064** OE Style Shackle bushes \$120 kit 1kit required-(Fitted to springs) 2003-on U Bolts must be tightened at **U BOLTS TDUB-034** \$40 kit 2 kits required 2003-on 500km service Complete \$3,470 45mm Adjustable kit FS26,FS27 Kit includes: Suspension 45mm Adjustable kit FS26H,FS27 \$3,570 6 x shock absorbe Kit 4 x leaf springs

Shackle bushes are fitted to Leaf Springs
Chassis bushes - Retain O/E units

FS26,FS27H

FS26H,FS27H

45mm Adjustable kit

45mm Adjustable kit

\$3,570

\$3,670

4 x ubolt kits

2 x shackle bush k 1 x Panhard rod

For all models listed above - Check compliance plate to ID if imported by FORD AUSTRALIA or not.

**Pricing** 

| FORD: Bron 3/81-89 | co      |         | 1 of 1 |                        |      |  |
|--------------------|---------|---------|--------|------------------------|------|--|
|                    | PRODUCT | PART No | RRP    | PRODUCT<br>INFORMATION | TYPE |  |
|                    |         |         |        |                        |      |  |

# **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS | 41mm Foam cell All excl Quad Front Shocks       | FC41130B             | \$160 ea | Twin tube / 60 mm casing                 | OE & 30mm              |
|--------------------|---|----------------------|----------|--|------------------------|
|                    | 41mm Foam cell<br>All with Quad Front<br>Shocks | FC41102B<br>FC41130B | \$160 ea | Forward of front axle Rear of front axle | OE Height<br>OE Height |

# **Coil Spring Rear Suspension**

| SHOCK<br>ABSORBERS              | 41mm Foam cell<br><u>All models</u>   | FC41379         | \$160 ea               | Twin tube / 60 mm casing                                      | OE Height      |
|---------------------------------|---------------------------------------|-----------------|------------------------|---|----------------|
| REPLACEMENT<br>SHOCK<br>BUSHING | Top pin mount<br>Bottom Eyering mount | TW959<br>404702 | \$2.50 ea<br>\$3.00 ea | Two bushes per shock (FC41102B) One bush per shock-(FC41102B) | Front<br>Front |
|                                 | Top eyering mount                     | 404702          | \$3.00 ea              | One bush per shock  | Rear           |

**FORD**: Ranger

12/06-10/11 PJ: 2.5 & 3.0L

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

| SHOCK<br>ABSORBERS | 41mm Foam cell   | FC42051B  | \$160 ea     | Twin tube / 60mm casing   | All        |  |  |
|--------------------|--|-----------|--------------|---------------------------|------------|--|--|
| SHOCK<br>MOUNT KIT | PLEASE NOTE: Failure to fit TDSK-020 Kit will cause top mount failure. |           |              |                           |            |  |  |
|                    | Strengthening Kit  | TDSK-020  | \$85 kit     | For top mount             |            |  |  |
| TORSION BARS       | A minimum droop of 60mm must be  | 4WTB-1440 | \$280 pair   | 1028mm/27mm               | All Models |  |  |
|                    | maintained   | Remember  | to adjust To | orsion Bars after fitting | Shocks     |  |  |

|  | 35mm Nitrogen gas  | BD1232T               | \$125 ea                      | Twin tube  | OE & 45mm    |
|--|--|-----------------------|-------------------------------|--|--------------|
| SHOCK<br>ABSORBERS                       | 41mm Foam cell   | FC41232               | \$160 ea                      | Twin tube / 60mm casing  | OE & 45mm    |
|  | 40mm Adjustable  | BM401232              | \$200 ea                      | Twin tube / 60mm casing  | OE & 45mm    |
| LEAF                                     |  | FS368C                | \$230 ea                      | Carries up to 300kg  | 45mm lift    |
| SPRINGS                                  |  | FS368L                | \$265 ea                      | Constant Load of 300kg to GVM  | 45mm lift    |
| URETHANE                                 | Shackle bushes   | TDUK-069              | \$150 kit                     | 1 kit required   | All models   |
| U BOLTS                                  | U Bolts must be<br>tightened at 500km service                                  | TDUB-037              | \$30 kit                      | 2 kits required  | All models   |
| GREASABLE<br>SHACKLES                    | Shackles   | TDGS-386/1            | \$80 kit                      | 1 kit required   | All models   |
|  | Top pin mount  | TW959                 | \$2.50 ea                     | Two bushes per shock   | Front        |
| REPLACEMENT                              | Bottom Eyering mount   | 412772                | \$6.50 ea                     | One bush per shock   | Front        |
| SHOCK<br>BUSHING                         | Top Eyering mount<br>Bottom eyering mount                                      | ADJ00191<br>4W-SPF420 | \$3 ea<br>\$6 ea              | One bonded bush per shock One bush per shock   | Rear<br>Rear |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front / Gas Rear<br>Foam cell kit<br>Foam Cell Front / Adj Rear      | FS368C                | \$1,325<br>\$1,395<br>\$1,475 | Kit includes:  4 x shock absorbers 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits 1 x Strengthening kit |              |
|  | Foam cell Front / Gas Rear<br>41mm Foam cell kit<br>Foam Cell Front / Adj Rear |                       | \$1,395<br>\$1,465<br>\$1,545 |  |              |

1 of 2

| 11/11 On              | GER - 4WD                                  |   |           |  |                        |
|-----------------------|--|---|-----------|--|------------------------|
| PX: All models        | PRODUCT                                    | PART No                                     | RRP       | PRODUCT<br>INFORMATION   | TYPE                   |
| Coil Spring Fro       | ont Suspensio                              | n   |           |  |                        |
| SHOCK<br>ABSORBERS    | 40mm Foam cell Strut                       | FC404500                                    | \$200 ea  | Twin tube / 60mm casing  | All                    |
| COMPLETE              | FC404500<br>can be used for                | MAZ-003<br>FC404500<br>TDC451<br>MAZ-4051   | \$390 ea  | Petrol/Diesel/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top        | 40mm lift              |
| STRUT<br>Assembly     | OE & Raised applications                   | MAZ-004<br>FC404500<br>TDC451HL<br>MAZ-4051 | \$390 ea  | Petrol/Diesel/Bar/Winch<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top  | 40mm lift              |
| SHOCK<br>ABSORBERS    | 40mm Adjustable Strut                      | BM404500                                    | \$300 ea  | Twin tube / 60mm casing  | All                    |
| COMPLETE              | BM404500<br>can be used for                | MAZ-001<br>BM404500<br>TDC451<br>MAZ-4051   | \$490 ea  | Petrol/Diesel/Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top       | 40mm lift              |
| STRUT<br>Assembly     | OE & Raised applications                   | MAZ-002<br>BM404500<br>TDC451HL<br>MAZ-4051 | \$490 ea  | Petrol/Diesel/Bar/Winch<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 40mm lift              |
| COIL<br>SPRINGS       |  | TDC451<br>TDC451HL                          | \$120 ea  | Petrol/Diesel/Alloy Bar Petrol/Diesel/Alloy-Steel Bar/Winch                  | 40mm lift<br>40mm lift |
| STRUT TOP             | Strut top only                             | MAZ-4051                                    | \$70 ea   | 1 only required per side   |                        |
| Leaf Spring Re        | ar Suspensio                               | n   |           | Transmission Spacer kit must<br>to all suspension lifts                      |                        |
|                       | 35mm Nitrogen gas                          | BD1232T                                     | \$125 ea  | Use for Xtra Comfort/No Load   | OE & 40mm              |
| SHOCK<br>ABSORBERS    | 41mm Foam cell                             | FC41232                                     | \$160 ea  | Twin tube / 60mm casing  | OE & 40mm              |
|                       | 40mm Adjustable                            | BM401232                                    | \$200 ea  | Twin tube / 60mm casing  | OE & 40mm              |
| LEAF                  |  | FS369C                                      | \$180 ea  | Carries up to 300kg  | 40mm lift              |
| SPRINGS               |  | FS369L                                      | \$230 ea  | Constant Load of 300kg to GVM  | 40mm lift              |
|                       |  | FS369LL                                     | \$265 ea  | Constant Load of 500kg to GVM  | 40mm lift              |
| URETHANE              | Shackle Bushes                             | TDUK-070                                    | \$160 kit | 1 kit per vehicle  |                        |
| U BOLTS               | U Bolts must be tightened at 500km service | TDUB-039<br>TDUB-040                        | \$30 kit  | 2 kits per vehicle: Fit to FS369L, LL 2 kits per vehicle: Fit to FS369C      |                        |
| GREASABLE<br>SHACKLES |  | TDGS-390                                    | \$80 kit  | 1 kit per vehicle  |                        |
| TRANSMISSION SPACERS  |  | TDSP-007                                    | \$55 kit  | 1 kit per vehicle  |                        |

# **FORD**: RANGER - 4WD

| 11/11 On<br>PX: All models               | PRODUCT   | PART No                    | RRP                                  | PRODUCT<br>INFORMATION   | TYPE |  |
|--|---|----------------------------|--------------------------------------|--|------|--|
|  | Top pin mount   | MAZ-4051                   | \$70                                 | A new strut top needs to be pur<br>chased when replacing worn rub<br>bushes                                      |      |  |
| REPLACEMENT<br>SHOCK                     | Bottom eyering mount  | ADJ00305                   | \$6 ea                               | One bonded bush per shock  | nt   |  |
| BUSHING                                  | Top Eyering mount   | ADJ00191                   | \$3 ea                               | One bush per shock- Inner  | Rear |  |
|  | Bottom eyering mount  | 4W-SPF420                  | \$6 ea                               | One bonded bush per shock  | Rear |  |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front / Gas rear<br>Foam cell kit<br>Adj Front / Gas Rear<br>Adjustable kit | (F)Any coil<br>+<br>FS369C | \$1525<br>\$1595<br>\$1725<br>\$1875 | Front struts Require Assembly  Kit includes: 2 x struts (front)  |      |  |
|  | Foam cell kit<br>Adjustable kit   | (F)Any coil +<br>FS369L    | \$1695<br>\$1975                     | 2 x shock absorbers (rear) 2 x coil springs (front) 2 x leaf springs (rear) 2 x ubolt kits 1 x shackle bush kits |      |  |
|  | Foam cell kit<br>Adjustable kit   | (F)Any coil +<br>FS369LL   | \$1765<br>\$2045                     | 1 x transmission spacer kit  |      |  |
|  | Foam cell / Gas Kit<br>Foam cell kit<br>Adj Front / Gas Rear<br>Adjustable kit        | (F)Any coil<br>+<br>FS369C | \$1665<br>\$1735<br>\$1865<br>\$2015 | Front struts Assembled<br>and<br>ready to fit  |      |  |
|  | Foam cell kit<br>Adjustable kit   | (F)Any coil +<br>FS369L    | \$1835<br>\$2115                     | Kit includes: 2 x assembled front struts (fron 2 x shock absorbers (rear) 2 x leaf springs (rear)                |      |  |
|  | Foam cell kit<br>Adjustable kit   | (F)Any coil +<br>FS369LL   | \$1905<br>\$2185                     | 2 x ubolt kits<br>1 x shackle bush ki<br>1 x transmission space  |      |  |

# **GREAT WALL -** Ute (Wingle, Sailor)

1 of 1

6/09 On V200, 240 2.4L

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

## **Torsion Bar Front Suspension**

| SHOCK<br>ABSORBERS | 41mm Foam cell          | FC42019B  | \$160 ea     | Twin tube / 60mm casing    | All        |
|--------------------|-------------------------|-----------|--------------|----------------------------|------------|
| TORSION            | A minimum droop of      | 4WTB-1559 | \$380 pair   | 1145mm / 30mm              | All models |
| BARS               | 60mm must be maintained | Remember  | to adjust To | rsion Bars after fitting S | hocks      |

| SHOCK<br>ABSORBERS                       | 35mm Nitrogen gas   | BD1382T<br>BD1388T   | \$125 ea                   | Twin tube  | OE Height<br>45mm lift |
|--|---|----------------------|----------------------------|--|------------------------|
|  | 41mm Foam cell  | FC41382<br>FC41388   | \$160 ea                   | Twin tube / 60mm casing  | OE Height<br>45mm lift |
|  | 40mm Adjustable   | BM401382<br>BM401388 | \$200 ea                   | Twin tube / 60mm casing  | OE Height<br>45mm lift |
| LEAF<br>SPRINGS                          |   | FS213<br>FS213H      | \$195 ea<br>\$200 ea       | Carries up to 300kg  Constant Load of 300kg up to GVM                                    | 45mm lift<br>45mm lift |
| URETHANE                                 | Shackle bushes  | TDUK-065             | \$95 kit                   | 1 kit required   | All models             |
| U BOLTS                                  | U Bolts must be<br>tightened at 500km service                             | TDUB-039             | \$30 kit                   | 2 kits required  | All models             |
| GREASABLE<br>SHACKLES                    |   | TDGS-386             | \$80 kit                   | 1 kit required   | All models             |
| REPLACEMENT<br>SHOCK                     | Top pin mount<br>Bottom Eyering mount                                     | TW959<br>412772      | \$2.50 ea<br>\$6.50 ea     | Two bushes per shock One bonded bush per shock   | Front<br>Front         |
| BUSHING                                  | Top & bottom eyering mount  | 404702               | \$3 ea                     | Two bushes per shock   | Rear                   |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front/ Gas Rear<br>Foam cell kit<br>Foam cell Front / Adj Rear  | FS213                | \$1115<br>\$1185<br>\$1265 | Kit includes:  4 x shock absorbers 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits |                        |
|  | Foam cell Front / Gas Rear<br>Foam cell kit<br>Foam cell Front / Adj Rear | FS213H               | \$1125<br>\$1195<br>\$1275 |  |                        |

| GREAT WA  | LL - 4 Doo                               | r (Hove   | r, Safe,       |  | 1 of 1     |
|---|--|-----------|----------------|--|------------|
| X240  | PRODUCT                                  | PART No   | RRP            | PRODUCT<br>INFORMATION                                     | TYPE       |
| Torsion Bar Fr                                      | ont Suspensi                             | on        |                | -  |            |
| SHOCK<br>ABSORBERS                                  | 41mm Foam cell                           | FC42019B  | \$160 ea       | Twin tube / 60mm casing                                    | All        |
| TORSION   | A minimum droop of<br>60mm must be       | 4WTB-1559 | \$380 pair     | 1145mm / 30mm  | All models |
| BARS  | maintained                               | Remember  | to adjust T    | orsion Bars after fitti                                    | ng Shocks  |
| Leaf Spring Re                                      | ear Suspensio                            | n         |                |  |            |
| SHOCK   | 41mm Foam vell                           | FC41465   | \$160 ea       | Twin tube / 60mm casing                                    | OE & 30m   |
| ABSORBERS   | 40mm Adjustable                          | BM401465  | \$200 ea       | twin tube / 60mm casing                                    | OE Height  |
| COIL<br>SPRINGS                                     |  | TDC045    | \$120 ea       | Carries up to 300kg  | 30mm lift  |
| Replacement<br>SHOCK                                | Top pin mount                            | TW959     | \$2.50 ea      | Two bushes per shock                                       | Front      |
| ABSORBER  | Bottom Eyering mount                     | 411772    | \$6.50 ea      | One bonded bush per shock                                  | Front      |
| rubber<br>bushing                                   | Top pin mount                            | TW959     | \$2.50 ea      | Two bushes per shock                                       | Rear       |
| Complete vehicle<br>Suspension<br>Kit<br>Rec Retail | Foam cell kit Foam cell Front / Adj Rear | Any coil  | \$880<br>\$960 | <u>Kit includes:</u><br>4 x shock absor<br>2 x Coil spring | bers       |

**HOLDEN**: Frontera SWB 1 of 1 10/95-99 PRODUCT INFORMATION **PART No PRODUCT RRP TYPE UED55-MB 2 Door Torsion Bar Front Suspension** SHOCK **ABSORBERS** 41mm Foam cell FC42019B \$160 ea Twin tube / 60mm casing ΑII **Leaf Spring Rear Suspension** FC41200\* 41mm Foam cell \$160 ea Twin tube / 60mm casing OE Height FC41201B \* 40mm \* Check rear shock mounts prior to ordering = FC41200 Eye / Eye = FC41201B Pin/Eye SHOCK **ABSORBERS** BM401200 \* 40mm Adjustable \$200 ea Twin tube / 60mm casing OE & 40mm BM401201 \* OE & 40mm \* Check rear shock mounts prior to ordering = BM401200 Eye/Eye = BM401201 Pin/Eye COIL **TDC290** \$120 ea OE Height Carries up to 300kg **SPRINGS TDC267** Carries up to 300kg 40mm lift **HOLDEN**: Frontera SWB & LWB 3/99-04: UES25 - MX - 4 Door: 3.21 v6, 2.21 tdi **Torsion Bar Front Suspension SHOCK** 41mm Foam cell FC42019B \$160 ea Twin tube / 60mm casing ΑII **ABSORBERS** 4WTB-1559 \$380 pair 1145mm / 30mm **TORSION** A minimum droop of 60mm must be **BARS** maintained Remember to adjust Torsion Bars after fitting Shocks **Coil Spring Rear Suspension** 

| Complete<br>Suspension<br>Kit Pricing | Foam cell kit<br>Foam Cell Front / Adj Rear | Any coil          | \$880<br>\$960 | <u>Kit includes:</u> 4 x shock absorbers 2 x Coil springs |                        |
|---------------------------------------|---|-------------------|----------------|---|------------------------|
| COIL<br>SPRINGS                       |   | TDC267<br>TDC267H | \$120 ea       | Carries up to 300kg  Constant Load of 300kg to GVM        | 35mm lift<br>35mm lift |
| ABSORBERS                             | 40mm Adjustable                             | BM401201          | \$200 ea       | Twin tube / 60mm casing                                   | OE & 35mm              |
| SHOCK                                 | 41mm Foam cell                              | FC41201B          | \$160 ea       | Twin tube / 60mm casing                                   | OE & 35mm              |

## PLEASE NOTE:

Rear Shock absorbers supplied can not be longer than OE length.

If a longer shock is fitted, the rear trailing arms will come into contact with the fuel tank.

1 of 1 **HOLDEN**: Jackaroo, Isuzu Trooper 11/81-86 PRODUCT INFORMATION **PART No PRODUCT** RRP **TYPE UBS13, 16, 52L: All Torsion Bar Front Suspension BD2057T** 35mm Nitrogen gas \$125 ea Twin Tube ΑII SHOCK **ABSORBERS** 41mm Foam cell FC42057B \$160 ea Twin Tube / 60mm casing A minimum droop of 4WTB-1546 \$250 pair 926mm / 26mm All models **TORSION BARS** 60mm must be maintained Remember to adjust Torsion Bars after fitting Shocks Leaf Spring Rear Suspension **BD1382T** 35mm Nitrogen gas \$125 ea Twin Tube OE Height 41mm Foam cell FC41382 \$160 ea Twin Tube / 60mm casing OE Height 40mm Adjustable BM401382 \$200 ea Twin Tube / 60mm casing OE Height SHOCK **ABSORBERS BD1388T** 35mm Nitrogen gas \$125 ea Twin Tube 45mm lift 41mm Foam cell FC41388 \$160 ea Twin Tube / 60mm casing 45mm lift 40mm Adjustable BM401388 \$200 ea Twin Tube / 60mm casing 45mm lift **LEAF FS113** \$180 ea Carries up to 300kg 45mm lift **SPRINGS FS113H** \$200 ea Constant Load of 300kg to GMV 45mm lift **URETHANE** Shackle bushes **TDUK-004** \$55 kit 1 kit required All models U Bolts must be tightened at **U BOLTS TDUB-006** \$30 kit 2 kits required All models 500km service **TW959 Front** Top pin mount \$2.50 ea Two bushes per shock REPLACEMENT 411772 \$6.50 ea **Front Bottom Eyering mount** One bonded bush per shock SHOCK **BUSHING** 

| Complete   |
|------------|
| Suspension |
| Kit        |
| Pricing    |

| Top & bottom eyering mount                                      | 404702 | \$3 ea                     |
|---|--------|----------------------------|
| Nitrogen gas Kit<br>Foam cell kit<br>Foam Cell Front / Adj Rear | FS113  | \$975<br>\$1115<br>\$1195  |
| Nitrogen gas Kit<br>Foam cell kit<br>Foam Cell Front / Adj Rear | FS113H | \$1015<br>\$1155<br>\$1235 |

## Kit includes:

Two bushes per shock

Rear

4 x shock absorbers 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits

Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. 🗶
Fitment sheet can be found on page 141 of this catalogue.

1 of 1 **HOLDEN**: Jackaroo, Isuzu Trooper 11/86-92 PRODUCT INFORMATION **PART No PRODUCT TYPE RRP** UBS16, 17, 52, 55 **Torsion Bar Front Suspension BD2057T** 35mm Nitrogen gas \$125 ea Twin Tube ΑII **SHOCK ABSORBERS** FC42057B \$160 ea Twin Tube / 60mm casing 41mm Foam cell ΑII A minimum droop of 4WTB-1548 \$280 pair 997mm / 26mm All models **TORSION BARS** 60mm must be maintained Remember to adjust Torsion Bars after fitting Shocks **Leaf Spring Rear Suspension** 35mm Nitrogen gas **BD1105T** \$125 ea Twin Tube OE Height 41mm Foam cell FC41105 \$160 ea OE Height Twin Tube / 60mm casing BM401105 40mm Adjustable \$200 ea Twin Tube / 60mm casing **OE** Height SHOCK **ABSORBERS BD1106T** \$125 ea 35mm Nitrogen gas Twin Tube 45mm Lift FC41106 41mm Foam cell \$160 ea Twin Tube / 60mm casing 45mm Lift 40mm Adjustable BM401106 \$200 ea 45mm Lift Twin Tube / 60mm casing **FS113** \$180 ea Carries up to 300kg 45mm lift **LEAF SPRINGS FS113H** \$200 ea Constant Load of 300kg to GVM 45mm lift **URETHANE** Shackle Bushes **TDUK-004** \$55 kit 1 kit required All models **U BOLTS** U Bolts must be tightened at **TDUB-006** \$30 kit 2 kits required All models 500km service Top pin mount **TW959** \$2.50 ea Front Two bushes per shock REPLACEMENT 412772 \$6.50 ea **Front Bottom Eyering mount** One bonded bush per shock SHOCK **BUSHING TW959** \$2.50 ea Rear Top pin mount Two bushes per shock 404702 **Bottom Eyering mount** \$3 ea Rear One bush per shock FS113 \$975 Nitrogen gas Kit Kit includes: \$1115 Foam cell kit Complete Foam cell Front / Adj Rear \$1195 4 x shock absorbers Suspension 2 x leaf springs Kit 2 x ubolt kits \$1015 1 x shackle bush kits FS113H Nitrogen gas Kit **Pricing** \$1155 Foam cell kit

Foam cell Front / Adj Rear

\$1235

**HOLDEN**: Jackaroo, Monterey-inc Wide Body

1 of 1

5/92-98: UBS25,69

2/98-04: UBS26,73 PRODUCT

OUCT PART No

RRP

PRODUCT INFORMATION

**TYPE** 

## **Torsion Bar Front Suspension**

|                    | _  |                       |          | _  |            |
|--------------------|--|-----------------------|----------|--|------------|
| SHOCK<br>ABSORBERS | 41mm Foam cell                                   | FC42019B              | \$160 ea | Twin tube / 60mm casing                        | All        |
| TORSION BARS       | A minimum droop of<br>60mm must be<br>maintained | 4WTB-1549<br>Remember | l '      | 1220mm / 29.3mm<br>orsion Bars after fitting S | All models |

## **Coil Spring Rear Suspension**

|                               | 41mm Foam cell                              | FC41200  | \$160 ea       | Twin tube / 60mm casing                 | OE & 40mm    |
|-------------------------------|---|----------|----------------|---|--------------|
| SHOCK                         | 4 min oan cei                               | 1041200  | \$100 ea       | Twin tube / bollini casing              | OL & 40IIIII |
| ABSORBERS                     | 40mm Adjustable                             | BM401200 | \$200 ea       | Twin tube / 60mm casing                 | OE & 40mm    |
|                               |   | TDC267   | \$120 ea       | Carries up to 300kg                     | OE & 40mm    |
|                               | UBS25,69                                    | TDC267H  |                | Constant Load of 300kg to GVM           | 40mm lift    |
| COIL<br>SPRINGS               |   | TDC267HH |                | Constant Load of 500kg to GVM           | 40mm lift    |
|                               | UBS26, 73                                   | TDC267H  | \$120 ea       | Carries up to 300kg to GVM              | 40mm lift    |
|                               | WIDE BODY                                   | TDC267HH |                | Constant Load of 300kg to GVM           | 40mm lift    |
| REPLACEMENT                   |   |          |                |   | _            |
| SHOCK                         | Top pin mount                               | TW959    | \$2.50 ea      | Two bushes per shock                    | Front        |
| BUSHING                       | Bottom Eyering mount                        | 412772   | \$6.50 ea      | One bonded bush per shock               | Front        |
| Complete<br>Suspension<br>Kit | Foam cell kit<br>Foam cell Front / Adj Rear | Any coil | \$880<br>\$960 | <u>Kit includes:</u> 4 x shock absorber | s            |
| Pricing                       |   |          |                | 2 x Coil springs                        |              |

| HOLDEN: Ro                               | odeo 4WD  |                                    |   | 1 o  | of 1                                |  |  |  |
|--|---|------------------------------------|---|--|-------------------------------------|--|--|--|
| 1/81-88<br>KB4,KBD4                      | PRODUCT   | PART No                            | RRP   | PRODUCT<br>INFORMATION   | TYPE                                |  |  |  |
| Torsion Bar Front Suspension             |   |                                    |   |  |                                     |  |  |  |
| SHOCK<br>ABSORBERS                       |   | H2057                              | \$105 ea  | Twin Tube  | All                                 |  |  |  |
| TORSION BARS                             | A minimum droop of<br>60mm must be<br>maintained    | 4WTB-1536<br>4WTB-1546<br>Remember | \$535 pair<br>\$250 pair<br><b>to adjust To</b> | 1/81-83 - 927mm / 26mm<br>83-88 - 926mm / 26mm<br>prsion Bars after fitting S                  | Shocks                              |  |  |  |
| Leaf Spring Re                           | ear Suspensio                                       | n                                  |   |  |                                     |  |  |  |
|  | 35mm Nitrogen gas                                   | BD1382T<br>BD1388T                 | \$125 ea  | Twin tube  | OE Height<br>40mm lift              |  |  |  |
| SHOCK<br>ABSORBERS                       | 41mm Foam cell                                      | FC41382<br>FC41388                 | \$160 ea  | Twin tube / 60mm casing  | OE Height<br>40mm lift              |  |  |  |
|  | 40mm Adjustable                                     | BM401382<br>BM401388               | \$200 ea  | Twin tube / 60mm casing  | OE Height<br>40mm lift              |  |  |  |
| LEAF<br>SPRINGS                          |   | FS113<br>FS113H<br>FS113HM         | \$180 ea<br>\$200 ea<br>\$260 ea                | Carries up to 300kg  Constant Load of 300kg up to GVM  Constant Load of 500kg up to GVM        | 40mm lift<br>40mm lift<br>40mm lift |  |  |  |
| URETHANE                                 | Shackle Bushes                                      | TDUK-004                           | \$55 kit  | 1 kit required   | All models                          |  |  |  |
| U BOLTS                                  | U Bolts must be tightened at 500km service          | TDUB-005                           | \$30 kit  | 2 kits required  | All models                          |  |  |  |
| GREASABLE<br>SHACKLES                    | Shackles  | TDGS-386                           | \$80 kit  | 1 kit required   | All models                          |  |  |  |
| REPLACEMENT<br>SHOCK<br>BUSHING          | Top pin mount Bottom Eyering mount                  | TW959<br>412773                    | \$2.50 ea<br>\$5.50 ea                          | Two bushes per shock One bush per shock  | Front<br>Front                      |  |  |  |
| Возпіко                                  | Top & bottom eyering mount                          | 404702                             | \$3 ea  | Two bushes per shock   | Rear                                |  |  |  |
|  | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit | FS113                              | \$935<br>\$1005<br>\$1085                       | Kit includes: 4 x shock absorbers (rear) 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits |                                     |  |  |  |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit | FS113H                             | \$975<br>\$1045<br>\$1125                       |  |                                     |  |  |  |
|  | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit | FS113HM                            | \$1095<br>\$1165<br>\$1245                      |  |                                     |  |  |  |

8/88-03

TFS,G3,G6,R7,R9 PRODUCT PART No RRP PRODUCT TYPE

## **Torsion Bar Front Suspension**

| SHOCK<br>ABSORBERS | 35mm Nitrogen gas                            | BD2057T  | \$125 ea                 | Twin tube                    | All                 |
|--------------------|--|--|--------------------------|------------------------------|---------------------|
| TORGION DARG       | 36mm Spline Diameter<br>33mm Spline Diameter | 4WTB-1548<br>4WTB-1566   | \$280 pair<br>\$500 pair | 997mm / 26mm<br>998mm / 27mm | All types All types |
| TORSION BARS       | A minimum droop of                           | Remember to adjust Torsion Bars after fitting Sho Prior to ordering - Please check Spline & diameter |                          |                              |                     |
|                    | 60mm must be<br>maintained                   |  |                          |                              |                     |

|  | 35mm Nitrogen gas   | BD1382T<br>BD1388T   | \$125 ea                   | Twin tube  | OE Height<br>40mm lift |
|--|---|----------------------|----------------------------|--|------------------------|
| SHOCK<br>ABSORBERS                       | 41mm Foam cell  | FC41382<br>FC41388   | \$160 ea                   | Twin tube / 60mm casing  | OE Height<br>40mm lift |
|  | 40mm Adjustable   | BM401382<br>BM401388 | \$200 ea                   | Twin tube / 60mm casing  | OE Height<br>40mm lift |
|  | Check number  | of leafs on C        | EM pack prid               | or to ordering and or fitti  | ng.                    |
| LEAF                                     |   | FS113                | \$180 ea                   | Carries up to 300kg  | 40mm lift              |
| SPRINGS                                  |   | FS113H               | \$200 ea                   | Constant Load of 300kg up to GVM                                   | 40mm lift              |
|  |   | FS113HM              | \$260 ea                   | Constant load of 500kg up to GVM                                   | 40mm lift              |
| URETHANE                                 | Shackle bushes  | TDUK-037             | \$85 kit                   | 1 kit required   | All models             |
| U BOLTS                                  |   | TDUB-005             | \$30 kit                   | 2 kits required  | All models             |
| GREASABLE<br>SHACKLES                    | Shackles  | TDGS-386             | \$80 kit                   | 1 kit required   | All models             |
| REPLACEMENT<br>SHOCK                     | Top pin mount<br>Bottom Eyering mount                                     | TW959<br>412772      | \$2.50 ea<br>\$6.50 ea     | Two bushes per shock One bonded bush per shock                     | Front<br>Front         |
| BUSHING                                  | Top & bottom eyering mount  | 404702               | \$3 ea                     | Two bushes per shock   | Rear                   |
|  | Nitrogen gas Kit<br>Gas front/Foam cell Rear<br>Gas Front/Adjustable Rear | FS113                | \$1005<br>\$1075<br>\$1155 |  |                        |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit<br>Gas front/Foam cell Rear<br>Gas Front/Adjustable Rear | FS113H               | \$1045<br>\$1115<br>\$1195 | Kit includes:  4 x shock absorbers 2 x leaf springs 2 x ubolt kits |                        |
|  | Nitrogen gas Kit<br>Gas front/Foam cell Rear<br>Gas Front/Adjustable Rear | FS113HM              | \$1165<br>\$1235<br>\$1315 | . 1 x shackle bush kits  |                        |

**HOLDEN:** RA Rodeo & Colorado 1 of 1

2/03 On: RA Rodeo 08-12:Colorado: RC

**PRODUCT** 

**PART No** 

RRP

PRODUCT INFORMATION

TYPE

| <b>Torsion</b> | Bar | Front | Suspen | sion |
|----------------|-----|-------|--------|------|
|----------------|-----|-------|--------|------|

| SHOCK<br>ABSORBERS | 41mm Foam cell                  | FC42019B   | \$160 ea   | Twin tube     | All        |
|--------------------|---------------------------------|--|------------|---------------|------------|
| TORSION<br>BARS    | A minimum droop of 60mm must be | 4WTB-1559  | \$380 pair | 1145mm / 30mm | All models |
|                    | maintained                      | Remember to adjust Torsion Bars after fitting Shocks |            |               |            |

|  | 35mm Nitrogen gas   | BD1382T<br>BD1388T   | \$125 ea                   | Twin tube  | OE Height<br>45mm lift |
|--|---|----------------------|----------------------------|--|------------------------|
| SHOCK<br>ABSORBERS                       | 41mm Foam cell  | FC41382<br>FC41388   | \$160 ea                   | Twin tube / 60mm casing  | OE Height<br>45mm lift |
|  | 40mm Adjustable   | BM401382<br>BM401388 | \$200 ea                   | Twin tube / 60mm casing  | OE Height<br>45mm lift |
| LEAF<br>SPRINGS                          |   | FS213<br>FS213H      | \$195 ea<br>\$200 ea       | Carries up to 300kg  Constant Load of 300kg up to GVM                                    | 45mm lift<br>45mm lift |
| URETHANE                                 | Shackle bushes  | TDUK-065             | \$95 kit                   | 1 kit required   | All models             |
| U BOLTS                                  |   | TDUB-039             | \$30 kit                   | 2 kits required  | All models             |
| GREASABLE<br>SHACKLES                    | Shackles  | TDGS-386             | \$80 kit                   | 1 kit required   | All models             |
| REPLACEMENT<br>SHOCK                     | Top pin mount<br>Bottom Eyering mount                                     | TW959<br>412772      | \$2.50 ea<br>\$6.50 ea     | Two bushes per shock One bonded bush per shock   | Front<br>Front         |
| BUSHING                                  | Top & bottom eyering mount  | 404702               | \$3 ea                     | Two bushes per shock   | Rear                   |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front / Gas Rear<br>Foam cell kit<br>Foam Cell Front / Adj Rear | FS213                | \$1115<br>\$1185<br>\$1265 | Kit includes:  4 x shock absorbers 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits |                        |
|  | Foam cell Front / Gas Rear<br>Foam cell kit<br>Foam Cell Front / Adj Rear | FS213H               | \$1125<br>\$1195<br>\$1275 |  |                        |

**HOLDEN**: Colorado RG

1 of 2

11/11 On MMU142,RG/GM1700

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

## **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS                 | 40mm Foam cell strut                                       | FC404200                                   | \$200 ea | Twin tube / 60mm casing  | OE & 40mm              |
|------------------------------------|--|--|----------|--|------------------------|
| 40mm Bore<br>Foam Cell<br>COMPLETE | FC404200<br>can be used for<br>OE & Raised<br>applications | HOL-003<br>FC404200<br>TDC270<br>TOY-1081  | \$390 ea | Petrol/Diesel/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top      | 40mm lift              |
| STRUT<br>Assembly                  |  | HOL-004<br>FC404200<br>TDC270H<br>TOY-1081 | \$390 ea | Petrol/Diesel/Bar/Winch 40mm Foam cell shock Coil Spring Strut Top         | 40mm lift              |
| SHOCK<br>ABSORBERS                 | 40mm Adjustable strut                                      | BM404200                                   | \$300 ea | Twin tube / 60mm casing  | OE & 40mm              |
| 40mm Bore<br>9 Stage<br>Adjustable | BM404200<br>can be used for                                | HOL-001<br>BM404200<br>TDC270<br>TOY-1081  | \$490 ea | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 40mm lift              |
| COMPLETE<br>STRUT<br>Assembly      | can be used for<br>OE & Raised<br>applications             | HOL-002<br>BM404200<br>TDC270H<br>TOY-1081 | \$490 ea | Petrol/Diesel/Bar/Winch 40mm Adjustable shock Coil Spring Strut Top        | 40mm lift              |
| COIL<br>SPRINGS                    |  | TDC270<br>TDC270H                          | \$120 ea | Petrol/Diesel/Alloy Bar<br>Petrol/Diesel/alloy-steel bar/Winch             | 40mm lift<br>40mm lift |
| STRUT TOP                          | Strut top only   | TOY-1081                                   | \$70 ea  | 1 only required per side   |                        |

| SHOCK                 | 35mm Nitrogen gas                          | BD1382T     | \$125 ea | Use for Xtra Comfort/No Load                                   | OE & 40mm |
|-----------------------|--|-------------|----------|--|-----------|
|                       | 41mm Foam cell                             | FC41382     | \$160 ea | Twin tube  | OE & 40mm |
| ABSORBERS             | 40mm Adjustable                            | BM401382    | \$200 ea | Twin tube  | OE & 40mm |
| LEAF                  |  | FS214C      | \$210 ea | Carries up to 300kg  | 40mm lift |
|                       |  | FS214L      | \$260 ea | Constant Load of 300kg to GVM                                  | 40mm lift |
| SPRINGS               |  | FS214LL     | \$310 ea | Constant Load of 500kg to GVM                                  | 40mm lift |
| URETHANE              | Shackle Bushes                             | TDUK-071    | \$85 kit | 1 kit per vehicle  |           |
| U BOLTS               |  | TDUB-016    | \$30 kit | 2 kits per vehicle   |           |
| GREASABLE<br>SHACKLES | U Bolts must be tightened at 500km service | TDGS-391    | \$80 kit | 1 kit per vehicle  |           |
| REPLACEMENT           | Top pin mount                              | TOY-1081    | \$70 ea  | A new strut top needs to<br>chased when replacing wo<br>bushes |           |
| SHOCK<br>BUSHING      | Bottom Eyering mount                       | ADJ00300/40 | \$6 ea   | One bonded bush per shock                                      | Front     |
| 2000                  | Top & bottom eyering mount                 | 404702      | \$3 ea   | Two bushes per shock   | Rear      |

| 11/11 On<br>MMU142,RG/GM1700             | PRODUCT   | PART No | RRP                        | PRODUCT TYPE   |
|--|---|---------|----------------------------|--|
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS214C  | \$1455<br>\$1525<br>\$1805 | Front struts<br>Require<br>Assembly  |
|  | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS214L  | \$1555<br>\$1625<br>\$1905 | Kit includes:  2 x struts (front)  2 x shock absorbers  2 x coil springs                 |
|  | Foam cell kit<br>Adjustable kit                             | FS214LL | \$1725<br>\$2005           | 2 x leaf springs<br>2 x ubolt kits<br>1 x shackle bush kits                              |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS214C  | \$1595<br>\$1665<br>\$1945 | Front struts Assembled<br>and<br>ready to fit  |
|  | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS214L  | \$1695<br>\$1765<br>\$2045 | Kit includes:  2 x assembled struts(front)  2 x shock absorbers (rear)  2 x leaf springs |
|  | Foam cell kit<br>Adjustable kit                             | FS214LL | \$1865<br>\$2145           | 2 x ubolt kits<br>1 x shackle bush kits  |

| HOI | DEN: | Colorado 7/ Chevrolet Trailblazer |
|-----|------|-----------------------------------|
| HUI |      | Colorado 7/ Chevrolet Trailblaze  |

1 of 1

11/11 On 2.51, 2.81 Diesel

PRODUCT

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

## **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS            | 40mm Foam cell strut                                       | FC404200                                  | \$200 ea | Twin tube / 60mm casing  | OE & 40mm |
|-------------------------------|--|---|----------|--|-----------|
| COMPLETE<br>STRUT<br>Assembly | FC404200 can<br>be used for<br>OE & Raised<br>applications | HOL-003<br>FC404200<br>TDC270<br>TOY-1081 | \$390 ea | Petrol/Diesel/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top      | 40mm lift |
| SHOCK<br>ABSORBERS            | 40mm Adjustable strut                                      | BM404200                                  | \$300 ea | Twin tube / 60mm casing  | OE & 40mm |
| COMPLETE<br>STRUT<br>Assembly | BM404200 can<br>be used for<br>OE & Raised<br>applications | HOL-001<br>BM404200<br>TDC270<br>TOY-1081 | \$490 ea | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 40mm lift |
| COIL<br>SPRINGS               |  | TDC270                                    | \$120 ea | Petrol/Diesel/Alloy Bar  | 40mm lif  |
| STRUT TOP                     | Strut top only   | TOY-1081                                  | \$70 ea  | 1 only required per side   |           |

# **Coil Spring Rear Suspension**

| SHOCK<br>ABSORBERS                       | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable                                   | BD1125T<br>FC41125<br>BM401125    | \$125 ea<br>\$160 ea<br>\$200 ea     | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing   | OE & 40mm<br>OE & 40mm<br>OE & 40mm |
|--|--|-----------------------------------|--------------------------------------|---|-------------------------------------|
| COIL<br>SPRINGS                          |  | TDC271                            | \$120 ea                             | Carries up to 300kg   | 40mm lift                           |
| REPLACEMENT                              | Top pin mount  | TOY-1081                          | \$70 ea                              | A new strut top needs to be p<br>chased when replacing worn ru<br>bushes  |                                     |
| SHOCK<br>BUSHING                         | Bottom Eyering mount   | ADJ00300/40                       | \$6 ea                               | One bonded bush per shock   | Front                               |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable Front/Gas Rear<br>Adjustable kit | (F)FC / (R)gas<br>(F)Adj / (R)gas | \$1130<br>\$1200<br>\$1330<br>\$1480 | Front struts Require Assembly  Kit includes: 4 x shock absorbers 4 x coil springs   |                                     |
|  | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable Front/Gas Rear<br>Adjustable kit | (F)FC / (R)gas<br>(F)Adj / (R)gas | \$1270<br>\$1340<br>\$1470<br>\$1620 | Front struts Assembled and ready to fit  Kit includes: 2 x assembled struts(front) 2 x shock absorbers(rear) 2 x coil springs(rear) |                                     |

| HYUNDAI<br>12/01 On                      | : Terracan                                |                      |                        | 1 0  | of 1                   |
|--|---|----------------------|------------------------|--|------------------------|
| HP                                       | PRODUCT                                   | PART No              | RRP                    | PRODUCT<br>INFORMATION                                   | TYPE                   |
| Torsion Bar Fro                          | ont Suspensi                              | on                   |                        |  |                        |
| SHOCK<br>ABSORBERS                       | 41mm Foam cell                            | FC42059B             | \$160 ea               | Twin tube / 60mm casing                                  | All                    |
| T0000N 0400                              | A minimum droop of                        | 4WTB-1725            | \$280 pair             | 1275mm / 27.5mm  | All Models             |
| TORSION BARS                             | 60mm must be<br>maintained                | Remember             | to adjust To           | orsion Bars after fitting Shocks                         |                        |
| Coil Spring Re                           | ar Suspensio                              | n                    |                        |  |                        |
| SHOCK                                    | 41mm Foam cell                            | FC41120B<br>FC41121B | \$160 ea               | Twin tube / 60mm casing                                  | OE & 45mi              |
| ABSORBERS                                | 40mm Adjustable                           | BM401120<br>BM401121 | \$200 ea               | Twin tube / 60mm casing                                  | OE Height<br>45mm lift |
| COIL SPRINGS                             |   | TDC680<br>TDC632SL   | \$120 ea               | Carries up to 300kg  Constant Load of 300kg to GVM       | 45mm lift<br>45mm lift |
| REPLACEMENT                              | Top pin mount                             | TW959                | \$2.50 ea              | Two bushes per shock                                     | Front                  |
| SHOCK<br>BUSHING                         | Top pin mount<br>Bottom Eyering mount     | 402267<br>ADJ00191   | \$2.50 ea<br>\$3.00 ea | Two bushes per shock One bush per shock                  | Front<br>Rear          |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Foam cell Front/Adj Rear |                      | \$880<br>\$960         | Kit includes:<br>4 x shock absorbers<br>2 x coil springs |                        |

ISUZU: D-Max 4wd 1 of 1 **MY09** PRODUCT INFORMATION **PART No** 2008 On **PRODUCT RRP TYPE Torsion Bar Front Suspension** SHOCK FC42019B 41mm Foam cell \$160 ea Twin tube All **ABSORBERS** A minimum droop of 4WTB-1559 \$380 pair **TORSION** 1145mm / 30mm All models 60mm must be **BARS** maintained Remember to adjust Torsion Bars after fitting Shocks Leaf Spring Rear Suspension 35mm Nitrogen gas **BD1382T** \$125 ea OE Height Twin tube **BD1388T** 45mm lift FC41382 41mm Foam cell \$160 ea Twin tube / 60mm casing OE Height SHOCK FC41388 **ABSORBERS** 45mm lift BM401382 \$200 ea 40mm Adjustable Twin tube / 60mm casing OE Height BM401388 45mm lift **FS213** \$195 ea Carries up to 300kg 45mm lift LEAF U Bolts must be tightened at **FS213H SPRINGS** 500km service \$200 ea Constant Load of 300kg up to GVM 45mm lift **TDUK-065** Shackle bushes \$95 kit 1 kit required All models **URETHANE TDUB-039** \$30 kit 2 kits required All models **U BOLTS GREASABLE TDGS-386** Shackles \$80 kit 1 kit required All models **SHACKLES TW959 Front** Top pin mount \$2.50 ea Two bushes per shock **REPLACEMENT Front** 412772 \$6.50 ea **Bottom Eyering mount** One bush per shock SHOCK **BUSHING** 404702 \$3 ea Rear Top & bottom eyering mount Two bushes per shock Foam cell Front/Gas Rear FS213 \$1115 \$1185 Foam cell kit Complete Kit includes: FCell Front/Adjustable Rear \$1265 4 x shock absorbers Suspension

Foam cell kit \$1195
FCell Front/Adjustable Rear \$1275

FS213H

Foam cell Front/Gas Rear

\$1125

2 x leaf springs 2 x ubolt kits

1 x shackle bush kit

Kit

**ISUZU:** D-Max

05/2012 On TFS85, V-Cross

PRODUCT

PART No

RRP

PRODUCT INFORMATION

TYPE

## **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS                             | 40mm Foam cell strut                                       | FC404200                                   | \$200 ea | Twin tube / 60mm casing  | All                    |
|--|--|--|----------|--|------------------------|
| 40mm Bore<br>Foam Cell<br>COMPLETE<br>STRUT    | FC404200<br>can be used for                                | HOL-003<br>FC404200<br>TDC270<br>TOY-1081  | \$390 ea | Petrol/Diesel/Bar 40mm Foam cell shock Coil Spring Strut Top               | 40mm lift              |
| Assembly                                       | OE & Raised applications                                   | HOL-004<br>FC404200<br>TDC270H<br>TOY-1081 | \$390 ea | Petrol/Diesel/Bar/Winch 40mm Foam cell shock Coil Spring Strut Top         | 40mm lift              |
| SHOCK<br>ABSORBERS                             | 40mm Adjustable strut                                      | BM404200                                   | \$300 ea | Twin tube / 60mm casing  | All                    |
| 40mm Bore<br>9 Stage<br>Adjustable<br>COMPLETE | BM404200<br>can be used for<br>OE & Raised<br>applications | HOL-001<br>BM404200<br>TDC270<br>TOY-1081  | \$490 ea | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 40mm lift              |
| STRUT<br>Assembly                              |  | HOL-002<br>BM404200<br>TDC270H<br>TOY-1081 | \$490 ea | Petrol/Diesel/Bar/Winch 40mm Adjustable shock Coil Spring Strut Top        | 40mm lift              |
| COIL<br>SPRINGS                                |  | TDC270<br>TDC270H                          | \$120 ea | Petrol/Diesel/Alloy Bar Petrol/Diesel/alloy-steel bar/Winch                | 40mm lift<br>40mm lift |
| STRUT TOP                                      | Strut top only   | TOY-1081                                   | \$70 ea  | 1 only required per side   |                        |

|                          | 35mm Nitrogen gas                                    | BD1382T  | \$125 ea | Twin tube                     | OE & 40mm |
|--------------------------|--|----------|----------|-------------------------------|-----------|
| SHOCK<br>ABSORBERS       | 41mm Foam cell                                       | FC41382  | \$160 ea | Twin tube                     | OE & 40mm |
|                          | 40mm Adjustable                                      | BM401382 | \$200 ea | Twin tube                     | OE & 40mm |
|                          |  | FS214C   | \$210 ea | Carries up to 300kg           | 40mm lift |
| LEAF                     |  | FS214L   | \$260 ea | Constant Load of 300kg to GVM | 40mm lift |
| SPRINGS                  |  | FS214LL  | \$310 ea | Constant Load of 500kg to GVM | 40mm lift |
| Handbrake relocation kit | Must be fitted when fitting aftermarket Leaf Springs | TDSK-021 | \$25 kit | 1 kit per vehicle             |           |
| URETHANE                 | Shackle Bushes                                       | TDUK-071 | \$85 kit | 1 kit per vehicle             |           |
| U BOLTS                  | U Bolts must be tightened at 500km service           | TDUB-016 | \$30 kit | 2 kits per vehicle            |           |
| GREASABLE<br>SHACKLES    |  | TDGS-391 | \$80 kit | 1 kit per vehicle             |           |

# **ISUZU:** D-MAX

| 05/212 On<br>TFS85 V CROSS | PRODUCT   | PART No     | RRP                        | PRODUCT TYPE   |
|----------------------------|---|-------------|----------------------------|--|
| REPLACEMENT                | Top pin mount   | TOY-1081    | \$70                       | A new strut top needs to be pur-<br>chased when replacing worn rubbe<br>bushes             |
| SHOCK<br>BUSHING           | Bottom Eyering mount  | ADJ00300/40 | \$6 ea                     | One bonded bush per shock Front  |
|                            | Top & bottom eyering mount                                  | 404702      | \$3 ea                     | Two bushes per shock Rear  |
|                            | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS214C      | \$1455<br>\$1525<br>\$1805 | Front struts<br>Require<br>Assembly  |
|                            | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS214L      | \$1555<br>\$1625<br>\$1905 | Kit includes:  2 x struts (front)  2 x shock absorbers  2 x coil springs  2 x leaf springs |
| Complete<br>Suspension     | Foam cell kit<br>Adjustable kit                             | FS214LL     | \$1725<br>\$2005           | 2 x ubolt kits<br>1 x shackle bush kits  |
| Kit<br>Pricing             | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS214C      | \$1595<br>\$1665<br>\$1945 | Front struts Assembled<br>and<br>ready to fit  |
|                            | Foam cell kit<br>Adjustable kit                             | FS214L      | \$1695<br>\$1765<br>\$2045 | Kit includes:  2 x assembled struts(front) 2 x shock absorbers (rear) 2 x leaf springs     |
|                            | Foam cell kit<br>Adjustable kit                             | FS214LL     | \$1865<br>\$2145           | 2 x ubolt kits<br>1 x shackle bush kits  |

**TYPE** 

**ISUZU:** Mux 8/2014 On PRODUCT INFORMATION PRODUCT PART No **All Models** RRP **Coil Spring Front Suspension** 

| SHOCK<br>ABSORBERS                             | 40mm Foam cell strut                                       | FC404200                                   | \$200 ea | Twin tube / 60mm casing  | All                    |
|--|--|--|----------|--|------------------------|
| 40mm Bore<br>Foam Cell<br>COMPLETE<br>STRUT    | FC404200<br>can be used for<br>OE & Raised<br>applications | HOL-003<br>FC404200<br>TDC270<br>TOY-1081  | \$390 ea | Petrol/Diesel/Bar 40mm Foam cell shock Coil Spring Strut Top                 | 40mm lift              |
| Assembly                                       |  | HOL-004<br>FC404200<br>TDC270H<br>TOY-1081 | \$390 ea | Petrol/Diesel/Bar/Winch<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top  | 40mm lift              |
| SHOCK<br>ABSORBERS                             | 40mm Adjustable strut                                      | BM404200                                   | \$300 ea | Twin tube / 60mm casing  | All                    |
| 40mm Bore<br>9 Stage<br>Adjustable<br>COMPLETE | BM404200<br>can be used for<br>OE & Raised<br>applications | HOL-001<br>BM404200<br>TDC270<br>TOY-1081  | \$490 ea | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top   | 40mm lift              |
| STRUT<br>Assembly                              |  | HOL-002<br>BM404200<br>TDC270H<br>TOY-1081 | \$490 ea | Petrol/Diesel/Bar/Winch<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 40mm lift              |
| COIL<br>SPRINGS                                |  | TDC270<br>TDC270H                          | \$120 ea | Petrol/Diesel/Alloy Bar<br>Petrol/Diesel/alloy-steel bar/Winch               | 40mm lift<br>40mm lift |
|  |  |  |          |  |                        |

## **Coil Spring Rear Suspension**

Strut top only

**STRUT TOP** 

| SHOCK<br>ABSORBERS | 35mm Nitrogen gas | BD1125T           | \$125 ea             | Twin tube                                       | OE & 40mm              |
|--------------------|-------------------|-------------------|----------------------|---|------------------------|
|                    | 41mm Foam cell    | FC41125           | \$160 ea             | Twin tube                                       | OE & 40mm              |
|                    | 40mm Adjustable   | BM401125          | \$200 ea             | Twin tube                                       | OE & 40mm              |
| COIL               |                   | TDC272SL          | \$120 ea             | Carries up to 300kg                             | OE Height              |
| COIL<br>SPRINGS    |                   | TDC272<br>TDC272H | \$120 ea<br>\$120 ea | Carries up to 300kg Constant Load of 300kg plus | 40mm lift<br>40mm lift |

TOY-1081

\$70 ea

1 only required per side

JEEP: Cherokee 1 of 1

4/94-01 XJ Limited, Sport

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

# **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS                 | 41mm Foam cell     | FC41063<br>FC41068   | \$160 ea             | Twin tube / 60mm casing                                | OE Height<br>35mm lift |
|------------------------------------|--------------------|----------------------|----------------------|--|------------------------|
|                                    | 40mm Adjustable    | BM401063<br>BM401068 | \$200 ea             | Twin tube / 60mm casing                                | OE Height<br>35mm lift |
| COIL<br>SPRINGS                    | Limited &<br>Sport | TDC333<br>TDC352     | \$120 ea             | Petrol/Alloy Bar<br>Petrol/Diesel/Bar/Winch            | 35mm lift<br>35mm lift |
| STEERING<br>DAMPER &<br>STABILIZER |                    | SS5922-P/S<br>SV5922 | \$165 ea<br>\$200 ea | RTC Steering Stabllizer Adjustable Steering Stabilizer | Power steer<br>All     |

#### **Leaf Spring Rear Suspension**

| SHOCK<br>ABSORBERS                       | 41mm Foam cell                             | FC41241<br>FC41249   | \$165 ea         | Twin tube / 60mm casing  | OE Height<br>35mm lift |
|--|--|----------------------|------------------|--|------------------------|
|  | 40mm Adjustable                            | BM401241<br>BM401249 | \$200 ea         | Twin tube / 60mm casing  | OE Height<br>35mm lift |
| LEAF<br>SPRINGS                          | to suit all Models                         | FS25H                | \$300 ea         | Comfort & Medium Load: up to 500kg   | 35mm lift              |
| URETHANE                                 | Shackle bushes                             | TDUK-027             | \$205 kit        | 1 kit required   | All models             |
| U BOLTS                                  | U Bolts must be tightened at 500km service | TDUB-020             | \$30 kit         | 2 kits required  | All models             |
| TRANSMISSION SPACERS                     | Trans. Spacers                             | TDSP-002             | \$95 kit         | 1 kit required   | All models             |
| REPLACEMENT<br>SHOCK                     | Top pin mount                              | TW959                | \$2.50 ea        | Two bushes per shock   | Front                  |
| BUSHING                                  | Bottom eyering mount                       | 404702               | \$3 ea           | One bush per shock   | Rear                   |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Adjustable kit            | Any coil<br>& FS25H  | \$1840<br>\$2000 | <u>Kit includes:</u> 4 x shock absorbers 2 x coil springs 2 x leaf springs 2 x Ubolt kits 1 x shackle bush kit |                        |

JEEP: Grand Cherokee

1 of 1

ZG: 4/96-99

PRODUCT INFORMATION **PART No** WG,WJ: 6/99-05 **PRODUCT RRP TYPE Coil Spring Front Suspension** FC41068 41mm Foam cell \$160 ea Twin tube / 60mm casing ΑII SHOCK All models **ABSORBERS** 40mm Adjustable BM401068 \$200 ea Twin tube / 60mm casing ΑII SS5922-P/S \$165 ea RTC Steering Stabllizer Power steer ZG SV5922 All **STEERING** \$200 ea Adjustable Steering Stabilizer **DAMPER & STABILIZER** SS5924-P/S \$165 ea RTC Steering Stabilizer Power steer WG, WJ SV5924 \$200 ea Adjustable Steering Stabilizer 35mm bore **TDC358** \$120 ea All /Allov Bar 30mm lift ZG COIL **SPRINGS TDC360** \$120 ea All /Alloy Bar 30mm lift WG, WJ **Coil Spring Rear Suspension** 41mm Foam cell FC41444 \$160 ea Twin tube / 60mm casing ΑII ZG 40mm Adjustable BM401444 \$200 ea ΑII Twin tube / 60mm casing SHOCK **ABSORBERS** 41mm Foam cell FC41190 \$160 ea Twin tube / 60mm casing WG, WJ BM401190 \$200 ea 40mm Adjustable Twin tube / 60mm casing ΑII **TDC359** \$120 ea 30mm lift Carries up to 300kg ZG COIL **SPRINGS TDC361** \$120 ea Carries up to 300kg 30mm lift WG, WJ **REPLACEMENT TW959** Front Top pin mount \$2.50 ea Two bushes per shock **SHOCK BUSHING** 404702 \$3.00 ea Rear Top Eyering mount One bush per shock (ZG) Complete Foam cell kit \$1120 Any coil Kit includes: 4 x shock absorbers Suspension Adjustable kit \$1280 4 x coil springs Kit Pricing

JEEP: Wrangler 1 of 1 10/96-07 PRODUCT INFORMATION **PART No PRODUCT RRP** T.J **TYPE Coil Spring Front Suspension BD1063T** 35mm Nitrogen gas \$125 ea Twin tube OE Height **BD1068T** 45mm lift **SHOCK ABSORBERS** BM401063 40mm Adjustable \$200 ea Twin tube / 60mm casing OE Height BM401068 45mm lift COIL **TDC354** \$120 ea Petrol/Bar 45mm lift **SPRINGS STEERING** SS5922-P/S \$165 ea RTC Steering Stabilizer Power steer **DAMPER &** SV5922 \$200 ea Adjustable Steering stabilizer 35mm bore **STABILIZER** Manual & Auto **TDSP-001** \$95 kit 1 kit required 10/96-03 **TRANSMISSION TDSP-005** Auto \$95 kit 2003-on 1 kit required **SPACERS** Manual **TDSP-006** \$95 kit 1 kit required 2003-on **Coil Spring Rear Suspension** 35mm Nitrogen gas **BD1443T** \$125 ea Twin tube OE Height **BD1461T** 45mm lift SHOCK **ABSORBERS** BM401443 \$200 ea 40mm Adjustable **OE** Height Twin tube / 60mm casing BM401461 45mm lift COIL **TDC355** \$120 ea 45mm lift Carries up to 300kg **SPRINGS TW959** \$2.50 ea **Front** Top pin mount Two bushes per shock REPLACEMENT **SHOCK** 404702 **BUSHING Bottom Eyering mount** \$3.00 ea Two bushes per shock Rear Complete Kit includes: Suspension 4 x shock absorbers Nitrogen gas kit \$1075 Any coil 4 x coil springs Kit \$1375 1 x transmission spacer kit Adjustable kit **Pricing** 

1 of 1

**JEEP**: Wrangler

3/07 On

PRODUCT INFORMATION JK **PART No PRODUCT** RRP **TYPE** 

#### **Coil Spring Front Suspension**

|                        | •                    |                  |          |                                      |                        |
|------------------------|----------------------|------------------|----------|--------------------------------------|------------------------|
| SHOCK<br>ABSORBERS     | 40mm Adjustable      | BM401069         | \$200 ea | Twin tube / 60mm casing              | 40mm lift              |
| COIL<br>SPRINGS        | Petrol-SWB           | TDC331<br>TDC332 | \$120 ea | Petrol/Alloy bar<br>Petrol/Bar/Winch | 40mm lift<br>40mm lift |
|                        | Diesel-SWB           | TDC332<br>TDC338 | \$120 ea | Diesel/Alloy bar<br>Diesel/Bar/Winch | 40mm lift<br>40mm lift |
|                        | Petrol-LWB           | TDC337<br>TDC338 | \$120 ea | Petrol/Alloy bar<br>Petrol/Bar/Winch | 40mm lift<br>40mm lift |
|                        | <u>Diesel-LWB</u>    | TDC338<br>TDC342 | \$120 ea | Diesel/Alloy bar<br>Diesel/Bar/Winch | 40mm lift<br>40mm lift |
| STEERING<br>STABILIZER |                      | SV5926           | \$200 ea | Adjustable Steering Stabilizer       | 35mm bore              |
| PANHARD<br>RODS        | Plana mater Will and | TDPR-017         | \$300 ea | Adjustable Panhard rod               | All vehicles           |

Please note: Will not fit vehicles with aftermarket diff guards

Please Note: Panhard rod should only be fitted to vehicle that have more than a 50mm lift

| SHOCK<br>ABSORBERS                       | 40mm Adjustable | BM401463         | \$200 ea  | Twin tube / 60mm casing   | 40mm lift              |
|--|-----------------|------------------|-----------|---|------------------------|
| COIL<br>SPRINGS                          | SWB-ALL         | TDC340<br>TDC339 | \$120 ea  | Carries up to 300kg  Constant Load of 300kg to GVM              | 40mm lift<br>40mm lift |
|  | LWB-ALL         | TDC339<br>TDC341 | \$120 ea  | Carries up to 300kg  Constant Load of 300kg to GVM              | 40mm lift<br>40mm lift |
| REPLACEMENT<br>SHOCK<br>BUSHING          | Top pin mount   | TW959            | \$2.50 ea | Two bushes per shock  | Front                  |
| Complete<br>Suspension<br>Kit<br>Pricing | Adjustable kit  | Any coils        | \$1280    | <u>Kit includes:</u><br>4 x shock absorbers<br>4 x coil springs |                        |

| LADA: Niva | 1 of 1 |
|------------|--------|
| 7/93-96    |        |

| LADA: Niva                               | ,                                      |                     |                        |   |                |
|--|--|---------------------|------------------------|---|----------------|
| 7/93-96<br>All                           | PRODUCT                                | PART No             | RRP                    | PRODUCT<br>INFORMATION  | TYPE           |
| Coil Spring Fro                          | ont Suspensio                          | on                  |                        |   |                |
| SHOCK<br>ABSORBERS                       | 35mm nitrogen gas                      | BD2006T             | \$125 ea               | Twin Tube   | OE / 25mm      |
| COIL SPRINGS                             |  | TDC402              | \$120 ea               | Alloy bar   | 25mm lift      |
| Coil Spring Rea                          | ar Suspensio                           | n                   |                        | -   |                |
| SHOCK<br>ABSORBERS                       | 35mm nitrogen gas                      | BD3020T             | \$125 ea               | Twin tube   | All            |
| COIL SPRINGS                             |  | TDC403              | \$120 ea               | Carries up to 300kg-inc Passengers                              | 25mm lift      |
| REPLACEMENT<br>SHOCK                     | Top pin mount<br>Bottom Eyering mount  | TW959<br>412774     | \$2.50 ea<br>\$6.50 ea | Two bushes per shock One bush per shock                         | Front<br>Front |
| BUSHING                                  | Top Eyering mount Bottom Eyering mount | 404702<br>4W-SPF420 | \$3 ea<br>\$6 ea       | Two bushes per shock Two bushes per shock                       | Rear<br>Rear   |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas kit                       | Any coils           | \$980                  | <u>Kit includes:</u><br>4 x shock absorbers<br>4 x coil springs |                |

| LANDROVE | R | : 80. | 88 SWB. | 109 LWB |
|----------|---|-------|---------|---------|
|----------|---|-------|---------|---------|

**BUSHING** 

| LANDROV   | <b>ER</b> : 80, 88   | SWB, 1                          | 09 LWB                           | 1  | of 1                                 |
|---|--|---------------------------------|----------------------------------|--|--------------------------------------|
| 53-83<br>Series 1,11,11a,III                          | PRODUCT  | PART No                         | RRP                              | PRODUCT<br>INFORMATION   | TYPE                                 |
| Leaf Spring Fro                                       | ont Suspensi   | on                              |                                  |  |                                      |
| SHOCK   | 35mm Nitrogen gas  | BD2000T                         | \$125 ea                         | Twin Tube  | OE & 50mm                            |
| ABSORBERS All Models                                  | 41mm Foam Cell   | FC42000                         | \$160 ea                         | Twin Tube / 60mm casing  | OE & 50mm                            |
| STEERING<br>DAMPERS &<br>STABILIZER                   | Series 1,11,11A,111<br>Series 1 (53-58)<br>Series 11,11A,111 | EXT5000<br>SS5000-M/S<br>SV5000 | \$120 ea<br>\$165 ea<br>\$200 ea | Pin/Pin Heavy Duty S/Damper Pin/Pin RTC Steering Stabilizer Adjustable Steering stabilizer | 35mm bore<br>Man. steer<br>35mm bore |
| Leaf Spring Re  | ar Suspensio   | n                               |                                  |  |                                      |
| SHOCK<br>ABSORBERS                                    | 35mm Nitrogen gas  | BD3005T                         | \$125 ea                         | Twin Tube  | OE & 50mm                            |
| 53-83: Series 1,11,11A,111 SWB<br>53-58: Series 1 LWB | 41mm Foam cell   | FC43005                         | \$160 ea                         | Twin Tube / 60mm casing  | OE & 50mm                            |
| SHOCK<br>ABSORBERS                                    | 35mm Nitrogen gas  | BD1399T                         | \$125 ea                         | Twin Tube  | OE & 50mm                            |
| 58-83: Series 11,111 LWB                              | 41mm Foam cell   | FC41399                         | \$160 ea                         | Twin Tube / 60mm casing  | OE & 50mm                            |
|   | Top & Bottom Eyering mnt                                     | 4W-SPF390                       | \$4 ea                           | Two bushes per shock   | Front                                |
| REPLACEMENT<br>SHOCK                                  | Top Eyering mount BD3005T & FC43005                          | 4W-SPF390                       | \$4 ea                           | Two bushes per shock   | Rear                                 |

4W-SPF390

TW959

\$4 ea

\$2.50 ea

One bush per shock

Two bushes per shock

Top Eyering mount

Bottom Pin mount

BD1399T & FC41399

Rear

Rear

# LANDROVER: Defender (110 County, SWB, 110, 130) 1 of 2

11/84-91: 110 County 92 On: 90,110,130

PRODUCT PART No RRP PRODUCT TYPE

#### **Coil Spring Front Suspension**

|            |                 | _           |          |                                     | _           |
|------------|-----------------|-------------|----------|-------------------------------------|-------------|
|            | 41mm Foam cell  | FC41049     | \$160 ea | Twin tube / 60mm casing             | OE & 30mm   |
| SHOCK      | 40mm Adjustable | BM401049    | \$200 ea | Twin tube / 60mm casing             | OE & 30mm   |
| ABSORBERS  | 53mm Ralph      | TDR1049B    | \$275 ea | Twin tube / 70mm casing             | OE & 30mm   |
|            | 45mm Adjustable | BMX1049/2   | \$275 ea | Twin tube / 70mm casing             | OE & 30mm   |
|            | 110-County      | TDC511      | \$120 ea | Petrol with Bar                     | 30mm lift   |
| 1          |                 | TDC513      | \$120 ea | Diesel with bar                     | 30mm lift   |
| 1          |                 | 120010      | ,        |                                     |             |
| 1          |                 | TDC508H     | \$120 ea | Petrol/Diesel/Steel Bar/Winch       | 30mm lift   |
| 1          | <b>5</b> / 1 00 |             |          |                                     |             |
| COIL       | Defender-90     | TDC505      | \$120 ea | All with Bar                        | 30mm lift   |
| SPRINGS    | SWB             | TDC535      | \$120 ea | All with Bar                        | 30mm lift   |
|            |                 | TDC504      | \$120 ea | All with Bar & winch                | 30mm lift   |
|            | Defender-110    | TDC520      | \$120 ea | All with Bar                        | 30mm lift   |
|            | Defender-130    | TDC520      | \$120 ea | All with Bar                        | 30mm lift   |
|            |                 | TDC514      | \$120 ea | All with Bar & winch                | 30mm lift   |
| STEERING   |                 | EXT5009     | \$120 ea | Heavy Duty S Damper                 | Standard OE |
| DAMPER &   | All             | SS5009-P/S  | \$165 ea | RTC Steering Stabilizer             | Power steer |
| STABILIZER | All             | SV5009      | ,        | ľ                                   |             |
| OTABILIZER |                 | 3 7 3 0 0 9 | \$200 ea | Adjustable Steering Stabilizer      | All         |
| PANHARD    | All - exc       | TDPR-002    | \$240 ea | 14mm sleeve. Up to chassis:2A626645 |             |
| ROD        |                 | TDPR-018    | ,        | · ·                                 |             |
| KOB        | 110 County      | 10FK-010    | \$240 ea | 16mm sleeve: From chassis:2A62664   | +6          |

# LANDROVER: Defender (110 County, SWB, 110, 130)

11/84-92: 110 County

PRODUCT INFORMATION PART No 92 On: 90,110,130 **PRODUCT** TYPE RRP

| Coil Spring Rea  | r Suspensio  | n   |  |   |   |
|--|--|---|--|---|---|
| SHOCK ABSORBERS  Lower Shock Mounts: Fit this part number if the lower mount rubber bushes are conical in shape and fit into a metal housing | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable       | FC41397<br>BM401397<br>TDR1397<br>BMX1397/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing | OE & 30mm OE & 30mm OE & 30mm OE & 30mm |
| SHOCK ABSORBERS  Lower Rear Shock Mounts: Fit this part number if the lower mount rubber bushes flat and approx 45mm in diameter             | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable       | FC41398<br>BM401398<br>TDR1398<br>BMX1397/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing | OE & 30mm OE & 30mm OE & 30mm OE & 30mm |
|  | 110-County   | TDC512<br>TDC512HH                          | \$150 ea                                     | Carries up to 300kg  Constant Load of 300kg to GVM  | 30mm lift<br>30mm lift                  |
| COIL<br>SPRINGS  | Defender-90<br>SWB   | TDC518<br>TDC518H<br>TDC504                 | \$120 ea                                     | Carries up to 300kg  Constant Load of 300 kg to GVM  Constant load of 500kg to GVM              | 30mm lift<br>30mm lift<br>30mm lift     |
|  | Defender-110   | TDC536                                      | \$150 ea                                     | Carries up to 300kg   | 30mm lift                               |
|  | Defender-130   | TDC523<br>TDC522H                           | \$160 ea                                     | All applications up to 500kg load  Constant load of 500kg to GVM                                | 30mm lift<br>30mm lift                  |
|  | Top pin mount  | TW957                                       | \$4 ea                                       | Four bushes per shock   | Front                                   |
| REPLACEMENT<br>SHOCK<br>BUSHING  | Top Eyering mount Bottom pin mount                                       | 415024<br>RNF100090                         | \$4 ea<br>\$3 ea                             | One bush per shock -(FC41397) Four bushes per shock-(FC41397)                                   | Rear<br>Rear                            |
| 500111110  | Top Eyering mount<br>Bottom pin mount                                    | ADJ00191<br>TW957                           | \$3 ea<br>\$4 ea                             | One bush per shock -(FC41398) Four bushes per shock-(FC41398)                                   | Rear<br>Rear                            |
|  | Foam cell kit<br>40mm Adjustable kit<br>Ralph Kit<br>45mm Adjustable kit | Front / \$120 ea<br>Rear / \$120 ea         | \$1180<br>\$1340<br>\$1640<br>\$1640         | <u>Kit includes:</u><br>4 x shock absorbe<br>4 x coil springs                                   | rs                                      |
| Complete<br>Suspension<br>Kit<br>Pricing   | Foam cell kit<br>40mm Adjustable kit<br>Ralph Kit<br>45mm Adjustable kit | Front / \$120 ea<br>Rear / \$150 ea         | \$1180<br>\$1340<br>\$1640<br>\$1640         | <u>Kit includes:</u><br>4 x shock absorbers<br>4 x coil springs                                 |   |
|  | Foam cell kit<br>40mm Adjustable kit<br>Ralph Kit<br>45mm Adjustable kit | Front / \$120 ea<br>Rear / \$160 ea         | \$1180<br>\$1340<br>\$1640<br>\$1640         | <u>Kit includes:</u><br>4 x shock absorbers<br>4 x coil springs                                 |   |

2 of 2

| LANDROV                         | ER: Discov        | very                  |                      | 1  | of 1                   |
|---------------------------------|-------------------|-----------------------|----------------------|--|------------------------|
| 4/91-99<br>Series 1             | PRODUCT           | PART No               | RRP                  | PRODUCT INFORMATION  | TYPE                   |
| Coil Spring Fro                 | nt Suspensi       | on                    |                      |  |                        |
|                                 | 41mm Foam cell    | FC41049               | \$160 ea             | Twin Tube / 60mm casing                                      | OE & 30mm              |
| SHOCK                           | 40mm Adjustable   | BM401049              | \$200 ea             | Twin Tube / 60mm casing                                      | OE & 30mm              |
| ABSORBERS                       | 45mm Adjustable   | BMX1049/2             | \$275 ea             | Twin Tube / 70mm casing                                      | OE & 30mm              |
|                                 | 53mm Ralph        | TDR1049B              | \$275 ea             | Twin Tube / 70mm casing                                      | OE & 30mm              |
| COIL<br>SPRINGS                 |                   | TDC505<br>TDC504      | \$120 ea             | Petrol/Diesel/Bar<br>Petrol/Diesel/Winch                     | 30mm lift<br>30mm lift |
|                                 |                   | EXT5000               | \$120 ea             | Heavy Duty S/Damper  | 35mm bor               |
| STEERING                        |                   | SS5000-P/S            | \$165 ea             | RTC Steering Stabilizer                                      | Power Steer            |
| DAMPERS & STABILIZER            |                   | SV5000                | \$200 ea             | Adjustable Steering Stabilizer                               | 35mm bore              |
| PANHARD<br>RODS                 | Adjustable        | TDPR-002              | \$240 ea             | 30mm/solid bar   |                        |
| Coil Spring Rea                 | ar Suspensio      | on                    |                      |  |                        |
|                                 | 41mm Foam cell    | FC41397               | \$160 ea             | Twin Tube / 60mm casing                                      | OE & 30mm              |
| SHOCK                           | 40mm Adjustable   | BM401397              | \$200 ea             | Twin Tube / 60mm casing                                      | OE & 30mm              |
| ABSORBERS                       | 45mm Adjustable   | BMX1397/2             | \$275 ea             | Twin Tube / 70mm casing                                      | OE & 30mm              |
| 4/91-94 to chassis no. LA081991 | 53mm Ralph        | TDR1397               | \$275 ea             | Twin Tube / 70mm casing                                      | OE & 30mm              |
|                                 | 41mm Foam cell    | FC41398               | \$160 ea             | Twin Tube / 60mm casing                                      | OE & 30mm              |
| SHOCK                           | 40mm Adjustable   | BM401398              | \$200 ea             | Twin Tube / 60mm casing                                      | OE & 30mm              |
| ABSORBERS                       | 45mm Adjustable   | BMX1398/2             | \$275 ea             | Twin Tube / 70mm casing                                      | OE & 30mm              |
| 94-99 from chassis no. MA000001 | 53mm Ralph        | TDR1398               | \$275 ea             | Twin Tube / 70mm casing                                      | OE & 30mm              |
| COIL<br>SPRINGS                 |                   | TDC518<br>TDC518H     | \$120 ea             | Carries up to 300kg  Constant Load of 300kg toGVM            | 30mm lift<br>30mm lift |
|                                 | Top pin mount     | TW957                 | \$4 ea               | Four bushes per shock  | Front                  |
| DEDI ACEMENT                    | Top Eyering mount | 415024                | \$4 ea               | One bush per shock (FC41397)                                 | Rear                   |
| REPLACEMENT                     |                   | I I                   |                      |  | Rear                   |
| SHOCK                           | Lower pin mount   | RNF100090             | \$3 ea               | Two bushes per shock-(FC41397                                | Keai                   |
|                                 | . , , ,           | RNF100090<br>ADJ00191 | \$3 ea<br><br>\$3 ea | Two bushes per shock-(FC41397  One bush per shock -(FC41398) | Rear                   |
| SHOCK                           | Lower pin mount   |                       | ·<br>                | <u> </u>   |                        |

Adjustable kit

45mm bore Adjustable kit

Ralph Kit

\$1280

\$1580

\$1580

Kit includes:

4 x shock absorbers

4 x coil springs

Suspension

Kit

**Pricing** 

3/99-05: Series

Series II PRODUCT PART No RRP PRODUCT TYPE

#### **Coil Spring Front Suspension**

| SHOCK           | Foam cell       | FC41043           | \$160 ea | Twin tube / 60mm casing Twin tube / 60mm casing            | OE & 35mm              |
|-----------------|-----------------|-------------------|----------|--|------------------------|
| ABSORBERS       | 40mm Adjustable | BM401043          | \$200 ea |  | OE & 35mm              |
| COIL<br>SPRINGS |                 | TDC530<br>TDC530H | \$120 ea | Petrol/Diesel/Alloy Bar<br>All with Bar/Winch/Dual Battery | 35mm lift<br>35mm lift |
| STEERING DAMPER |                 | EXT5003           | \$120 ea | Heavy Duty S/Damper  | 35mm bore              |
| &               |                 | SS5003-P/S        | \$165 ea | RTC Steering Stabilizer                                    | Power steer            |
| STABILIZER      |                 | SV5003            | \$200 ea | Adjustable Steering Stabilizer                             | All                    |

#### **Coil Spring Rear Suspension**

| SHOCK<br>ABSORBERS                       | 41mm Foam cell<br>40mm Adjustable | FC41396<br>BM401396 | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing               | OE & 35mm<br>OE & 35mm |
|--|-----------------------------------|---------------------|----------------------|---|------------------------|
| COIL<br>SPRINGS                          |                                   | TDC508<br>TDC508H   | \$120 ea             | Carries up to 300kg  Constant Load of 300kg to GVM            | 35mm lift<br>35mm lift |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Adjustable kit   | Any coil            | \$1120<br>\$1280     | <u>Kit includes:</u><br>4 x shock absorbe<br>4 x coil springs | rs                     |

# **LANDROVER**: Discovery

4/05 On: Series III

COIL

**SPRINGS** 

### **Coil Spring Front Suspension**

with Coil Springs

**ONLY** 

| COIL<br>SPRINGS             | For vehicles fitted       | TDC545  | \$120 ea | Petrol/Diesel/Bar       | 40mm lift |  |  |
|-----------------------------|---------------------------|---------|----------|-------------------------|-----------|--|--|
|                             | with Coil Springs<br>ONLY | TDC545H | \$120 ea | Petrol/Diesel/Bar/Winch | 40mm lift |  |  |
| Coil Spring Rear Suspension |                           |         |          |                         |           |  |  |
| COIL                        | For vehicles fitted       | TDC546  | \$150 ea | Carries up to 300kg     | 40mm lift |  |  |

\* Freight should be added where required. \*

TDC546H

\$150 ea

Medium Load: 300kg to GVM

40mm lift

| LANDROVE                                   | R: Range                      | : RangeRover          |                      | 1 of 1  |            |
|--|-------------------------------|-----------------------|----------------------|---|------------|
| All Models                                 | PRODUCT                       | PART No               | RRP                  | PRODUCT<br>INFORMATION                          | TYPE       |
| Coil Spring Fron                           | nt Suspensi                   | on                    |                      |   |            |
| SHOCK                                      | 41mm Foam cell                | FC41049               | \$160 ea             | Twin tube / 60mm casing                         | OE & 35mn  |
| ABSORBERS                                  | 40mm Adjustable               | BM401049<br>BMX1049/2 | \$200 ea             | Twin tube / 60mm casing                         | OE & 35mn  |
| 6/72-94, All models without air suspension | 45mm Adjustable<br>53mm Ralph | TDR1049B              | \$275 ea<br>\$275 ea | Twin tube / 70mm casing Twin tube / 70mm casing | OE & 35mr  |
| sноск                                      | 41mm Foam cell                | FC41008               | \$160 ea             | Twin tube / 60mm casing                         | OE & 35mr  |
| ABSORBERS                                  | 40mm Adjustable               | BM401008              | \$200 ea             | Twin tube / 70mm casing                         | OE & 35mi  |
| 5/95-00: ML3, 7 4.0Ltr with air            | 45mm Adjustable               | BMX1008/2             | \$275 ea             | Twin tube / 70mm casing                         | OE & 35mi  |
| suspension                                 | 53mm Ralph                    | TDR1008               | \$275 ea             | Twin tube / 60mm casing                         | OE & 35m   |
| COIL                                       |                               | TDC501                | \$120 ea             | Petrol/Bar                                      | OE Height  |
| SPRINGS                                    |                               | TDC505                |                      | Diesel/Bar                                      | 35mm lift  |
| All models to 4/95                         |                               | TDC504                |                      | Petrol/Diesel/Bar/Winch                         | 35mm lift  |
| STEERING DAMPERS                           |                               | EXT5000               | \$120 ea             | Heavy Duty S/Damper                             | 35mm bore  |
| &  |                               | SS5000-P/S            | \$165 ea             | RTC Steering Stabilizer                         | Power stee |
| STABILIZER                                 |                               | SV5000                | \$200 ea             | Adjustable Steering Stabilizer                  | 35mm bor   |
| PANHARD RODS                               | Adjustable                    | TDPR-002              | \$240 ea             | 30mm/solid bar                                  | T          |
| Coil Spring Real                           | r Suspensio                   | on                    |                      | •   |            |
| SHOCK                                      | 41mm Foam cell                | FC41398               | \$160 ea             | Twin tube / 60mm casing                         | OE & 35m   |
| ABSORBERS                                  | 40mm Adjustable               | BM401398              | \$200 ea             | Twin tube / 60mm casing                         | OE & 35m   |
| 6/72-94, All models without                | 45mm Adjustable               | BMX1398/2             | \$275 ea             | Twin tube / 70mm casing                         | OE & 35m   |
| air suspension                             | 53mm Ralph                    | TDR1398               | \$275 ea             | Twin tube / 70mm casing                         | OE & 35m   |
| SHOCK                                      | 41mm Foam cell                | FC41397               | \$160 ea             | Twin tube / 60mm casing                         | OE & 35m   |
| ABSORBERS                                  | 40mm Adjustable               | BM401397              | \$200 ea             | Twin tube / 60mm casing                         | OE & 35m   |
| 5/95-00: ML3, 7 4.0Ltr with air            | 45mm Adjustable               | BMX1397/2             | \$275 ea             | Twin tube / 70mm casing                         | OE & 35m   |
| suspension                                 | 53mm Ralph                    | TDR1397               | \$275 ea             | Twin tube / 70mm casing                         | OE & 35m   |
| COIL                                       |                               | TDC502                | \$120 ea             | Carries up to 300kg                             | OE Height  |
| SPRINGS                                    |                               | TDC504                |                      | Carries up to 300kg                             | 35mm lift  |
| All models to 4/95                         |                               | TDC508                |                      | Constant Load of 300kg to GVM                   | 35mm lift  |
| All Housis to 4/30                         |                               | TDC508H               |                      | Constant Load of 500kg to GVM                   | 35mm lift  |
|  | Top pin mount                 | TW957                 | \$4 ea               | Four bushes per shock                           | Front      |
| REPLACEMENT                                | Top Eyering mount             | 415024                | \$4 ea               | One bush per shock -(FC41397)                   | Rear       |
| SHOCK                                      | Lower pin mount               | RNF100090             | \$3 ea               | Two bushes per shock-(FC41397)                  | Rear       |
| BUSHING                                    | Top Eyering mount             | ADJ00191              | \$3 ea               | One bush per shock (FC41398)                    | Rear       |
|  | Lower pin mount               | TW957                 | \$4 ea               | Two bushes per shock-(FC41398)                  | Rear       |
| Complete                                   | Foam cell kit                 | All coils             | \$1120               |   |            |
| 0  | i daiii celi kit              | All Colls             | ΨΠΖΟ                 | Kit includes:                                   |            |

Adjustable kit

45mm bore Adjustable kit

Ralph Kit

\$1280

\$1580

\$1580

4 x shock absorbers 4 x coil springs

Suspension

Kit

**Pricing** 

<sup>\*</sup> Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. Fitment sheet can be found on page 141 of this catalogue.

MAZDA: B2500, B2600 4WD 1 of 1 3/87-10-06 PRODUCT INFORMATION **PART No PRODUCT RRP TYPE Inc Bravo Torsion Bar Front Suspension** SHOCK FC42051B 41mm Foam cell \$160 ea ΑII Twin tube / 60mm casing **ABSORBERS** Failure to fit TDSK-020 Kit will cause top mount failure. SHOCK **MOUNT KIT TDSK-020** Strengthening Kit \$85 kit For top mount - fit with Aftermarket shocks. 4WTB-1546 \$250 pair 926mm / 26mm All models A minimum droop of **TORSION BARS** 60mm must be maintained Remember to adjust Torsion Bars after fitting shocks Leaf Spring Rear Suspension Fit BD1232T for Xtra onroad comfort **BD1232T** 35mm Nitrogen gas \$125 ea Twin tube OE & 40mm **SHOCK** 41mm Foam cell FC41232 \$160 ea Twin tube / 60mm casing OE & 40mm **ABSORBERS** BM401232 40mm Adjustable \$200 ea Twin tube / 60mm casing OE & 40mm **FS365** \$195 ea Carries up to 300kg 40mm LEAF **SPRINGS FS367** \$205 ea Constant Load of 300kg to GVM 40mm Shackle bushes **TDUK-034** \$120 kit **URETHANE** 1 kit required All models **U BOLTS** U Bolts must be tightened at **TDUB-005** \$30 kit 2 kits required All models 500km service **TW959** Top pin mount \$2.50 ea Two bushes per shock Front **Front Bottom Eyering mount** 412772 \$6.50 ea One bush per shock REPLACEMENT SHOCK **BUSHING** ADJ00191 **Bottom Eyering mount** \$3 ea One bush per shock Rear 4W-SPF420 \$6 ea Rear Top & bottom eyering mount Two bushes per shock Foam cell Front/Gas Rear FS365 \$1225 Foam cell kit \$1295 Complete Kit includes: 4 x shock absorbers \$1375 Adjustable kit Suspension 2 x leaf springs Kit 1 x strengthening kit 2 x Ubolt kits Foam cell Front/Gas Rear FS367 \$1245 **Pricing** 1 x shackle bush kits Foam cell kit \$1315 Adjustable kit \$1395

11/06-10/11 B2500, B3000

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

| <b>Torsion Bar Front Suspension</b> |
|-------------------------------------|
|-------------------------------------|

| Toroion Bar Front Gaoponoion |  |   |            |  |            |  |  |  |
|------------------------------|--|---|------------|--|------------|--|--|--|
| SHOCK<br>ABSORBERS           | 41mm Foam cell   | FC42051B  | \$160 ea   | Twin tube / 60mm casing                      | All        |  |  |  |
| SHOCK                        | PLEASE NOTE: Failure to fit TDSK-020 Kit will cause top mount failure. |   |            |  |            |  |  |  |
| MOUNT KIT                    | Strengthening Kit  | TDSK-020  | \$85 kit   | For top mount - fit with Aftermarket shocks. |            |  |  |  |
| TORSION BARS                 | A minimum droop of 60mm must be  | 4WTB-1440   | \$280 pair | 1028mm / 27mm                                | All models |  |  |  |
|                              | maintained   | Remember to adjust Torsion Bars after fitting Shocks. |            |  |            |  |  |  |

# **Leaf Spring Rear Suspension**

#### Fit BD1232T for Xtra onroad comfort

|  |   |                       |                            |   | _              |
|--|---|-----------------------|----------------------------|---|----------------|
| SHOCK<br>ABSORBERS                       | 35mm Nitrogen gas   | BD1232T               | \$125 ea                   | Use For Xtra Comfort/No load  | OE & 45mm      |
|  | 41mm Foam cell  | FC41232               | \$160 ea                   | Twin tube / 60mm casing   | OE & 45mm      |
|  | 40mm Adjustable   | BM401232              | \$200 ea                   | Twin tube / 60mm casing   | OE & 45mm      |
| LEAF<br>SPRINGS                          |   | FS368C<br>FS368L      | \$230 ea<br>\$265 ea       | Carries up to 300kg<br>Constant Load of 300kg to GVM  | 45mm<br>45mm   |
| URETHANE                                 | Shackle bushes  | TDUK-069              | \$150 kit                  | 1 kit required  | All models     |
| U BOLTS                                  | U Bolts must be tightened at 500km service                  | TDUB-037              | \$30 kit                   | 2 kits required   | All models     |
| GREASABLE<br>SHACKLES                    | Shackles  | TDGS-386/1            | \$80 kit                   | 1 kit required  | All models     |
| REPLACEMENT<br>SHOCK                     | Top pin mount<br>Bottom Eyering mount                       | TW959<br>412772       | \$2.50 ea<br>\$6.50 ea     | Two bushes per shock<br>One bush per shock  | Front<br>Front |
| BUSHING                                  | Bottom Eyering mount Top & bottom eyering mount             | ADJ00191<br>4W-SPF420 | \$3 ea<br>\$6 ea           | One bush per shock<br>Two bushes per shock  | Rear<br>Rear   |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS368C                | \$1325<br>\$1395<br>\$1475 | Kit includes: 4 x shock absorbers 2 x leaf springs 1 x strengthening kit 2 x Ubolt kits 1 x shackle bush kits |                |
|  | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | FS368L                | \$1395<br>\$1465<br>\$1545 |   |                |

4WD inc 2WD Highrider

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

#### **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS | 40mm Foam cell strut           |          |          |                                     |           |
|--------------------|--------------------------------|----------|----------|-------------------------------------|-----------|
|                    | -omini i odin odi strut        | FC404500 | \$200 ea | Twin tube / 60mm casing             | OE & 40mm |
|                    |                                | MAZ-003  | ¢200     | D. (   / D   / D                    | 40 116    |
| 40mm Bore          |                                |          | \$390 ea | Petrol/Diesel/Bar                   | 40mm lift |
| Foam Cell          |                                | FC404500 |          | 40mm Foam cell shock                |           |
|                    |                                | TDC451   |          | Coil Spring                         |           |
| COMPLETE           | FC404500<br>can be used for    | MAZ-4051 |          | Strut Top                           |           |
| STRUT              | OE & Raised                    |          |          |                                     |           |
| Assembly           | applications                   | MAZ-004  | \$390 ea | Petrol/Diesel/Bar/Winch             | 40mm lift |
|                    |                                | FC404500 |          | 40mm Foam cell shock                |           |
|                    |                                | TDC451HL |          | Coil Spring                         |           |
|                    |                                | MAZ-4051 |          | Strut Top                           |           |
| SHOCK              |                                |          |          |                                     |           |
| ABSORBERS          | 40mm Adjustable strut          | BM404500 | \$300 ea | Twin tube / 60mm casing             | OE & 40mm |
| 40mm Bore          |                                | MAZ-001  | \$490 ea | <u>Petrol/Diesel/Bar</u>            | 40mm lift |
| 9 Stage            |                                | BM404500 |          | 40mm Adjustable shock               |           |
| Adjustable         |                                | TDC451   |          | Coil Spring                         |           |
| COMPLETE           | BM404500                       | MAZ-4051 |          | Strut Top                           |           |
| COMPLETE<br>STRUT  | can be used for<br>OE & Raised |          |          |                                     |           |
| Assembly           | applications                   | MAZ-002  | \$490 ea | Petrol/Diesel/Bar/Winch             | 40mm lift |
|                    |                                | BM404500 |          | 40mm Adjustable shock               |           |
|                    |                                | TDC451HL |          | Coil Spring                         |           |
|                    |                                | MAZ-4051 |          | Strut Top                           |           |
| COIL               |                                | TDC454   | A. a -   |                                     |           |
| SPRINGS            |                                | TDC451   | \$120 ea | Petrol/Diesel/Alloy Bar             | 40mm lift |
| or mitoo           |                                | TDC451HL |          | Petrol/Diesel/alloy-steel bar/Winch | 40mm lift |
| STRUT TOP          | Strut top only                 | MAZ-4051 | \$70 ea  | 1 only required per side            |           |

### **Leaf Spring Rear Suspension**

#### Fit BD1232T for Xtra onroad comfort

| SHOCK<br>ABSORBERS    | 35mm Nitrogen Gas<br>41mm Foam cell<br>40mm Adjustable      | BD1232T<br>FC41232<br>BM401232 | \$125 ea<br>\$160 ea<br>\$200 ea | Use for Xtra Comfort/No load  Twin tube / 60mm casing  Twin tube / 60mm casing    | OE & 40mm<br>OE & 40mm<br>OE & 40mm |
|-----------------------|---|--------------------------------|----------------------------------|---|-------------------------------------|
| LEAF<br>SPRINGS       |   | FS369C<br>FS369L<br>FS369LL    | \$180 ea<br>\$230 ea<br>\$265 ea | Carries up to 300kg  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM | 40mm lift<br>40mm lift<br>40mm lift |
| URETHANE              | Shackle Bushes  | TDUK-070                       | \$160 kit                        | 1 kit per vehicle   |                                     |
| U BOLTS               | Use when fitting FS369L and FS369LL Use when fitting FS369C | TDUB-039<br>TDUB-040           | \$30 kit                         | 2 kits per vehicle 2 kits per vehicle   |                                     |
| GREASABLE<br>SHACKLES |   | TDGS-390                       | \$80 kit                         | 1 kit per vehicle   |                                     |

2 of 2

| 11/11 On<br>All Models inc Highrider  | PRODUCT   | PART No                  | RRP                        | PRODUCT<br>INFORMATION   | TYPE         |  |  |  |
|---|---|--------------------------|----------------------------|--|--------------|--|--|--|
| Leaf Spring Rear Suspension  Transmission Spacer kit must be fitted to all suspension lifts |   |                          |                            |  |              |  |  |  |
| TRANSMISSION SPACERS  |   | TDSP-007                 | \$55 kit                   | 1 kit per vehicle  |              |  |  |  |
|   | Top pin mount   | MAZ-4051                 | \$70 ea                    | A new strut top needs to chased when replacing wo bushes   |              |  |  |  |
| REPLACEMENT<br>SHOCK  | Bottom eyering mount  | ADJ00305                 | \$6 ea                     | One bonded bush per shock  | Front        |  |  |  |
| BUSHING   | Top Eyering mount Bottom eyering mount                      | ADJ00191<br>4W-SPF420    | \$3 ea<br>\$6 ea           | One bush per shock- Inner One bonded bush per shock  | Rear<br>Rear |  |  |  |
|   | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | (F)Any coil +<br>FS369C  | \$1525<br>\$1595<br>\$1675 | Front struts<br>Require<br>Assembly  |              |  |  |  |
|   | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | (F)Any coil +<br>FS369L  | \$1625<br>\$1695<br>\$1775 | Kit includes:  2 x struts (front) 2 x shock absorbers 2 x coil springs 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits 1 x Transmission spacer kit |              |  |  |  |
| Complete<br>Suspension  | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | (F)Any coil +<br>FS369LL | \$1695<br>\$1765<br>\$1845 |  |              |  |  |  |
| Kit<br>Pricing  | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | (F)Any coil +<br>FS369C  | \$1665<br>\$1735<br>\$2015 | Front struts Assembled<br>and<br>ready to fit  |              |  |  |  |
|   | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | (F)Any coil +<br>FS369L  | \$1765<br>\$1835<br>\$2115 | Kit includes:  2 x assembled struts(front) 2 x shock absorbers (rear) 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits 1 x Transmission spacer kit  |              |  |  |  |
|   | Foam cell Front/Gas Rear<br>Foam cell kit<br>Adjustable kit | (F)Any coil +<br>FS369LL | \$1835<br>\$1905<br>\$2185 |  |              |  |  |  |

| MITSUBISI<br>8/00-02   | H : Challer  | nger   | Coil s   | pring moder  | of 1  |
|--|--|--|--|--|---|
| PA II  | PRODUCT  | PART No  | RRP  | PRODUCT<br>INFORMATION   | TYPE  |
| Torsion Bar Fro  | ont Suspensi   | on   |  |  |   |
| SHOCK<br>ABSORBERS   | 41mm Foam cell   | FC42057B   | \$160 ea   | Twin tube / 60mm casing  | All   |
| TORSION<br>BARS  | A minimum droop of 60mm must be  | 4WTB-0203  | \$300 pair   | 1307mm / 27.5mm  |   |
| BARS   | maintained   | Remember   | to adjust To   | orsion Bars after fitting  | Shocks  |
| Coil Spring Rea  | ar Suspensio   | n  |  |  |   |
| SHOCK<br>ABSORBERS   | 41mm foam cell<br>40mm Nitrogen gas  | FC41439<br>BM401439  | \$160 ea<br>\$200 ea   | Twin tube / 60mm casing Twin tube / 60mm casing  | OE Height<br>35mm lift  |
| COIL SPRINGS   |  | TDC640<br>TDC632SL   | \$120 ea   | Carries up to 300kg Constant Load of 300kg to GVM  | 35mm Lift<br>35mm lift  |
| REPLACEMENT<br>SHOCK   | Top pin mount<br>Bottom Eyering mount  | TW959<br>412772  | \$2.50 ea<br>\$6.50 ea   | Two bushes per shock One bonded bush per shock   | Front<br>Front  |
| BUSHING  | Top Eyering mount  | 404702   | \$3 ea   | One bush per shock   | Rear  |
|  |  |  | 0004   | <u>Kit includes:</u>   |   |
| Complete Suspension<br>Kit Pricing   | Foam cell kit<br>Foam cell /Adjustable kit   | Any coil   | \$880<br>\$960   | 4 x shock absorbers<br>2 x Coil springs  | 5   |
|  | Foam cell /Adjustable kit  | ·  | \$960  |  | 5   |
| Kit Pricing  MITSUBISI   | Foam cell /Adjustable kit  Challer   | nger   | \$960  | 2 x Coil springs   | 5   |
| MITSUBISI PA: 3/98-00  | Foam cell /Adjustable kit  Challer   | nger   | \$960  | 2 x Coil springs   | All   |
| MITSUBISI PA: 3/98-00 Torsion Bar Fro  | Foam cell /Adjustable kit  Challer ont Suspension  | nger   | \$960  | 2 x Coil springs spring model  |   |
| MITSUBISI PA: 3/98-00  Torsion Bar Fro SHOCK ABSORBERS  TORSION  | Foam cell /Adjustable kit  Challer  Ont Suspension  41mm Foam cell  A minimum droop of   | nger on FC42057B 4WTB-0203   | \$960  Leaf  \$160 ea  \$300 pair  | 2 x Coil springs  spring model  Twin tube / 60mm casing  | All   |
| MITSUBISI PA: 3/98-00 Torsion Bar Fro SHOCK ABSORBERS TORSION  | Challer  Challer  Suspension  A minimum droop of 60mm must be maintained   | nger on FC42057B 4WTB-0203 Remember  | \$960  Leaf  \$160 ea  \$300 pair  | 2 x Coil springs  spring model  Twin tube / 60mm casing  1307mm / 27.5mm   | All   |
| MITSUBISIPA: 3/98-00 Torsion Bar From Shock Absorbers TORSION BARS   | Challer  Challer  Suspension  A minimum droop of 60mm must be maintained   | nger on FC42057B 4WTB-0203 Remember on BD1382T   | \$960  Leaf  \$160 ea  \$300 pair  | 2 x Coil springs  spring model  Twin tube / 60mm casing  1307mm / 27.5mm   | All   |
| MITSUBISI PA: 3/98-00  Torsion Bar Fro SHOCK ABSORBERS  TORSION BARS  Leaf Spring Rea  | Challer Challer The Challer Ch | nger on FC42057B 4WTB-0203 Remember on BD1382T FC41382   | \$960  Leaf  \$160 ea  \$300 pair  to adjust T  \$125 ea  \$160 ea   | Twin tube / 60mm casing  1307mm / 27.5mm  Orsion Bars after fitting  Twin tube / 60mm casing   | All Shocks  35mm lift 35mm lift   |
| MITSUBISIPA: 3/98-00 Torsion Bar From Shock Absorbers  Torsion Bar From Shock Absorbers  Torsion Bars  Leaf Spring Research  | Challer Challer Suspension  A minimum droop of 60mm must be maintained  ar Suspension  35mm nitrogen gas   | nger  FC42057B  4WTB-0203  Remember  n  BD1382T FC41382 BM401382                                 | \$960  Leaf  \$160 ea  \$300 pair  to adjust T   | 2 x Coil springs  spring model  Twin tube / 60mm casing  1307mm / 27.5mm  orsion Bars after fitting  | All Shocks 35mm lift  |
| MITSUBISIPA: 3/98-00 Torsion Bar From Shock Absorbers TORSION BARS Leaf Spring Research  | Challer Challer The Challer Ch | nger on FC42057B 4WTB-0203 Remember on BD1382T FC41382   | \$960  Leaf  \$160 ea  \$300 pair  to adjust T  \$125 ea  \$160 ea   | Twin tube / 60mm casing  1307mm / 27.5mm  Orsion Bars after fitting  Twin tube / 60mm casing   | All Shocks 35mm lift 35mm lift  |
| MITSUBISIPA: 3/98-00 Torsion Bar From Shock Absorbers  Torsion Bar From Shock Absorbers  Torsion Bars  Leaf Spring Research  | Challer Challer The Challer Ch | nger  FC42057B  4WTB-0203  Remember  n  BD1382T FC41382 BM401382                                 | \$960  Leaf  \$160 ea  \$300 pair  to adjust T  \$125 ea  \$160 ea  \$200 ea                               | Twin tube / 60mm casing  Twin tube / 60mm casing  Twin tube  Twin tube  Twin tube / 60mm casing  Twin tube / 60mm casing  Twin tube / 60mm casing  | All Shocks  35mm lift 35mm lift 35mm lift                               |
| MITSUBISI PA: 3/98-00  Torsion Bar Fro SHOCK ABSORBERS  TORSION BARS  Leaf Spring Res  SHOCK ABSORBERS  LEAF SPRINGS   | Challer Challer The Challer Ch | nger  FC42057B  4WTB-0203  Remember  n  BD1382T FC41382 BM401382  T21                            | \$960  Leaf  \$160 ea  \$300 pair  to adjust To  \$125 ea  \$160 ea  \$200 ea  \$260 ea                    | Twin tube / 60mm casing  Twin tube / 60mm casing  1307mm / 27.5mm  Twin tube  Twin tube / 60mm casing                | All Shocks 35mm lift 35mm lift 35mm lift                                |
| MITSUBISIPA: 3/98-00  Torsion Bar From Shock Absorbers  Torsion Bars  Torsion Bar From Shock Absorbers  Leaf Spring Read Shock Absorbers  LEAF SPRINGS  URETHANE  U BOLTS  REPLACEMENT | Challer Challe | nger  On  FC42057B  4WTB-0203  Remember  On  BD1382T  FC41382  BM401382  T21  TDUK-066           | \$160 ea \$160 ea \$300 pair to adjust To \$125 ea \$160 ea \$200 ea \$260 ea \$110 kit                    | Twin tube / 60mm casing  1307mm / 27.5mm  orsion Bars after fitting  Twin tube / 60mm casing  Twin tube / 60mm casing  Twin tube / 60mm casing  Carries up to 300kg  1 kit required                                      | All Shocks  35mm lift 35mm lift 35mm lift Leaf Spring                   |
| MITSUBISIPA: 3/98-00 Torsion Bar From Shock absorbers  Leaf Spring Research  SHOCK ABSORBERS  Leaf Spring Research  LEAF SPRINGS  URETHANE  U BOLTS                                    | Challer Challe | nger  FC42057B  4WTB-0203  Remember  n  BD1382T FC41382 BM401382  T21  TDUK-066  TDUB-006  TW959 | \$160 ea \$160 ea \$300 pair to adjust T  \$125 ea \$160 ea \$200 ea \$260 ea \$110 kit \$30 kit \$2.50 ea | Twin tube / 60mm casing  1307mm / 27.5mm  Twin tube / 60mm casing  Carries up to 300kg  1 kit required  2 kits required  Two bushes per shock | All Shocks  35mm lift 35mm lift 35mm lift Leaf Spring Leaf Spring Front |

# MITSUBISHI: PB Challenger

1 of 1

2009 On

MY10, 11 LS & XLS

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

Also known as:

Montero Sport (South America) Nativa, Pajero Sport (Thailand,USA)

# **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS                                   | 40mm Foam cell strut                                    | FC404800                                    | \$200 ea | Twin tube / 60mm casing  | OE & 25mm |
|--|---|---|----------|--|-----------|
| 40mm Bore<br>Foam Cell                               | FC404800 can be used                                    | MIT-060/3                                   | \$400 ea | Petrol/Diesel/Bar  | 25mm lift |
| COMPLETE<br>STRUT<br>Assembly                        | for OE & Raised applications                            | FC404800<br>TDC670<br>MIT-4040              |          | 40mm Foam cell shock Coil Spring Strut Top                             |           |
| SHOCK<br>ABSORBERS                                   | 40mm Adjustable strut                                   | BM404800                                    | \$300 ea |  | OE & 25mm |
| 40mm Bore 9 Stage Adjustable COMPLETE STRUT Assembly | BM404800 can be used<br>for OE &<br>Raised applications | MIT-060/1<br>BM404800<br>TDC670<br>MIT-4040 | \$500 ea | Petrol/Diesel/Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 25mm lift |
| COIL<br>SPRINGS                                      |   | TDC670                                      | \$120 ea | All  | 25mm Lift |
| STRUT TOP  | Strut top only  | MIT-4040                                    | \$80 ea  | 1 only required per side   |           |

| SHOCK                                    | 41mm Foam cell  | FC41440B  | \$160 ea                   | Twin tube / 60mm casing  | OE & 25mm              |
|--|---|---|----------------------------|--|------------------------|
| ABSORBERS                                | 40mm Adjustable   | BM401440  | \$200 ea                   | Twin tube / 60mm casing  | OE & 25mm              |
| COIL<br>SPRINGS                          | TDC636HL can not be fitted unless a constant load is carried otherwise there will be tailshaft vibrations | TDC636L<br>TDC636HL                                       | \$120 ea                   | Carries up to 300kg  Constant Load of 300kg to GVM   | 25mm Lift<br>25mm lift |
| REPLACEMENT<br>SHOCK<br>BUSHING          | Bottom Eyering mount  | ADJ00300/50   | \$6 ea                     | One bush per shock   | Front                  |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit Adjustable kit Foam cell kit  | Front<br>struts<br>Require<br>Assembly<br>Front<br>struts | \$1200<br>\$1480<br>\$1360 | Kit includes: 2 x struts (front) 2 x shock absorbers ( 4 x coils  Kit includes: 2 x assembled struts | (front)                |
|  | Adjustable kit  | Assembled<br>and<br>ready to fit                          | \$1640                     | 2 x shock absorbers<br>2 x coils (rear)  | (rear)                 |

5/79-86

MA, MB, MC, MD

**PRODUCT** 

**PART No** 

RRP

PRODUCT INFORMATION

TYPE

# **Torsion Bar Front Suspension**

**TORSION BARS** 

A minimum droop of 60mm must be maintained

4WTB-1726

\$280 pair

1277.5mm / 26mm

All models

Remember to adjust Torsion Bars after fitting Shocks

#### Leaf Spring Rear Suspension

|                                 | 35mm Nitrogen gas                             | BD1382T<br>BD1388T   | \$125 ea | Twin tube               | OE Height<br>40mm lift |
|---------------------------------|---|----------------------|----------|-------------------------|------------------------|
| SHOCK<br>ABSORBERS              | 41mm Foam cell                                | FC41382<br>FC41388   | \$160 ea | Twin tube / 60mm casing | OE Height<br>40mm lift |
|                                 | 40mm Adjustable                               | BM401382<br>BM401388 | \$200 ea | Twin tube / 60mm casing | OE Height<br>40mm lift |
| URETHANE                        | Shackle bushes                                | TDUK-021/35          | \$85 kit | 1 kit required          | All models             |
| U BOLTS                         | U Bolts must be tightened at<br>500km service | TDUB-006             | \$30 kit | 2 kits required         | All models             |
| REPLACEMENT<br>SHOCK<br>BUSHING | Top & bottom eyering mount                    | 404702               | \$3 ea   | Two bushes per shock    | Rear                   |

| <b>MITSUBISHI</b> | • | L300 4WD |
|-------------------|---|----------|
|-------------------|---|----------|

1 of 1

| 4/83-94           |
|-------------------|
| SC SD SE SE SG SH |

PRODUCT

PART No

RRP

PRODUCT INFORMATION

TYPE

# **Torsion Bar Front Suspension**

| SHOCK<br>ABSORBERS | 35mm Nitrogen gas               | BD2058T   | \$125 ea   | Twin tube               | All        |
|--------------------|---------------------------------|---|------------|-------------------------|------------|
|                    | 41mm Foam cell                  | FC42058B  | \$160 ea   | Twin tube / 60mm casing | All        |
| TORSION BARS       | A minimum droop of 60mm must be | 4WTB-1726   | \$280 pair | 1277.5mm / 26mm         | SC, SD, SE |
|                    | maintained                      | Remember to adjust Torsion Bars after fitting Sho |            |                         |            |

# **Leaf Spring Rear Suspension**

|                                 | 35mm Nitrogen gas   | BD1366T                   | \$125 ea                   | Twin tube   | OE Height              |
|---------------------------------|---|---------------------------|----------------------------|---|------------------------|
|                                 |   | BD1382T                   |                            |   | 40mm lift              |
| SHOCK<br>ABSORBERS              | 41mm Foam cell  | FC41366<br>FC41382        | \$160 ea                   | Twin tube / 60mm casing   | OE Height<br>40mm lift |
| SC, SD, SE 5/83-86              | 40mm Adjustable   | BM401366<br>BM401382      | \$200 ea                   | Twin tube / 60mm casing   | OE Height<br>40mm lift |
|                                 | 35mm Nitrogen gas   | BD1386T<br>BD1400T        | \$125 ea                   | Twin tube   | OE Height<br>40mm lift |
| SHOCK<br>ABSORBERS              | 41mm Foam cell  | FC41386<br>FC41400        | \$160 ea                   | Twin tube / 60mm casing   | OE Height<br>40mm lift |
| SF, SG, SH 10/86-94             | 40mm Adjustable   | BM401386<br>BM401400      | \$200 ea                   | Twin tube / 60mm casing   | OE Height<br>40mm lift |
| URETHANE                        | Shackle bushes  | TDUK-005                  | \$65 kit                   | 1 kit required  | SC, SD, SE             |
| U BOLTS                         | U Bolts must be tightened at 500km service                    | TDUB-006                  | \$30 kit                   | 2 kits required   | SC, SD, SE             |
|                                 | Top Pin mount   | TW959                     | \$2.50 ea                  | Two bushes per shock  | Front                  |
| REPLACEMENT<br>SHOCK<br>BUSHING | Top&Bottom Eyering mount<br>Top Pin mount<br>Bottom Pin mount | 404702<br>404702<br>TW959 | \$3 ea<br>\$3 ea<br>\$2.50 | Two bushes per shock-(FC41366/82) One bush per shock-(FC41386/1400) Two bushes per shock-(FC41386/1400) | Rear<br>Rear<br>Rear   |

MITSUBISHI: Pajero (incl. Montero) w/Leaf Springs

7/83-91: NA-NG

PRODUCT INFORMATION PART No **PRODUCT** RRP **TYPE** 5/91-96: NH-NJ

#### **Torsion Bar Front Suspension**

|                         |  | _                        | -                    |   |                            |
|-------------------------|--|--------------------------|----------------------|---|----------------------------|
| SHOCK                   | 41mm Foam cell<br><b>NA-NG:7/83-91</b>           | FC42058B                 | \$160 ea             | Twin tube / 60mm casing   | All                        |
| SHOCK<br>ABSORBERS      | 41mm Foam cell<br>NH-NJ:5/91-96                  | FC42057B                 | \$160 ea             | Twin tube / 60mm casing   | All                        |
| STEERING<br>STABILIZERS |  | SS5013-P/S<br>SS5016-P/S | \$200 ea<br>\$235 ea | w/OE chassis mtg, w/O drag link mnt<br>w/O OE chassis mtg & drag link mnt | Power steer<br>Power Steer |
| TORSION BARS            | A minimum droop of<br>60mm must be<br>maintained | 4WTB-1726<br>Remember    | \$280 pair           | 1277.5mm / 26mm<br>orsion Bars after fitting \$                           | All models  Shocks         |

Check the torsion bar length before ordering

# Leaf Spring Rear Suspension

| SHOCK<br>ABSORBERS                       | 41mm Foam cell                                | FC41382           | \$160 ea             | Twin tube / 60mm casing   | OE & 40mm  |
|--|---|-------------------|----------------------|---|------------|
|  | 40mm Adjustable                               | BM401382          | \$200 ea             | Twin tube / 60mm casing   | OE & 40mm  |
| LEAF<br>SPRINGS                          |   | BP-021<br>BP-021H | \$230 ea<br>\$250 ea | Carries up to 300kg  Constant Load of 300kg to GVM                                      | 40mm lift  |
| URETHANE                                 | Shackle bushes                                | TDUK-005          | \$65 kit             | 1 kit required  | All models |
| U BOLTS                                  | U Bolts must be tightened at<br>500km service | TDUB-006          | \$30 kit             | 2 kits required   | All models |
| GREASABLE                                | Shackles                                      | TDGS-900          | \$80 kit             | 1 kit required  | All models |
| SHACKLES                                 | Pins  | TDGP-004          | \$70 kit             | 1 Kit Required  | All Models |
| REPLACEMENT                              | Top pin mount                                 | TW959             | \$2.50 ea            | Two bushes per shock-(all shocks)   | Front      |
| SHOCK<br>BUSHING                         | Top & bottom eyering mount                    | 404702            | \$3.00 ea            | Two bushes per shock  | Rear       |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Foam cell/Adjustable kit     | BP-021            | \$1225<br>\$1305     | Kit includes: 4 x shock absorbers 2 x leaf springs 2 x Ubolt kits 1 x shackle bush kits |            |
|  | Foam cell kit<br>Foam cell/Adjustable kit     | BP-021H           | \$1265<br>\$1345     |   |            |

1 of 1

MITSUBISHI: Pajero (incl. Montero)w/Coil Springs

1 of 1

8/88-91: NF, NG

5/91-00: NH, NL PRODUCT PART NO RRP PRODUCT TYPE

#### **Torsion Bar Front Suspension**

|                         | _  |                          |                      | _  |     |
|-------------------------|--|--------------------------|----------------------|--|-----|
| SHOCK<br>ABSORBERS      | 41mm Foam cell  NF-NG:7/88-91                    | FC42058B                 | \$160 ea             | Twin tube / 60mm casing  | All |
|                         | 41mm Foam cell  NH-NL:5/91-00                    | FC42057B                 | \$160 ea             | Twin tube / 60mm casing  | All |
| STEERING<br>STABILIZERS | RTC Steering Stabilizer                          | SS5013-P/S<br>SS5016-P/S | \$200 ea<br>\$235 ea | with OE chassis mtg, w/o drag link mtg w/o OE chassis mtg & drag link mtg                    |     |
| TORSION BARS            | A minimum droop of<br>60mm must be<br>maintained |                          |                      | 1277.5mm / 26mm<br>1307mm / 27.5mm<br>rsion Bars after fitting S<br>bar length before orderi |     |

|                                       |   |                     |                      |  | 1                      |
|---------------------------------------|---|---------------------|----------------------|--|------------------------|
|                                       | 41mm Foam cell<br>40mm Adjustable         | FC41439<br>BM401439 | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing          | 40mm lift<br>40mm lift |
|                                       | NF-NG:7/88-91                             |                     |                      |  |                        |
| SHOCK<br>ABSORBERS                    | 41mm Foam cell                            | FC41170B            | \$160 ea             | Twin tube / 60mm casing                                  | OE Height              |
| ABSURBERS                             | 40mm Adjustable                           | BM401170            | \$200 ea             | Twin tube / 60mm casing                                  | OE Height              |
|                                       | NH-NL:5/91-00<br>41mm Foam cell           | FC41178B            | \$160 ea             | Twin tube / 60mm casing                                  | 40mm lift              |
|                                       | 40mm Adjustable                           | BM401178            | \$200 ea             | Twin tube / 60mm casing                                  | 40mm lift              |
| COIL<br>SPRINGS                       |   | TDC632SL<br>TDC632L | \$120 ea             | Carries up to 300kg  Constant Load of 300kg to GVM       | 40mm lift<br>40mm lift |
| REPLACEMENT                           | Top pin mount                             | TW959               | \$2.50 ea            | Two bushes per shock                                     | Front                  |
| SHOCK<br>BUSHING                      | Top Eyering mount                         | 404702              | \$3.00 ea            | One bush per shock-(FC,BM41439)                          | Rear                   |
|                                       | Top pin mount                             | 402267              | \$2.50 ea            | Two bushes per shock-FC,BM41170,78                       | Rear                   |
| Complete<br>Suspension<br>Kit Pricing | Foam cell kit<br>Foam cell/Adjustable kit | Any coil            | \$880<br>\$960       | Kit includes:<br>4 x shock absorbers<br>2 x coil springs |                        |

# MITSUBISHI: Pajero (incl. Montero LWB)

1 of 2

5/2000-15 NM, NP, NS, NT

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

| SHOCK<br>ABSORBERS                 | 40mm Foam cell   | FC404300                                     | \$200 ea                         | Twin tube / 60mm casing  | All                                 |
|------------------------------------|--|--|----------------------------------|--|-------------------------------------|
| 41mm Bore<br>Foam Cell             |  | MIT-050/4<br>FC404300<br>TDC633<br>MIT-4038  | \$400 ea                         | Petrol / Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top             | 40mm lift                           |
| COMPLETE<br>STRUT<br>Assembly      | FC404300<br>can be used for<br>OE & Raised<br>applications | MIT-050/5<br>FC404300<br>TDC633L<br>MIT-4038 | \$400 ea                         | <u>Diesel/Bar</u><br>40mm Foam cell shock<br>Coil Spring<br>Strut Top        | 40mm lift                           |
|                                    |  | MIT-050/6<br>FC404300<br>TDC633H<br>MIT-4038 | \$400 ea                         | Petrol/Diesel/Bar/Winch<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top  | 40mm lift                           |
| SHOCK<br>ABSORBERS                 | 40mm Adjustable  | BM404300                                     | \$300 ea                         | Twin tube / 60mm casing  | All                                 |
| 40mm Bore<br>9 Stage<br>Adjustable |  | MIT-050/1<br>BM404300<br>TDC633<br>MIT-4038  | \$500 ea                         | Petrol / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top            | 40mm lift                           |
| COMPLETE<br>STRUT<br>Assembly      | BM404300<br>can be used for<br>OE & Raised<br>applications | MIT-050/2<br>BM404300<br>TDC633L<br>MIT-4038 | \$500 ea                         | <u>Diesel / Bar</u><br>40mm Adjustable shock<br>Coil Spring<br>Strut Top     | 40mm lift                           |
|                                    |  | MIT-050/3<br>BM404300<br>TDC633H<br>MIT-4038 | \$500 ea                         | Petrol/Diesel/Bar/Winch<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 40mm lift                           |
|                                    | O.E. Height  | TDC631                                       | \$120 ea                         | Petrol/Diesel with Bar   | OE Height                           |
| COIL<br>SPRINGS                    | 40mm lift  | TDC633<br>TDC633L<br>TDC633H                 | \$120 ea<br>\$120 ea<br>\$120 ea | Petrol with Bar<br>Diesel with Bar<br>All with Bar/Winch/Dual Batttery       | 40mm lift<br>40mm lift<br>40mm lift |
| STRUT TOP                          | Strut top only   | MIT-4038                                     | \$80 ea                          | 1 only required per side   |                                     |
| Coil Coring Do                     | C  |  |                                  |  |                                     |

| COIL<br>SPRINGS | 41mm Foam cell | FC41148                       | \$160 ea | Twin tube / 60mm casing   | All                                 |
|-----------------|----------------|-------------------------------|----------|---|-------------------------------------|
|                 | O.E. Height    | TDC635S<br>TDC635             | \$150 ea | Carries up to 300kg  Constant load of 300kg to GVM                                | OE Height                           |
|                 | 40mm lift      | TDC635<br>TDC635H<br>TDC635HH | \$150 ea | Carries up to 300kg  Constant load of 300kg to GVM  Constant load of 500kg to GVM | 40mm lift<br>40mm lift<br>40mm lift |

# MITSUBISHI: Pajero (incl. Montero LWB)

2 of 2

| 5/2000-15<br>NM, NP, NS, NT              | PRODUCT                                     | PART No      | RRP              | PRODUCT<br>INFORMATION   | TYPE              |
|--|---|--------------|------------------|--|-------------------|
| REPLACEMENT<br>SHOCK                     | Top pin mount                               | MIT-4038     | \$80             | A new strut top needs to<br>chased when replacing we<br>bushes   |                   |
| BUSHING                                  | Top pin mount                               | ADJ000300/40 | \$6 ea           | One bush per shock   | Front             |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Front Adj / Foam cell Rear | Any coil     | \$1260<br>\$1460 | Front struts Require Assembly  Kit includes: 2 x struts (front) 2 x shock absorbers (rear) 4 x coil springs      |                   |
|  | Foam cell kit<br>Front Adj / Foam cell Rear | Any coil     | \$1420<br>\$1620 | Front struts Asser and ready to fit  Kit includes: 2 x assembled struts 2 x shock absorbers 2 x coil springs (re | (front)<br>(rear) |

MITSUBISHI: Pajero (incl. Montero SWB Overseas Model) 1 of 1

NM, NP, NS, NT 5/00 On

PRODUCT INFORMATION PART No **PRODUCT** RRP **TYPE** 

| Coil S | Spring | Front | Suspension |
|--------|--------|-------|------------|
|--------|--------|-------|------------|

| SHOCK<br>ABSORBERS                 | 41mm Foam cell   | FC404300                                     | \$200 ea                         |   | All                                 |  |  |
|------------------------------------|--|--|----------------------------------|---|-------------------------------------|--|--|
| 41mm Bore<br>Foam Cell             |  | MIT-050/4<br>FC404300<br>TDC633<br>MIT-4038  | \$400 ea                         | Petrol/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top              | 40mm lift                           |  |  |
| COMPLETE<br>STRUT<br>Assembly      | FC404300<br>can be used for<br>OE & Raised<br>applications | MIT-050/5<br>FC404300<br>TDC633L<br>MIT-4038 | \$400 ea                         | Diesel/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top              | 40mm lift                           |  |  |
|                                    |  | MIT-050/6<br>FC404300<br>TDC633H<br>MIT-4038 | \$400 ea                         | Petrol/Diesel/Bar/Winch<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top | 40mm lift                           |  |  |
| SHOCK<br>ABSORBERS                 | 40mm Adjustable  | BM404300                                     | \$300 ea                         |   | All                                 |  |  |
| 40mm Bore<br>9 Stage<br>Adjustable | ore e ole  TE  BM404300 can be used for                    | MIT-050/1<br>BM404300<br>TDC633<br>MIT-4038  | \$500 ea                         | Petrol / Bar<br>40mm Adjustable shock<br>Strut Top<br>Strut Top             | 40mm lift                           |  |  |
| COMPLETE<br>STRUT<br>Assembly      |  | MIT-050/2<br>BM404300<br>TDC633L<br>MIT-4038 | \$500 ea                         | Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top           | 40mm lift                           |  |  |
|                                    |  | MIT-050/3<br>BM404300<br>TDC633H<br>MIT-4038 | \$500 ea                         | Petrol/Diesel/Bar/Winch 40mm Adjustable shock Coil Spring Strut Top         | 40mm lift                           |  |  |
| COIL<br>SPRINGS                    |  | TDC633<br>TDC633L<br>TDC633H                 | \$120 ea<br>\$120 ea<br>\$120 ea | V6 Petrol withBar<br>Diesel with Bar<br>All with Bar/Winch/Dual Batttery    | 40mm lift<br>40mm lift<br>40mm lift |  |  |
| STRUT TOP                          | Strut top only   | MIT-4038                                     | \$80 ea                          | 1 only required per side  |                                     |  |  |

| SHOCK ABSORBERS        | 41mm Foam cell                            | FC41148      | \$160 ea         | Twin tube / 60mm casing  | All       |
|------------------------|---|--------------|------------------|--|-----------|
| COIL SPRINGS           |   | TDC635S      | \$150 ea         | Carries up to 300kg  | 40mm lift |
| REPLACEMENT<br>SHOCK   | Top pin mount                             | MIT-4038     | \$80             | A new strut top needs to<br>chased when replacing wo<br>bushes                               |           |
| BUSHING                | Top pin mount                             | ADJ000300/40 | \$6 ea           | One bush per shock   | Front     |
| Complete<br>Suspension | Foam cell kit<br>Adjustable/Foam cell kit | Any coil     | \$1260<br>\$1460 | <u>Kit includes:</u><br>2 x struts (front)<br>2 x shock absorbers (rear)<br>4 x coil springs |           |
| Kit<br>Pricing         | Foam cell kit<br>Adjustable/Foam cell kit | Any coil     | \$1420<br>\$1620 | Kit includes: 2 x assembled struts (front) 2 x shock absorbers (rear)                        |           |

| MITSUBIS<br>10/86 On   | HI: Triton  | (incl. L20             | 0 4WD O                    |  | of 1                  |
|------------------------|---|------------------------|----------------------------|--|-----------------------|
| ME,MF,MG,MH,MJ,M       | PRODUCT   | PART No                | RRP                        | PRODUCT<br>INFORMATION   | TYPE                  |
| Torsion Bar Fro        | ont Suspensi  | on                     |                            |  |                       |
|                        | 41mm Foam cell<br>ME, MF, MG, MH, MJ                            | FC42058B               | \$160 ea                   | Twin tube / 60mm casing  | All                   |
| SHOCK<br>ABSORBERS     | 35mm Nitrogen gas<br>MK 10/96-on                                | BD2057T                | \$125 ea                   | Twin tube  | All                   |
|                        | 41mm Foam cell  | FC42057B               | \$160 ea                   | Twin tube / 60mm casing  | All                   |
| TORSION BARS           | A minimum droop of<br>60mm must be<br>maintained                | 4WTB-1726<br>4WTB-1736 | \$280 pair<br>\$280 pair   | 1277.5mm / 26mm<br>1370mm / 26mm   | All models All models |
|                        | maintained  |                        | •                          | orsion Bars after fitting a<br>r length prior to ordering                                |                       |
|                        |   |                        | 1                          |  | 1                     |
| Leaf Spring Re         | ar Suspensio<br>  | n                      |                            |  |                       |
| SHOCK                  | 35mm Nitrogen gas   | BD1388T                | \$125 ea                   | Twin tube  | All                   |
| ABSORBERS              | 41mm Foam cell  | FC41388                | \$160 ea                   | Twin tube / 60mm casing  | All                   |
|                        | 40mm Adjustable   | BM401388               | \$200 ea                   | Twin tube / 60mm casing  | All                   |
| LEAF SPRINGS           |   | BP-021                 | \$230 ea                   | Carries up to 300kg  | 40mm lift             |
| ME, MF, MG, MH, MJ, MK |   | BP-021H                | \$250 ea                   | Constamt Load of 300kg to GVM  | 40mm lift             |
| 10/86-02               |   | Check r                | number of leave            | es in OE spring pack prior to or   | dering                |
| URETHANE               | Shackle bushes  | TDUK-021/31            | \$85 kit                   | 1 kit required   | ME to MK              |
| U BOLTS                | U Bolts must be tightened at 500km service                      | TDUB-006               | \$30 kit                   | 2 kits required  | ME to MK              |
| GREASABLE<br>SHACKLES  | SHACKLES  | TDGS-900               | \$90 kit                   | 1 kit required   | ME to MK              |
| REPLACEMENT<br>SHOCK   | Top pin mount<br>Bottom Eyering mount                           | TW959<br>412772        | \$2.50 ea<br>\$6.50 ea     | Two bushes per shock One bush per shock(BD,FC42057)                                      | Front<br>Front        |
| BUSHING                | Top & bottom eyering mount                                      | 404702                 | \$3.00 ea                  | Two bushes per shock   | Rear                  |
| Complete<br>Suspension | Nitrogen gas Kit<br>Foam cell kit<br>Foam cell Front / Adj Rear | BP-021                 | \$1105<br>\$1245<br>\$1325 | Kit includes:  4 x shock absorbers 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits |                       |
| Kit<br>Pricing         | Nitrogen gas Kit<br>Foam cell kit<br>Foam cell Front/Adj Rear   | BP-021H                | \$1145<br>\$1285<br>\$1365 |  |                       |
|                        | !   |                        |                            |  |                       |

| MITSUBIS                           | $\mathbf{HI}:\mathbf{ML},\mathbf{M}$               | N Triton                                     | l                                | 1 0   | of 2                             |
|------------------------------------|--|--|----------------------------------|---|----------------------------------|
| /06 On                             | PRODUCT  | PART No                                      | RRP                              | PRODUCT<br>INFORMATION  | ТҮРІ                             |
| Coil Spring Fr                     | ont Suspensio                                      | on   |                                  |   |                                  |
| SHOCK<br>ABSORBERS                 | 41mm Foam cell                                     | FC404800                                     | \$200 ea                         | Twin tube / 60mm casing   | All                              |
| 41mm Bore Foam Cell  COMPLETE      | FC404800   | MIT-060/3<br>FC404800<br>TDC670<br>MIT-4040  | \$400 ea                         | Petrol / Diesel / Bar 40mm Foam cell shock Coil Spring Strut Top                  | 25mm lif                         |
| STRUT<br>Assembly                  | can be used for OE & Raised applications           | MIT-060/4<br>FC404800<br>TDC670H<br>MIT-4040 | \$400 ea                         | Petrol / Diesel / Bar / Winch<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top | 25mm lif                         |
| SHOCK<br>ABSORBERS                 | 40mm Adjustable                                    | BM404800                                     | \$300 ea                         | Twin tube / 60mm casing   | All                              |
| 40mm Bore<br>9 Stage<br>Adjustable | BM404800   | MIT-060/1<br>BM404800<br>TDC670<br>MIT-4040  | \$500 ea                         | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top        | 25mm lif                         |
| STRUT<br>Assembly                  | can be used for OE & Raised applications           | MIT-060/2<br>BM404800<br>TDC670H<br>MIT-4040 | \$500 ea                         | Petrol/Diesel / Bar / Winch<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top  | 25mm lif                         |
| COIL<br>SPRINGS                    |  | TDC670<br>TDC670H                            | \$120 ea                         | Petrol/Diesel/Alloy/Steel Bar Petrol/Diesel/Alloy/Steel Bar/Winch                 | 25mm lif                         |
| STRUT TOP                          | Strut top only                                     | MIT-4040                                     | \$80 ea                          | 1 only required per side  |                                  |
| Leaf Spring Ro                     | ear Suspensio                                      | n  |                                  | •   |                                  |
| SHOCK                              | 41mm Foam cell                                     | FC41383                                      | \$160 ea                         | Twin tube / 60mm casing   | All                              |
| ABSORBERS                          | 40mm Adjustable                                    | BM401383                                     | \$200 ea                         | Twin tube / 60mm casing   | All                              |
| LEAF<br>SPRINGS                    |  | FS122C<br>FS122L<br>FS122LL                  | \$180 ea<br>\$195 ea<br>\$220 ea | Carries up to 300kg  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM | 25mm lii<br>25mm lii<br>25mm lii |
| URETHANE                           | Fit to OE springs only Fit to all Toughdog Springs | TDUK-021/41<br>TDUK-021/31                   | \$85 kit                         | 1 kit required: 1 kit required:   |                                  |
| U BOLTS                            | U Bolts must be tightened at 500km service         | TDUB-036                                     | \$30 kit                         | 2 kits required   |                                  |
| GREASABLE<br>SHACKLES              | Shackles   | TDGS-900                                     | \$80 kit                         | 1 kit required  |                                  |

MITSUBISHI: ML, MN Triton

2 of 2

| 7/06 On                                  | PRODUCT                         | PART No     | RRP              | PRODUCT<br>INFORMATION   | TYPE  |
|--|---------------------------------|-------------|------------------|--|-------|
| REPLACEMENT                              | Top Pin mount                   | MIT-4040    | \$80 ea          | A new strut top needs<br>chased when replacing<br>bushes   |       |
| SHOCK<br>BUSHING                         | Bottom Eyering mount            | ADJ00300/50 | \$6 ea           | One bush per shock   | Front |
|  | Bottom Eyering mount            | 404702      | \$6.50 ea        | One bush per shock   | Rear  |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Adjustable kit | FS122C      | \$1465<br>\$1745 | Front strut<br>Require<br>Assembly   |       |
|  | Foam cell kit<br>Adjustable kit | FS122L      | \$1495<br>\$1775 | Kit includes:  2 x struts (front) 2 x shock absorbers (rear) 2 x coil springs 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits  Front struts assembled and ready to fit  Kit includes:  2 x assembled struts (front) 2 x shock absorbers (rear) 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits |       |
|  | Foam cell kit<br>Adjustable kit | FS122LL     | \$1545<br>\$1825 |  |       |
|  | Foam cell kit<br>Adjustable kit | FS122C      | \$1625<br>\$1905 |  |       |
|  | Foam cell kit<br>Adjustable kit | FS122L      | \$1655<br>\$1935 |  |       |
|  | Foam cell kit<br>Adjustable kit | FS122LL     | \$1705<br>\$1985 |  |       |

NISSAN: D21, D22 Navara 4WD 1 of 1 1/86-2015 PRODUCT INFORMATION **PART No PRODUCT RRP TYPE Torsion Bar Front Suspension** SHOCK FC42052B 35mm Foam cell All \$160 ea Twin tube / 60mm casing **ABSORBERS STEERING** D21 Only SD14035 \$105 ea Standard OE Replacement S/Damper **DAMPERS** 4WTB-1456 \$250 pair 1203mm / 26mm 1/86-97 A minimum droop of **TORSION BARS** 4WTB-1446 60mm must be \$250 pair 890mm / 26mm 97-On maintained Remember to adjust Torsion Bars after fitting Shocks Leaf Spring Rear Suspension **BD1366T** 35mm Nitrogen gas \$125 ea OE Height Twin tube **BD1382T** 40mm lift FC41366B \$160 ea 41mm Foam cell Twin tube / 60mm casing OE Height SHOCK FC41382B Twin tube / 60mm casing 40mm lift **ABSORBERS** 40mm Adjustable BM401366 \$200 ea Twin tube / 60mm casing OE Height BM401382 Twin tube / 60mm casing 40mm lift **T63** \$180 ea Carries up to 300kg 40mm lift LEAF **T63H SPRINGS** \$230 ea Constant load of 300kg to GVM 40mm lift Shackle bushes **TDUK-007 URETHANE** \$65 kit 1 kit required All models U Bolts must be tightened at **TDUB-012** \$30 kit All models 2 kits required **U BOLTS** 500km service TW959 Front \$2.50 ea Top pin mount Two bushes per shock REPLACEMENT **SHOCK BUSHING** 404702 Top &Bottom Eyering mount \$3 ea Rear Two bushes per shock Kit includes: Foam cell Front / Gas Rear T63 \$955 4 x shock absorbers 2 x leaf springs Foam cell kit \$1125 Complete 2 x Ubolt kits 1 x shackle bush kits

Complete Suspension Kit Pricing

Foam cell/Adj Rear \$1205

Foam cell Front / Gas Rear Foam cell kit \$1225

Foam Cell Front / Adj Rear \$1305

Kit includes:
4 x shock absorbers
2 x leaf springs
2 x Ubolt kits
1 x shackle bush kits

ISSAN: D40 Navara

1 of 2

12/05 On: RX,ST-X

PRODUCT INFORMATION PART No 2.5, 4.0Ltr **PRODUCT** RRP **TYPE** 

#### **Coil Spring Front Suspension**

|  |  |  |          | -   |                      |
|--|--|--|----------|---|----------------------|
| SHOCK<br>ABSORBERS                             | 40mm Foam cell   | FC404700                                     | \$200 ea | Twin tube / 60mm casing   | All                  |
| 41mm Bore<br>Foam Cell<br>COMPLETE<br>STRUT    | FC404700<br>can be used for                                | NIS-040/4<br>FC404700<br>TDC770<br>NIS-3030  | \$390 ea | Petrol / Diesel / Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top         | 40mm lift            |
| Assembly                                       | can be used for OE & Raised applications                   | NIS-040/5<br>FC404700<br>TDC770H<br>NIS-3030 | \$390 ea | Petrol / Diesel / Bar / Winch<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top | 40mm lift            |
| SHOCK<br>ABSORBERS                             | 40mm Adjustable  | BM404700                                     | \$300 ea | Twin tube / 60mm casing   | All                  |
| 40mm Bore<br>9 Stage<br>Adjustable<br>COMPLETE | BM404700<br>can be used for<br>OE & Raised<br>applications | NIS-040/1<br>BM404700<br>TDC770<br>NIS-3030  | \$490 ea | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top        | 40mm lift            |
| STRUT<br>Assembly                              |  | NIS-040/2<br>BM404700<br>TDC770H<br>NIS-3030 | \$490 ea | Petrol / Diesel / Bar / Winch 40mm Adjustable shock Coil Spring Strut Top         | 40mm lift            |
| COIL<br>SPRINGS                                |  | TDC770<br>TDC770H                            | \$120 ea | Petrol/Diesel/Alloy Bar<br>Petrol/Diesel/alloy-steel bar/Winch                    | 40mm li<br>40mm lift |
| STRUT TOP                                      | Strut top only   | NIS-3030                                     | \$70 ea  | 1 only required per side  |                      |

# **Leaf Spring Rear Suspension**

|                       | •  |                       |                                  |   |                                     |
|-----------------------|--|-----------------------|----------------------------------|---|-------------------------------------|
|                       | 35mm Nitrogen gas                          | BD1368T               | \$125 ea                         | Use for Xtra Comfort.No load  | All                                 |
| SHOCK<br>ABSORBERS    | 41mm Foam cell                             | FC41368               | \$160 ea                         | Twin tube / 60mm casing   | All                                 |
|                       | 40mm Adjustable                            | BM401368              | \$200 ea                         | Twin tube / 60mm casing   | All                                 |
| LEAF<br>SPRINGS       |  | T85C<br>T85L<br>T85LL | \$250 ea<br>\$285 ea<br>\$300 ea | Carries up to 300kg  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM | 40mm lift<br>40mm lift<br>40mm lift |
| URETHANE              | Shackle Bushes                             | TDUK-068              | \$130 kit                        | 1 kit required  |                                     |
| U BOLTS               | U Bolts must be tightened at 500km service | TDUB-035              | \$30 kit                         | 2 kits required   |                                     |
| GREASABLE<br>SHACKLES |  | TDGS-667              | \$80 kit                         | 1 kit required  |                                     |

2 of 2

#### NISSAN: D40 Navara

12/05 On: RX,ST-X PRODUCT INFORMATION 2.5, 4.0Ltr **PART No PRODUCT RRP** TYPE A new strut top needs to be pur-NIS-3030 \$70 ea **Bottom Eyering mount** chased when replacing worn rubber bushes **Bottom Eyering mount** ADJ00300/40 \$6 ea Front One bush per shock REPLACEMENT **SHOCK BUSHING** 404702 Top Eyering mount \$3 ea One bush per shock 2138 \$3 ea Rear **Bottom Eyering Mnt** One bush per shock 4W-BS39/19 \$2.50 ea Bottom Metal sleeve 1 Sleeve per shock Foam cell Front / Gas Rear T85C \$1580 **Front struts** Require \$1650 Foam cell kit **Assembly** \$1930 Adjustable kit Kit includes: Foam cell kit T851 \$1720 2 x struts (front) \$2000 Adjustable kit 2 x shock absorbers (rear) 2 x coil springs 2 x leaf springs Foam cell kit T85LL \$1750 2 x Ubolt kits Complete 1 x shackle bush kits \$2030 Adjustable kit Suspension Kit **Pricing** Foam cell Front / Gas Rear T85C \$1720 **Front struts Assembled** \$1790 Foam cell kit and \$2070 Adjustable kit ready to fit T85L \$1860 Foam cell kit \$2140 Adjustable kit Kit includes: 2 x assembled struts (front) 2 x shock absorbers (rear) \$1890 2 x leaf springs Foam cell kit T85LL 2 x Ubolt kits Adjustable kit \$2170 1 x shackle bush kits

ISSAN: D40 Navara -550 V6 (Turbo Diesel) 1 of 2 2011 On: ST-X-550 3.0L PRODUCT INFORMATION **MY11 V6 TD PART No PRODUCT RRP TYPE Coil Spring Front Suspension SHOCK** FC404700 40mm Foam cell strut \$200 ea Twin tube / 60mm casing ΔII **ABSORBERS** 41mm Bore NIS-040/7 \$390 ea Petrol / Diesel / Bar 40mm lift Foam Cell FC404700 40mm Foam cell shock TDC772 Coil Spring FC404700 **COMPLETE** NIS-3030 Strut Top can be used for **STRUT** OE & Raised **Assembly** applications NIS-040/8 \$390 ea Petrol / Diesel/Bar / Winch 40mm lift 40mm Foam cell shock FC404700 TDC772H Coil Spring NIS-3030 Strut Top SHOCK BM404700 40mm Adjustable strut \$300 ea Twin tube / 60mm casing ΑII **ABSORBERS** 40mm Bore NIS-040/6 \$490 ea Petrol / Diesel / Bar 9 Stage 40mm lift Adjustable BM404700 40mm Adjustable shock TDC772 Coil Spring BM404700 NIS-3030 Strut Top **COMPLETE** can be used for OE & Raised STRUT applications NIS-040/3 \$490 ea **Assembly** Petrol / Diesel / Bar / Winch 40mm lift BM404700 40mm Adjustable shock TDC772H Coil Spring NIS-3030 Strut Top COIL **TDC772** \$120 ea Petrol/Diesel/Alloy Bar 40mm li **SPRINGS TDC772H** Petrol/Diesel/alloy-steel bar/Winch 40mm lift STRUT TOP NIS-3030 Strut top only \$70 ea 1 only required per side Leaf Spring Rear Suspension **BD1368T** 35mm Nitrogen gas \$125 ea Twin tube SHOCK FC41368 41mm Foam cell \$160 ea Twin tube / 60mm casing ΑII **ABSORBERS** BM401368 40mm Adjustable \$200 ea Twin tube / 60mm casing All LEAF **T85C** \$250 ea 40mm lift Carries up to 300kg **SPRINGS T85L** \$285 ea Constant Load of 300kg to GVM 40mm lift T85LL \$300 ea 40mm lift Constant Load of 500kg to GVM **URETHANE** Shackle Bushes **TDUK-068** \$130 kit 1 kit per vehicle U Bolts must be tightened at **U BOLTS** 500km service **TDUB-035** \$30 kit 2 kits per vehicle

**TDGS-667** 

\$80 kit

1 kit per vehicle

GREASABLE SHACKLES

SSAN: D40 Navara -550 V6 (Turbo Diesel)

2 of 2

| 2011 On: ST-X-550: 3.0<br>MY11 V6 TD | PRODUCT   | PART No                      | RRP                           | PRODUCT<br>INFORMATION   | TYPE  |
|--------------------------------------|---|------------------------------|-------------------------------|--|-------|
|                                      | Bottom Eyering mount  | NIS-3030                     | \$70 ea                       | A new strut top needs to<br>chased when replacing wo<br>bushes   |       |
| REPLACEMENT                          | Bottom Eyering mount  | ADJ00300/40                  | \$6 ea                        | One bush per shock   | Front |
| SHOCK<br>BUSHING                     | Top Eyering mount Bottom Eyering Mnt Bottom Metal sleeve      | 404702<br>2138<br>4W-BS39/19 | \$3 ea<br>\$3 ea<br>\$2.50 ea | One bush per shock One bush per shock 1 Sleeve per shock   | Rear  |
|                                      | Foam cell Front / Gas Rear<br>Foam cell kit<br>Adjustable kit | T85C                         | \$1580<br>\$1650<br>\$1930    | Front struts<br>Require<br>Assembly  |       |
|                                      | Foam cell kit<br>Adjustable kit                               | T85L                         | \$1720<br>\$2000              | Kit includes: 2 x struts (front) 2 x shock absorbers (rear) 2 x coil springs 2 x leaf springs 2 x Ubolt kits 1 x shackle bush kits |       |
| Complete<br>Suspension               | Foam cell kit<br>Adjustable kit                               | T85LL                        | \$1750<br>\$2030              |  |       |
| Kit<br>Pricing                       | Foam cell Front / Gas Rear<br>Foam cell kit<br>Adjustable kit | T85C                         | \$1720<br>\$1790<br>\$2070    | Front struts Assembled<br>and<br>ready to fit  |       |
|                                      | Foam cell kit<br>Adjustable kit                               | T85L                         | \$1860<br>\$2140              | Kit includes: 2 x assembled struts (front)   |       |
|                                      | Foam cell kit<br>Adjustable kit                               | T85LL                        | \$1890<br>\$2170              | 2 x shock absorbers (rear) 2 x leaf springs 2 x Ubolt kits 1 x shackle bush kits   |       |

NISSAN: Pathfinder

1 of 1

12/86-95

WNYD21, WHYD21 PRODUCT PART No RRP PRODUCT TYPE

#### **Torsion Bar Front Suspension**

| SHOCK<br>ABSORBERS  | 35mm Nitrogen gas | BD2057T  | \$125 ea   | Twin tube               | All         |  |
|---------------------|-------------------|--|------------|-------------------------|-------------|--|
|                     | 41mm Foam cell    | FC42057B   | \$160 ea   | Twin tube / 60mm casing | All         |  |
| STEERING<br>DAMPERS |                   | SD14035  | \$105 ea   | Replacement S/Damper    | Standard OE |  |
| TORSION BARS        |                   | 4WTB-1458  | \$300 pair | 1232mm / 26mm           | All models  |  |
|                     |                   | Remember to adjust Torsion Bars after fitting Shocks |            |                         |             |  |

|  |   |                   |                         | I   |                        |
|--|---|-------------------|-------------------------|---|------------------------|
| SHOCK<br>ABSORBERS                       | 35mm Nitrogen gas   | BD1382T           | \$125 ea                | Twin tube   | OE & 30mm              |
|  | 41mm Foam cell  | FC41382B          | \$160 ea                | Twin tube / 60mm casing   | OE & 30mm              |
|  | 40mm Adjustable   | BM401382          | \$200 ea                | Twin tube / 60mm casing   | OE & 30mm              |
|  |   | TDC739S           | \$120 ea                | Carries up to 300kg   | OE Height              |
| COIL<br>SPRINGS                          |   | TDC739<br>TDC739H | \$120 ea                | Carries up to 300kg  Constant load of 300kg to GVM              | 30mm lift<br>30mm lift |
| REPLACEMENT<br>SHOCK<br>BUSHING          | Top pin mount   | TW959             | \$2.50 ea               | Two bushes per shock  | Front                  |
|  | Top & Bottom Eyering mount                                      | 404702            | \$3.00 ea               | Two bushes per shock  | Rear                   |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit<br>Foam cell kit<br>Foam cell Front / Adj Rear | Any coil          | \$740<br>\$880<br>\$960 | <u>Kit includes:</u><br>4 x shock absorbers<br>2 x coil springs |                        |

| NISSAN: Pathfinder                       |  |                              |                  | 1  | 1 of 1                              |  |
|--|--|------------------------------|------------------|--|-------------------------------------|--|
| 11/95-05<br>R50, R50 Series 11,111       | PRODUCT  | PART No                      | RRP              | PRODUCT<br>INFORMATION   | TYPE                                |  |
| Coil Spring Front Suspension             |  |                              |                  |  |                                     |  |
| SHOCK<br>ABSORBERS                       | <u>R50</u><br>11/95-99                         | BDS4002                      | \$270 ea         | D/S: Twin tube Mcpherson strut                                       | OE Height                           |  |
|  |  | BDS4003                      | \$270 ea         | P/S: Twin tube Mcpherson strut                                       | OE Height                           |  |
|  |  | BDS4023                      | \$290 ea         | D/S: Twin tube Mcpherson strut                                       | 30mm lift                           |  |
|  |  | BDS4022                      | \$290 ea         | P/S: Twin tube Mcpherson strut                                       | 30mm lift                           |  |
|  | R50 Ser II                                     | BDS4023                      | \$290 ea         | D/S: Twin tube Mcpherson strut                                       | OE & 30mm                           |  |
|  | <u>2/99-05</u>                                 | BDS4022                      | \$290 ea         | P/S: Twin tube Mcpherson strut                                       | OE & 30mm                           |  |
| COIL<br>SPRINGS                          |  | TDC784S<br>TDC784<br>TDC784H | \$120 ea         | with Alloy Bar<br>with Alloy/Steel Bar<br>with Alloy/Steel Bar/Winch | OE Height<br>30mm lift<br>30mm lift |  |
| Coil Spring Rear Suspension              |  |                              |                  |  |                                     |  |
| SHOCK<br>ABSORBERS                       |  | BD3009T                      | \$125 ea         | Use for Xtra comfort   | OE Height                           |  |
|  | <u>R50</u><br><u>11/95-99</u>                  | FC43009                      | \$160 ea         | Twin tube / 60mm casing  | OE Height                           |  |
|  |  | BD3010T                      | \$125 ea         | Use for Xtra comfort   | 30mm lift                           |  |
|  |  | FC43010                      | \$160 ea         | Twin tube / 60mm casing  | 30mm lift                           |  |
|  | <u>R50 Ser II</u><br><u>2/99-05</u>            | BD3011T                      | \$125 ea         | Use for Xtra comfort   | OE & 30mm                           |  |
|  |  | FC43011                      | \$160 ea         | Twin tube / 60mm casing  | OE & 30mm                           |  |
| COIL<br>SPRINGS                          |  | TDC783S<br>TDC783<br>TDC783H | \$120 ea         | Carries up to 300kg Carries up to 300kg Constant 300kg to GVM        | OE Height 30mm lift                 |  |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit<br>Nitrogen Gas/Foam cell kit | Any coil  O.E height         | \$1270<br>\$1340 | <u>Kit includes:</u><br>4 x shock absorb                             |                                     |  |
|  | Nitrogen gas Kit<br>Nitrogen Gas/Foam cell kit | Any coil<br><b>30mm lift</b> | \$1310<br>\$1380 | 4 x coil spring  |                                     |  |
|  |  |                              |                  |  |                                     |  |

1 of 2

11/05 On ST,ST-L,Ti, Ti-550

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

### **Coil Spring Front Suspension**

|  | 1                    |  |          | 1   |                        |
|--|----------------------|--|----------|---|------------------------|
| SHOCK<br>ABSORBERS   |                      | FC404700                                     | \$200 ea | Twin tube / 60mm casing   | All                    |
| 41mm Bore<br>Foam Cell                                     |                      | NIS-040/4<br>FC404700<br>TDC770<br>NIS-3030  | \$390 ea | Petrol / Diesel / Bar  40mm Foam cell shock  Coil Spring  Strut Top             | 40mm lift              |
| COMPLETE<br>STRUT<br>Assembly                              | ST, ST-L, Ti<br>4CYL | NIS-040/5<br>FC404700<br>TDC770H<br>NIS-3030 | \$390 ea | Petrol / Diesel/Bar / Winch<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top | 40mm lift              |
|  |                      | NIS-040/7<br>FC404700<br>TDC772<br>NIS-3030  | \$390 ea | Petrol / Diesel / Bar 40mm Foam cell shock Coil Spring Strut Top                | 40mm lift              |
| FC404700<br>can be used for<br>OE & Raised<br>applications | Ti-550<br>V 6        | NIS-040/8<br>FC404700<br>TDC772H<br>NIS-3030 | \$390 ea | Petrol / Diesel/Bar / Winch<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top | 40mm lift              |
| SHOCK<br>ABSORBERS   |                      | BM404700                                     | \$300 ea | Twin tube / 60mm casing   | All                    |
| 40mm Bore 9 Stage Adjustable  COMPLETE STRUT Assembly      |                      | NIS-040/1<br>BM404700<br>TDC770<br>NIS-3030  | \$490 ea | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top      | 40mm lift              |
|  | ST, ST-L, Ti<br>4CYL | NIS-040/2<br>BM404700<br>TDC770H<br>NIS-3030 | \$490 ea | Petrol / Diesel / Bar / Winch 40mm Adjustable shock Coil Spring Strut Top       | 40mm lift              |
|  |                      | NIS-040/6<br>BM404700<br>TDC772<br>NIS-3030  | \$490 ea | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top      | 40mm lift              |
| BM404700<br>can be used for<br>OE & Raised<br>applications | Ti-550<br>V 6        | NIS-040/3<br>BM404700<br>TDC772H<br>NIS-3030 | \$490 ea | Petrol / Diesel / Bar / Winch 40mm Adjustable shock Coil Spring Strut Top       | 40mm lift              |
| COIL<br>SPRINGS  | ST, ST-L, Ti<br>4CYL | TDC770<br>TDC770H                            | \$120 ea | Alloy Bar<br>Alloy/Steel Bar/Winch  | 40mm lift<br>40mm lift |
|  | Ti-550<br>V 6        | TDC772<br>TDC772H                            | \$120 ea | Alloy bar Alloy /Steel bar/ Winch   | 40mm lift              |
| STRUT TOP  | Strut top only       | NIS-3030                                     | \$70 ea  | 1 only required per side  | 7011111 1111           |

# NISSAN: Pathfinder - R51

2 of 2

11/05 On **ST,ST-L,Ti, Ti-550** 

PRODUCT

**PART No** 

**RRP** 

PRODUCT INFORMATION

TYPE

|  | 41mm Foam cell                  | FC41347                        | \$160 ea         | Twin tube / 60mm casing  | 40mm lift                           |
|--|---------------------------------|--------------------------------|------------------|--|-------------------------------------|
| SHOCK<br>ABSORBERS                       | 40mm Foam cell                  | BM401347                       | \$200 ea         | Twin tube / 60mm casing  | 40mm lift                           |
| COIL<br>SPRINGS                          |                                 | TDC771<br>TDC771H<br>TDC771XHD | \$120 ea         | Carries up to 300kg  Constant Load of 300kg to GVM  Constant load of 500kg to GVM                    | 40mm lift<br>40mm lift<br>40mm lift |
| REPLACEMENT<br>SHOCK<br>BUSHING          | Bottom Eyering mount            | NIS-3030                       | \$70 ea          | A new strut top needs to be pur-<br>chased when replacing worn rubbe<br>bushes                       |                                     |
|  | Bottom Eyering mount            | ADJ00300/40                    | \$6 ea           | One bush per shock   | Front                               |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Adjustable kit | Any coil                       | \$1200<br>\$1480 | Front struts Require Assembly  Kit includes: 2 x struts (F) 2 x shock absorbers (R) 4 x coil springs |                                     |
|  |                                 |                                |                  | Front struts Assembled and ready to fit  Kit includes:   |                                     |
|  | Foam cell kit                   | any coil                       | \$1340           | Kit includes:  |                                     |

61-80: G60

PRODUCT INFORMATION PART No **PRODUCT** RRP **TYPE** 9/80-85: MQ, MK

#### **Leaf Spring Front Suspension**

| SHOCK<br>ABSORBERS                   | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1005T<br>FC41005<br>BM401005      | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing                 | OE Height OE Height OE Height          |
|--------------------------------------|--|-------------------------------------|----------------------------------|---|--|
| G60, MQ & MK                         | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1007T<br>FC41007<br>BM401007      | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing                 | 40mm lift<br>40mm lift<br>40mm lift    |
| STEERING<br>DAMPERS &<br>STABILIZERS | G60, MQ & MK   | EXT5005<br>SS5005-P/S<br>SS5005-M/S | \$120 ea<br>\$165 ea<br>\$165 ea | Heavy Duty S/Damper<br>RTC Steering Stabilizer<br>RTC Steering Stabilizer | 35mm bore<br>Power steer<br>Man. steer |
| LEAF<br>SPRINGS                      | MQ & MK  | BPN-007<br>BPN-007H                 | \$210 ea<br>\$230 ea             | MQ, MK-All with Bar<br>MQ, MK-All with Bar & winch                        | 40mm lift<br>40mm lift                 |
| URETHANE                             | G60 / (MQ-OE)<br>MQ, MK                                | TDUK-036<br>TDUK-009                | \$45 kit<br>\$65 kit             | 1 kit of each required 1 kit of each required                             | All models                             |

#### Bush kit TDUK-009 must be used when fitting BPN-007 & 007H to both MQ and MK vehicles

|                 | G60  | TDUB-004       | \$30 kit      | 1 kit required              | All models |
|-----------------|--|----------------|---------------|-----------------------------|------------|
| U BOLTS         | U Bolts must be tightened at 500km service | TDUB-007       | \$40 kit      | 1 kit required              | All models |
|                 |  |                |               |                             |            |
|                 | MQ, MK                                     | TDUB-009       | \$40 kit      | 1 kit required              | All models |
|                 | U Bolts must be tightened at 500km service | TDUB-004       | \$30 kit      | 1 kit required              | All models |
|                 | Pins: G60,MQ,MK                            | TDGP-470       | \$70 kit      | 1 kit of each required      | All models |
| PINS/SHACKLES   | Shackles: G60,MQ                           | TDGS-355       | \$80 kit      | 1 kit of each required      | All models |
|                 | Shackles: G60,MQ                           | TDGS-665       | \$110 kit     |                             | MK-all     |
|                 | TDGS-665 Must be                           | fitted when us | ing BPN-007 d | or 007H springs to MQ or MI | K Patrol   |
|                 | 0.5 degree                                 | NAK-005        | \$250 ea      | 1 Kit required              | All models |
| OFFSET KINGPINS | 0.75 degree                                | NAK-075        |               | 1 Kit required              | All models |
|                 | 1.0 degree                                 | NAK-001        |               | 1 Kit required              | All models |
|                 | _  |                |               |                             |            |

| SHOCK<br>ABSORBERS | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1005T<br>FC41005<br>BM401005 | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing | OE Height OE Height OE Height       |
|--------------------|--|--------------------------------|----------------------------------|---|-------------------------------------|
| G60                | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1007T<br>FC41007<br>BM401007 | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing | 40mm lift<br>40mm lift<br>40mm lift |

# NISSAN: Patrol - G60,MQ, MK

2 of 2

61-80: G60

PRODUCT INFORMATION PART No 9/80-85: MQ, MK **PRODUCT** TYPE RRP

| SHOCK<br>ABSORBERS                       | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1400T<br>FC41400<br>BM401400 | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube  Twin tube / 60mm casing  Twin tube / 60mm casing                                       | OE height OE Height OE Height       |
|--|--|--------------------------------|----------------------------------|---|-------------------------------------|
| MQ & MK                                  | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1441T<br>FC41441<br>BM401441 | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing   | 40mm lift<br>40mm lift<br>40mm lift |
| LEAF<br>SPRINGS<br>MQ & MK               | SWB & LWB<br>LWB                                       | BPN-008<br>BPN-008H            | \$300 ea<br>\$320 ea             | Carries up to 300kg  Constant Load of 300kg to GVM  | 40mm lift<br>40mm lift              |
| URETHANE                                 | G60<br>MQ & MK   | TDUK-036<br>TDUK-010           | \$45 kit<br>\$95 kit             | 1 kit of each required 1 kit of each required   | All models                          |
| U BOLTS U Bolts must be tightened at     | G60<br>MQ & MK   | TDUB-008<br>TDUB-010           | \$30 kit<br>\$40 kit             | 2 kits required 2 kits required   | All models<br>All models            |
|  | G60,MQ & MK<br>Pin kit                                 | TDGP-470                       | \$70 kit                         | 1 of each kit required  | MQ-all                              |
| GREASABLE PINS<br>&<br>SHACKLES          | G60<br>Shackle kit                                     | TDGS-355                       | \$80 kit                         | 1 kit of each required  | All models                          |
| SS                                       | MQ & MK<br>Shackle kit                                 | TDGS-664                       | \$80 kit                         | 1 kit of each required  | All models                          |
| REPLACEMENT<br>SHOCK                     | Top & Bottom pin mount                                 | TW959                          | \$2.50 ea                        | Four bushes per shock<br>(BD1005-7, FC41005-7, BM401005-7)  | Front &<br>Rear                     |
| BUSHING                                  | Top Eyering mount<br>Bottom Pin mount                  | 404702<br>TW959                | \$3 ea<br>\$2.50 ea              | One bush per shock: MQ,MK Two bushes per shock: MQ,MK   | Rear<br>Rear                        |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit    | BPN-007<br>&<br>BPN-008        | \$1830<br>\$1970<br>\$2130       | MQ & MK  Kit includes:  4 x shock absorbers 4 x leaf springs 4 x ubolt kits 2 x shackle bush kits |                                     |
|  | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit    | BPN-007H<br>&<br>BPN-008H      | \$1910<br>\$2050<br>\$2210       |   |                                     |

2/88-2015 Up to 2" Lift

**PRODUCT** 

**PART No** 

RRP

PRODUCT INFORMATION

**TYPE** 

## **Coil Spring Front Suspension**

| Coll Spring Fro          | nt Suspensio                              | ) N                  |                       |  |                       |
|--------------------------|---|----------------------|-----------------------|--|-----------------------|
| SHOCK                    | 41mm Foam cell                            | FC41047              | \$160 ea              | Twin tube / 60mm casing                | up to 50mm            |
| ABSORBERS                | 40mm Adjustable                           | BM401047             | \$200 ea              | Twin tube / 60mm casing                | up to 50mm            |
| GQ & GU Wagon            | 45mm Adjustable                           | BMX1047/2            | \$275 ea              | Twin tube / 70mm casing                | 50mm only             |
|                          | 53mm Ralph                                | TDR1047B             | \$275 ea              | Twin tube / 70mm casing                | up to 50mm            |
|                          | GQ<br>SWB                                 | TDC731               | \$120 ea              | Petrol/Diesel/Alloy Bar                | 25mm lft              |
|                          | GQ & GU                                   | TDC734SL             | \$120 ea              | Petrol/Diesel/Bar                      | 25mm lft              |
| COIL<br>SPRINGS          | LWB<br>25mm lift                          | TDC734HSL            | ψ.20 0d               | Petrol/Diesel/Bar/Winch                | 25mm lft              |
| SP KINGS                 | GQ & GU                                   | TDC734CL             | \$120 ea              | GQ-2.8L Turbo DieseL/Alloy Bar         | 50mm lft              |
|                          | LWB<br>50mm lift                          | TDC734L              | \$120 ea              | Petrol/Diesel/T-Diesel /Bar            | 50mm lft              |
|                          | John Int                                  | TDC734HL             | ψ120 Ca               | Petrol/Diesel/T-Diesel/Bar/Winch       | 50mm lft              |
|                          |   | 150704112            |                       | Tellow Diesew T-Diesew Dai/William     | John III              |
|                          | GQ  | EXT5612              | \$120 ea              | Eye/Eye Heavy Duty S/Damper            | 35mm Bore             |
|                          | SWB & LWB                                 | SS5612-P/S           | \$165 ea              | Eye/Eye RTC Steering Stabilizer        | Power steer           |
|                          | 2/88-8/89                                 | SV5612               | \$200 ea              | Eye/Eye Adjustable S/Damper            | 35mm Bore             |
|                          |   |                      |                       |  |                       |
|                          | GQ  | EXT5613              | \$120 ea              | Pin/Pin Heavy Duty S/Damper            | 35mm Bore             |
| CTEEDING                 | SWB & LWB<br>8/89-98                      | SS5613-P/S           | \$165 ea              | Pin/Pin RTC Steering Stabilizer        | 35mm Bore             |
| STEERING<br>DAMPERS      | 0/09-90                                   | SV5613               | \$200 ea              | Pin/Pin AdjustableS/Damper             | Power steer           |
| &                        | GU  | EXT5000              | \$120 ea              | Pin/Pin Heavy Duty S/Damper            | 35mm Bore             |
| STABILZERS               | LWB Wagon                                 | SS5000-P/S           | \$120 ea<br>\$165 ea  | Pin/Pin RTC Steering Stabilizer        | Power steer           |
|                          | 12/97-00                                  | SV5000               | \$200 ea              | Pin/Pin Adjustable S/Damper            | 35mm Bore             |
|                          |   |                      | Ψ=0000                | 1                                      |                       |
|                          | GU  | EXT5617              | \$120 ea              | Eye/Eye Heavy Duty S/Damper            | 35mm Bore             |
|                          | LWB Wagon<br>4/00 On                      | SS5617-P/S           | \$165 ea              | Eye/Eye RTC Steering Stabilizer        | 35mm Bore             |
|                          | 4,00 011                                  | SV5617               | \$200 ea              | Eye/Eye Adjustable S/Damper            | Power steer           |
|                          | Radius rod to chassis                     | TDUK-041             | \$65 kit              | 1 kit required                         | All models            |
| URETHANE                 | Radius rod to chassis  Radius rod to diff | TDUK-041<br>TDUK-050 | \$65 Kit<br>\$200 kit | 1 kit required 1 kit required          | All models All models |
|                          | Panhard rod bush kit                      | TDUK-051             | \$65 kit              | ·                                      | All models            |
| Fits TDPR-004,005,014    |   |                      | •                     | 1 kit required - 2 Bushes supplied     | All models            |
| Fits TDPR-012,013,016    | Panhard rod bush kit                      | TDUK-055             | \$35 kit              | 1 kit required - 1 Bush-Diff mount     | All models            |
| Fits TDPR-012,013,016    | Panhard rod bush kit                      | TDUK-056             | \$65 kit              | 1 kit required - 1 Bearing-Chassis mnt | All models            |
| l                        | Castor bushes - 2 deg                     | TDUK-054/2           | \$200 kit             | 1 kit required - 2 deg adj             | All models            |
| l                        |   | TDUK-1734/15         |                       | Qty as required - Coil Spring only     | All models            |
| l                        | 30mm Coil Spring spacer                   | TDUK-1734/30         | \$40 ea               | Qty as required - Coil Spring only     | All models            |
| OFFSET                   | 0.5 degree                                | NAK-005              | \$250 ea              | 1 kit required                         | All models            |
| KING PINS                | 0.75 degree                               | NAK-075              | ,                     | 1 kit required                         | All models            |
| Fits to top of knuckle   | 1 degree                                  | NAK-001              |                       | 1 kit required                         | All models            |
| Warranty / Fitment sheet |   | l                    |                       | <u> </u>                               |                       |

# NISSAN: Patrol - GQ,GU Wagon

2 of 2

2/88-2015 Up to 2" lift

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

#### Coil Spring Rear Suspension

| Coil Spring Rea       |                          |                   |                  | 1                                   | Т         |
|-----------------------|--------------------------|-------------------|------------------|-------------------------------------|-----------|
|                       | 41mm Foam cell           | FC41206           | \$160 ea         | Twin tube / 60mm casing             | up to 50m |
| SHOCK                 | 40mm Adjustable          | BM401206          | \$200 ea         | Twin tube / 60mm casing             | up to 50m |
| ABSORBERS             | 45mm Adjustable          | BMX1206/2         | \$275 ea         | Twin tube / 70mm casing             | 50mm on   |
|                       | 53mm Ralph               | TDR1206           | \$275 ea         | Twin tube / 70mm casing             | up to 50m |
|                       | GQ<br>SWB                | TDC733            | \$120 ea         | Carries up to 300kg                 | 25mm lft  |
|                       | GQ                       | TDC732SL          | \$120 ea         | Carries up to 300kg                 | 25mm lft  |
|                       | LWB<br>25mm lift         | TDC732HSL         |                  | Constant Load of 300kg to GVM       | 25mm lft  |
|                       | GQ                       | TDC732CL          | \$120 ea         | No Load                             | 50mm lft  |
| COIL EDDINGS          | LWB                      | TDC732L           | \$120 ea         | Carries up to 300kg                 | 50mm lft  |
| COIL SPRINGS          | 50mm lift                | TDC749HL          | \$150 ea         | Constant Load of 300kg to GVM       | 50mm lft  |
|                       | GU                       | TDC742SL          | \$120 ea         | Carries up to 300kg                 | 25mm lft  |
|                       | LWB<br>25mm lift         | TDC742HSL         |                  | Constant Load 300kg to GVM          | 25mm lft  |
|                       | GU                       | TDC742L           | \$120 ea         | Carries up to 300kg                 | 50mm lft  |
|                       | LWB<br>50mm lift         | TDC742HL          | \$150 ea         | Constant Load of 300kg to GVM       | 50mm lft  |
| Fits TDPR-004,005,014 | Panhard rod bush kit     | TDUK-051          | \$65 kit         | 1 kit required - 2 bushes supplied  | All mode  |
| Fits TDPR-012,013,016 | Panhard rod bush kit     | TDUK-055          | \$35 kit         | 1 kit required - 1 Bush-Diff mount  | All mode  |
| Fits TDPR-012,013,016 | Panhard rod bush kit     | TDUK-056          | \$65 kit         | 1 kit required - OE bushes supplied | All model |
|                       | Trailing arm bush        | TDUK-052          | \$165 kit        | 2 kits required - Upper & Lower     | All model |
| URETHANE              | 15mm Coil Spring spacer  | TDUK-1736/15      | \$30 ea          | Qty as required - Coil Spring only  | All model |
|                       | 30mm Coil Spring spacer  | TDUK-1736/30      | \$40 ea          | Qty as required - Coil Spring only  | All model |
| REPLACEMENT<br>SHOCK  | Top & Bottom pin mount   | TW967             | \$3 ea           | Four bushes per shock               | Front     |
| BUSHING               | Top Eyering mount        | ADJ00191          | \$3 ea           | One bush per shock                  | Rear      |
|                       | Bottom Eyering mount     | 415024            | \$4 ea           | One bonded bush per shock           | Rear      |
|                       | Foam cell kit            | \$120 coils       | \$1120           |                                     |           |
|                       | Adjustable kit           | F&R               | \$1280           |                                     |           |
|                       | 45mm bore Adjustable kit |                   | \$1580           |                                     |           |
| Complete              | Ralph Kit                |                   | \$1580           | <u>Kit includes:</u>                |           |
| Suspension<br>Kit     |                          |                   | <b>#</b> 4400    | 4 x shocks<br>4 x coil springs      |           |
| Pricing               | Foam cell kit            | \$120 Front coils | \$1180<br>\$4240 | 4 x con springs                     |           |
|                       | Adjustable kit           | \$150 Rear coils  | \$1340           |                                     |           |
|                       | 45mm bore Adjustable kit |                   | \$1640           |                                     |           |
|                       | Ralph Kit                |                   | \$1640           | 1                                   |           |

1 of 5

2/88-15

3,4,5,& 6" Lifts

**PRODUCT** 

**PART No** 

RRP

PRODUCT INFORMATION

TYPE

NOTE: Please refer to "Disclaimer" re 100, 125, 150mm lifts in the Companies "Terms, Conditions & Warranty Policy" in the front of this publication.

#### **Coil Spring Front Suspension**

| 3"/75mm<br>Lift      | SHOCK ABSORBERS | FC41047/3<br>BM401047/3<br>BMX1047/3 | \$160 ea<br>\$200 ea<br>\$275 ea | 41mm Foam cell / 60mm casing<br>40mm Adjustable / 60mm casing<br>45mm Adjustable / 70mm casing | 75mm lift<br>75mm lift<br>75mm lift |
|----------------------|-----------------|--------------------------------------|----------------------------------|--|-------------------------------------|
|                      | COIL SPRINGS    | TDC734/3<br>TDC734/3H                | \$160 ea                         | Petrol/Diesel/Alloy Bar<br>Petrol/Diesel/Bar/Winch   | 75mm lift<br>75mm lift              |
| 4"/100mm             | SHOCK ABSORBERS | FC41047/4<br>BMX1047/4/5             | \$160 ea<br>\$275 ea             | 41mm Foam cell / 60mm casing<br>45mm Adjustable / 70mm casing                                  | 100mm lift<br>100mm lift            |
| Lift                 | COIL SPRINGS    | TDC734/4<br>TDC734/4H                | \$160 ea                         | Petrol/Diesel/Alloy Bar Petrol/Diesel/Bar/Winch  | 100mm lift                          |
| 5"/4 O 5 ··· · · · · | SHOCK ABSORBERS | BMX1047/4/5                          | \$275 ea                         | 45mm Adjustable / 70mm casing  | 125mm lift                          |
| 5"/125mm<br>Lift     | COIL SPRINGS    | TDC734/5<br>TDC734/5H                | \$160 ea                         | Petrol/Diesel/Alloy Bar Petrol/Diesel/Bar/Winch  | 125mm lift<br>125mm lift            |
| 6"/150mm<br>Lift     | SHOCK ABSORBERS | BMX1047/6                            | \$275 ea                         | 45mm Adjustable / 70mm casing  | 150mm lift                          |
|                      | COIL SPRINGS    | TDC734/6<br>TDC734/6H                | \$160 ea                         | Petrol/Diesel/Alloy Bar<br>Petrol/Diesel/Bar/Winch   | 150mm lift<br>150mm lift            |

Please Note: When a constant load of 500kg or more is carried, airbags that fit inside the coils should also be fitted.

|                          |                                   | EXT5612    | \$120 ea | Eye/Eye Heavy Duty S/Damper     | 35mm Bore   |
|--------------------------|-----------------------------------|------------|----------|---------------------------------|-------------|
|                          | GQ<br>CWD 8 LWD                   | SS5612-P/S | \$165 ea | Eye/Eye RTC Steering Stabilizer | Power steer |
|                          | SWB & LWB<br>2/88-8/89            | SV5612     | \$200 ea | Eye/Eye Adjustable S/Damper     | 35mm Bore   |
|                          |                                   |            |          |                                 |             |
|                          |                                   | EXT5613    | \$120 ea | Pin/Pin Heavy Duty S/Damper     | 35mm Bore   |
| STEERING                 | GQ<br>SWB & LWB                   | SS5613-P/S | \$165 ea | Pin/Pin RTC Steering Stabilizer | Power steer |
| STABILZERS               | 8/89-98                           | SV5613     | \$200 ea | Pin/Pin Adjustable S/Damper     | 35mm Bore   |
|                          |                                   |            |          |                                 |             |
|                          | GU                                | EXT5000    | \$120 ea | Pin/Pin Heavy Duty S/Damper     | 35mm Bore   |
| Use only for vehicles    | LWB                               | SS5000-P/S | \$165 ea | Pin/Pin RTC Steering Stabilizer | Power steer |
| fitted with up to a 3"   | 12/97-00                          | SV5000     | \$200 ea | Pin/Pin Adjustable S/Damper     | 35mm Bore   |
| lift.                    |                                   |            |          |                                 |             |
|                          | GU                                | EXT5617    | \$120 ea | Eye/Eye Heavy Duty S/Damper     | 35mm Bore   |
|                          | LWB                               | SS5617-P/S | \$165 ea | Eye/Eye RTC Steering Stabilizer | Power steer |
|                          | 4/00 On                           | SV5617     | \$200 ea | Eye/Eye Adjustable S/Damper     | 35mm Bore   |
|                          |                                   |            |          |                                 |             |
| Use only for vehicles    | Supplied with "L"<br>Brackets for | SV5613/4   | \$300 ea | Adjustable Damper               | 35mm Bore   |
| with a 4" and above lift | universal fitment                 | SS5613-XHD |          | RTC Steering Stabilizer         | Power steer |
|                          |                                   |            |          |                                 |             |

2 of 5

2/88-15 3,4,5 & 6" Lifts

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

NOTE: Please refer to "Disclaimer" re 100, 125, 150mm lifts in the Companies "Terms, Conditions & Warranty Policy" in the front of this publication.

#### **Coil Spring Front Suspension**

|  | Radius rod to chassis                        | TDUK-041            | \$65 kit             | 1 kit required                       | All models            |
|--|--|---------------------|----------------------|--------------------------------------|-----------------------|
| URETHANE   | Radius rod to diff                           | TDUK-050            | \$200 kit            | 1 kit required                       | All models            |
|  | Castor bushes - 2 deg                        | TDUK-054/2          | \$200 kit            | 1 kit required - 2 deg adj 3" lifts  | 75mm lift             |
|  | Castor bushes - 3 deg                        | TDUK-054/3          | \$260 kit            | 1 kit required - 3 deg adj 4" lifts  | 100mm lift            |
| CASTOR   | 5 degree adjustment                          | TDCP-005            | \$230 kit            | 1 kit required - 125mm & above lift  | All models            |
| PLATES   | 7 degree adjustment                          | TDCP-007            | \$230 kit            | 1 kit required - 200mm & above lift  | All models            |
|  | GQ - RHD Vehicles                            | TDPR-004            | \$240 ea             | Non ball jointed chassis mount       | 1 Required            |
| PANHARD RODS Please Note:  | GQ - LHD Vehicles                            | TDPR-014            | \$280 ea             | Non ball jointed chassis mount       | 1 Required            |
| GU cab chassis vehicles will have a non bearing type of panhard rod. |  | TDPR-012            | \$280 ea             | Ball jointed chassis mount           | 1 of each             |
| Please check before ordering!  |  | TDPR-016            | \$290 ea             | Ball Jointed Chassis mount           | 1 Required            |
|  | Panhard Rod<br>Bush kits<br>O.E style rubber | TDUK-051 Fits TDPR- | \$65 kit             | 1 kit required for each panhard      | All models            |
| PANHARD<br>ROD   | bushes                                       | TDUK-055            | \$35 kit             | 1 kit required for each panhard rod  | GQ Wagon &            |
| Replacement bushes   |  | Fits TDPR-          | <u>012, 013, 016</u> | Diff Mount only                      |                       |
|  | O.E style bearing                            | TDUK-056            | \$65 kit             | 1 kit required for each panhard rod  | Gu Wagon              |
|  | j  | Fits TDPR-          | 012, 013, 016        | Chassis Mount only                   | GU Wagon              |
| TRANSMISSION<br>SPACER   | COIL SPRING VEHICLES                         | TDSP-004/2          | \$110 kit            | 1 kit required - Should be fitted to | All models            |
| OFFSET   | 0.5 degree                                   | NAK-005             | \$250 ea             | 1 kit required                       | All models            |
| KING PINS  FITS TO TOP OF  | 0.75 degree<br>1 degree                      | NAK-075<br>NAK-001  |                      | 1 kit required 1 kit required        | All models All models |
| KNUCKLE  | i degree                                     | NAN-001             |                      | i ni requireu                        | All Hodels            |

3 of 5

2/88-2015 3,4,5 & 6" Lift

**PRODUCT** 

PART No

**RRP** 

PRODUCT INFORMATION

TYPE

NOTE: Please refer to "Disclaimer" re 100, 125, 150mm lifts in the Companies "Terms, Conditions & Warranty Policy" in the front of this publication.

#### **Coil Spring Rear Suspension**

|   |                                   |                                      |                                  |  | _                                   |
|---|-----------------------------------|--------------------------------------|----------------------------------|--|-------------------------------------|
| Please Note: When a constant load of 500kg or more is carried, airbags that fit inside the coils should also be fitted.  3" only  3"/75mm | SHOCK ABSORBERS                   | FC41206/3<br>BM401206/3<br>BMX1206/3 | \$160 ea<br>\$200 ea<br>\$275 ea | 41mm Foam cell / 60mm casing<br>40mm Adjustable / 60mm casing<br>45mm Adjustable / 70mm casing | 75mm lift<br>75mm lift<br>75mm lift |
| Lift  | COIL SPRINGS                      | TDC732/3<br>TDC732/3H                | \$160 ea                         | Carries up to 300kg  Constant Load of 300kg to GVM   | 75mm lift<br>75mm lift              |
| 4"/100mm  | SHOCK ABSORBERS                   | FC41206/4<br>BMX1206/4/5             | \$160 ea<br>\$275 ea             | 41mm Foam cell / 60mm casing<br>45mm Adjustable / 70mm casing                                  | 100mm lift<br>100mm lift            |
| Lift  | COIL SPRINGS                      | TDC732/4<br>TDC732/4H                | \$160 ea                         | Carries up to 300kg  Constant Load of 300kg to GVM   | 100mm lift<br>100mm lift            |
| 5"/125mm  | SHOCK ABSORBERS                   | BMX1206/4/5                          | \$275 ea                         | 45mm Adjustable / 70mm casing  | 125mm lift                          |
| Lift  | COIL SPRINGS                      | TDC732/5<br>TDC732/5H                | \$160 ea                         | Carries up to 300kg  Constant Load of 300kg to GVM   | 125mm lift<br>125mm lift            |
| 6"/150mm  | SHOCK ABSORBERS                   | BMX1206/6                            | \$275 ea                         | 45mm Adjustable / 70mm casing  | 150mm lift                          |
| Lift  | COIL SPRINGS                      | TDC732/6<br>TDC732/6H                | \$160 ea                         | Carries up to 300kg  Constant Load of 300kg to GVM   | 150mm lift                          |
| URETHANE  | Trailing Arm bush                 | TDUK-052                             | \$165 kit                        | 2 kits required-Upper & Lower  | All models                          |
| PANHARD   | GQ - RHD Vehicles                 | TDPR-005                             | \$230 ea                         | Non ball jointed chassis mount   | 1 Required                          |
| RODS Please Note:   | GQ - LHD Vehicles                 | TDPR-005                             | \$230 ea                         | Non ball jointed chassis mount   | 1 Required                          |
| GU cab chassis vehicles will have a non bearing type of panhard rod.  | GU - RHD Vehicles                 | TDPR-013                             | \$240 ea                         | Ball jointed chassis mount   | 1 of each                           |
| Please check before ordering!   | GU - LHD Vehicles                 | TDPR-013                             | \$240 ea                         | Ball Jointed Chassis mount   | 1 Required                          |
|   | Panhard Rod                       | TDUK-051<br>Fits TDPR-0              | \$65 kit                         | 1 kit required. 2 bushes supplied  | All models                          |
| PANHARD<br>ROD<br>Replacement bushes  | Bush kits O.E style rubber bushes | TDUK-055 _Fits TDPR-0                | \$35 kit<br>012, 013, 016        | 1 kit required:1 bush supplied  Diff Mount only  | GQ Wagon &                          |
|   | O.E style bearing                 | TDUK-056<br>_Fits TDPR-0             | \$65 kit<br>012, 013, 016        | 1 kit required: 1 bearing supplied  Chassis Mount only   | Gu Wagon<br>GU Wagon                |

4 of 5

2/88-2015 3,4,5 & 6" Lift

**PRODUCT** 

**PART No** 

RRP

PRODUCT INFORMATION

TYPE

NOTE: Please refer to "Disclaimer" re 100, 125, 150mm lifts in the Companies "Terms, Conditions & Warranty Policy" in the front of this publication.

#### **Coil Spring Rear Suspension**

| BRAKE HOSE                           | Non ABS-Rubber hose  | TDBH-001 | \$120 kit  | 1 kit required-2 hoses in kit |  |
|--------------------------------------|--|----------|--|-------------------------------|--|
| GQ To-98<br>GU 1/98-02               | Non ABS-Braided hose   | TDBH-194 | \$250 kit  | 1 kit required-2 hoses in kit |  |
| BRAKE HOSE                           | With ABS-Rubber hose   | TDBH-390 | \$180 kit  | 1 kit required-3 hoses in kit |  |
| GU 1/98 on                           | With ABS-Braided hose  | TDBH-190 | \$390 kit  | 1 kit required-3 hoses in kit |  |
|                                      | With Stability Control   | TDBH-400 | \$240 kit  | 1 kit required-4 hoses in kit |  |
| These parts required for 3" lift kit | Shock Absorbers Coil Springs Front - Panhard Rod Rear - Panhard Rod Castor Bush kit-2 deg Transmission Spacer Brake Hose Kit Steering Stabilizer     |          | x 4<br>x 4<br>x 1<br>x 1<br>x 1<br>x 1<br>x 1        | (Optional)                    |  |
| These parts required for 4" lift kit | Shock Absorbers Coil Springs Front - Panhard Rod Rear - Panhard Rod Castor Bush kit-3 deg Transmission Spacer Kit Brake Hose Kit Steering Stabilizer |          | x 4<br>x 4<br>x 1<br>x 1<br>x 1<br>x 1<br>x 1        | (Optional)                    |  |
| These parts required for 5" lift kit | Shock Absorbers Coil Springs Front - Panhard Rod Rear - Panhard Rod Castor Plate kit-5 deg Transmission Spacer Brake Hose Kit Steering Stabilizer    |          | x 4<br>x 4<br>x 1<br>x 1<br>x 1<br>x 1<br>x 1<br>x 1 | (Optional)                    |  |
| These parts required for 6" lift kit | Shock Absorbers Coil Springs Front - Panhard Rod Rear - Panhard Rod Castor Plate kit-5 deg Transmission Spacer Brake Hose Kit Steering stabilizer    |          | x 4<br>x 4<br>x 1<br>x 1<br>x 1<br>x 1<br>x 1<br>x 1 | (Optional)                    |  |

Please ensure that the 4WD Hi-lift Disclaimer sheet on page 6 of this catalogue is completed.

To fit 100mm and above kits, rear tail shaft needs to be reversed. Narrow end facing front.

\*\*Please Note:\*\* 100, 125, 150mm (4", 5", 6") springs are intended for offroad use ONLY. If the vehicle is intended to be driven on road, certification by a certified engineer is required.

5 of 5

| 2/88-2015<br>3,4,5 & 6" Lift    | PRODUCT   | PART No                        | RRP                        | PRODUCT INFORMATION  | TYPE          |  |
|---------------------------------|---|--------------------------------|----------------------------|--|---------------|--|
| REPLACEMENT<br>SHOCK<br>BUSHING | Top & bottom pin mount  | TW967                          | \$3 ea                     | Four bushes per shock  | Front         |  |
|                                 | Top Eyering mount Bottom Eyering mount                                | ADJ00191<br>415024             | \$3 ea<br>\$4 ea           | One bush per shock One bonded bush per shock   | Rear<br>Rear  |  |
|                                 | 41mm Foam cell kit<br>40mm Adjustable kit<br>45mm bore Adjustable kit | 3" GQ<br>inc<br>GU Cab Chassis | \$2180<br>\$2340<br>\$2640 |  | 1             |  |
|                                 | 41mm Foam cell kit<br>40mm Adjustable kit<br>45mm bore Adjustable kit | 3" GU                          | \$2230<br>\$2390<br>\$2690 | 4 x coil springs 2 x Panhard rods 1 x 2deg castor bus 1 x transmission spa 1 x brake hose kit(non AB   | shes<br>acers |  |
| Complete<br>Suspension<br>Kit   | 41mm Foam cell kit<br>45mm bore Adjustable kit                        | 4" GQ<br>inc GU Cab Chas       | \$2240<br>\$2700           | Kit includes: 4 x shock absorbers 4 x coil springs 2 x Panhard rods 1 x 3deg castor bushes 1 x transmission spacers 1 x brake hose kit(non ABS,rubber)  Kit includes: 4 x shock absorbers 4 x coil springs 2 x Panhard rods 1 x 5deg castor plates 1 x transmission spacers 1 x brake hose kit(non ABS,rubber) |               |  |
| Pricing                         | 41mm Foam cell kit<br>45mm bore Adjustable kit                        | 4" GU                          | \$2290<br>\$2750           |  |               |  |
|                                 | 45mm bore Adjustable kit  | 5 & 6" GQ<br>inc GU Cab Chas   | \$2670                     |  |               |  |
|                                 | 45mm bore Adjustable kit  | 5 & 6" GU                      | \$2720                     |  |               |  |

| NISSAN | • | Patrol - GQ Cab Chassis |
|--------|---|-------------------------|
|--------|---|-------------------------|

| 2/88-98<br>With Leaf Springs   | PRODUCT   | PART No                                | RRP  | PRODUCT<br>INFORMATION   | TYPE   |
|--|---|--|--|--|--|
| Leaf Spring Fro  | nt Suspensi   | on                                     |  |  |  |
| SHOCK  | 41mm Foam cell  | FC41108<br>FC41113                     | \$160 ea                                     | Twin tube / 60mm casing Twin tube / 60mm casing  | OE Height<br>50mm lift                           |
| ABSORBERS  | 40mm Adjustable   | BM401108<br>BM401113                   | \$200 ea                                     | Twin tube / 60mm casing Twin tube / 60mm casing  | OE Height<br>50mm lift                           |
| LEAF SPRINGS   | GQ: 2/88-98   | FS37<br>FS37H                          | \$230 ea<br>\$250 ea                         | Petrol/Diesel/Bar<br>Petrol/Diesel/Bar/Winch   | 50mm lift<br>50mm lift                           |
| STEERING<br>STABILIZERS<br>Please Note:  | GQ  | EXT5005<br>SS5005-P/S                  | \$120 ea<br>\$165 ea                         | Eye/Eye Heavy Duty S/Damper<br>Eye/Eye RTC Steering Stabilizer   | 35mm Bore<br>Power stee                          |
| This vehicle comes with different<br>steering dampers fitted to it. Please<br>check the mounting configerations<br>when ordering |   | EXT5613<br>SS5613-P/S<br>SV5613        | \$120 ea<br>\$165 ea<br>\$200 ea             | Pin/Pin Heavy Duty S/Damper<br>Pin/Pin RTC Steering Stabilizer<br>Pin/Pin Adjustable S/Damper                              | 35mm Bore<br>Power stee<br>35mm Bore             |
| URETHANE   | Shackle Bushes  | TDUK-011                               | \$65 kit                                     | 1 Kit of each required   | All models                                       |
| U BOLTS  | GQ  | TDUB-011                               | \$30 kit                                     | 2 kits of each required  | All models                                       |
| GREASABLE  | Pins  | TDGP-667                               | \$70 kit                                     | 1 kit of each required   | All models                                       |
| PINS & SHACKLES  | Shackles  | TDGS-666                               | \$110 kit                                    | 1 kit of each required   | All models                                       |
| Leaf Spring Rea  | ar Suspensio  | n                                      |  |  |  |
| SHOCK<br>ABSORBERS   | 41mm Foam cell<br>40mm Adjustable                                     | FC41404<br>BM401404                    | \$160 ea<br>\$200 ea                         | Twin tube / 60mm casing Twin tube / 60mm casing  | All<br>All                                       |
| LEAF SPRINGS   | GQ: 2/88-98   | BPN-010<br>BPN-010H<br>FS39M<br>FS38M  | \$400 ea<br>\$420 ea<br>\$475 ea<br>\$475 ea | Carries up to 300kg to GVM  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM  Mine Spec: Constant fully loaded | 50mm lift<br>50mm lift<br>50mm lift<br>50mm lift |
| URETHANE   | Shackle Bushes  | TDUK-012                               | \$65 kit                                     | 1 Kit of each required   | All models                                       |
| U BOLTS  | GQ  | TDUB-025                               | \$30 kit                                     | 2 kits of each required  | All models                                       |
| GREASABLE  | Pins  | TDGP-667                               | \$70 kit                                     | 1 kit of each required   | All models                                       |
| PINS & SHACKLES  GQ Leaf/Leaf  | Shackles  | TDGS-666                               | \$110 kit                                    | 1 kit of each required   | All models                                       |
| REPLACEMENT<br>SHOCK<br>BUSHING  | Top pin mount Bottom Eyering mount Top Eyering mount Bottom Pin mount | TW959<br>ADJ00191<br>ADJ00191<br>TW959 | \$2.50 ea<br>\$3 ea<br>\$3 ea<br>\$2.50 ea   | Two bushes per shock<br>One bush per shock<br>One bush per shock<br>Two bushes per shock                                   | Front<br>Front<br>Rear<br>Rear                   |
|  | Foam cell kit<br>Adjustable kit                                       | BPN-009<br>BPN-010                     | \$2150<br>\$2310                             |  |  |
| Complete<br>Suspension   | Foam cell kit<br>Adjustable kit                                       | BPN-009H<br>BPN-010H                   | \$2230<br>\$2390                             | <u>Kit includes:</u><br>4 x shock absorbei<br>4 x leaf springs   | ·s   |
| Kit<br>Pricing   | Foam cell kit<br>Adjustable kit                                       | BPN-009<br>FS38M/39M                   | \$2300<br>\$2460                             | 4 x Ubolt kits<br>2 x shackle bush ki  | ts   |
|  |   |  | \$2380                                       | il .   |  |

| NISSAN | : Patrol-GQ, | <b>GU Cab</b> | Chassis |
|--------|--------------|---------------|---------|
|--------|--------------|---------------|---------|

92-2015 With Coil/Leaf

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

## **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS   | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable  | FC41047<br>BM401047<br>TDR1047B<br>BMX1047/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing | Up to 50mm<br>Up to 50mm<br>Up to 50mm<br>50mm only |
|--|---|--|--|---|---|
| COIL SPRINGS   |   | TDC734L<br>TDC734HL                          | \$120 ea                                     | Petrol/Diesel/Bar<br>Petrol/Diesel/Bar/Winch  | 50mm lift<br>50mm lift                              |
| STEERING<br>STABILIZERS  | GQ  | EXT5613<br>SS5613-P/S<br>SV5613              | \$120 ea<br>\$165 ea<br>\$200 ea             | Pin/Pin Heavy Duty S/Damper<br>Pin/Pin RTC Steering Stabilizer<br>Pin/Pin Adjustable S/Damper   | 35mm Bore<br>Power Steer<br>Adjustable              |
| Please Note: This vehicle comes with different steering dampers fitted to it. Please check the mounting configerations when ordering | GU  | EXT5000<br>SS5000-P/S<br>SV5000              | \$120 ea<br>\$165 ea<br>\$200 ea             | Pin/Pin Heavy Duty S/Damper<br>Pin/Pin RTC Steering Stabilizer<br>Pin/Pin Adjustable S/Damper   | 35mm Bore<br>Power Steer<br>Adjustable              |
| URETHANE   | Radius rod to chassis<br>Radius rod to diff<br>Panhard rod bush kit | TDUK-041<br>TDUK-050<br>TDUK-051             | \$65 kit<br>\$200 kit<br>\$65 kit            | 1 kit required<br>1 kit required<br>1 kit required  | All models<br>All models<br>All models              |
| OFFSET<br>KING PINS  | 0.5 degree<br>.75 degree<br>1 degree                                | NAK-005<br>NAK-075<br>NAK-001                | \$250 ea                                     | 1 kit required<br>1 kit required<br>1 kit required  | All models<br>All models<br>All models              |

| SHOCK<br>ABSORBERS  | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable | FC41404<br>BM401404<br>TDR1404<br>BMX1404 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing                  | Up to 50mm Up to 50mm Up to 50mm 50mm only       |
|---------------------|--|---|--|--|--|
| LEAF<br>SPRINGS     |  | BPN-010<br>BPN-010H<br>FS39M<br>FS38M     | \$400 ea<br>\$420 ea<br>\$475 ea<br>\$475 ea | Carries up to 300kg  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM  Mine Spec: Constant full load | 50mm lift<br>50mm lift<br>50mm lift<br>50mm lift |
| URETHANE            | Shackle Bushes   | TDUK-012                                  | \$65 kit                                     | 1 kit required   | All models                                       |
| U BOLTS             |  | TDUB-023                                  | \$30 kit                                     | 2 kits required  | All models                                       |
| GREASABLE<br>PINS & | Pins   | TDGP-667                                  | \$70 kit                                     | 1 kit required   | All models                                       |
| SHACKLES            | Shackles   | TDGS-666                                  | \$110 kit                                    | 1 kit required   | All models                                       |
| REPLACEMENT         | Top & Bottom pin mount   | TW967                                     | \$3 ea                                       | Four bushes per shock  | Front  |
| SHOCK<br>BUSHING    | Top Eyering mount<br>Bottom Pin mount                              | ADJ00191<br>TW959                         | \$3 ea<br>\$2.50 ea                          | One bush per shock<br>Two bushes per shock   | Rear<br>Rear                                     |
|                     |  |   |  |  |  |
|                     |  |   |  |  |  |

# NISSAN: Patrol-GQ, GU Cab Chassis

2 of 2

| 92-2015<br>With Coil/Leaf                | PRODUCT   | PART No                               | RRP                                  | PRODUCT<br>INFORMATION   | TYPE |  |
|--|---|---------------------------------------|--------------------------------------|--|------|--|
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit Adjustable kit 45mm bore Adjustable kit Ralph Kit | (F)Any coil +<br>BPN-010              | \$1805<br>\$1965<br>\$2265<br>\$2265 | <u>Kit includes:</u>   |      |  |
|  | Foam cell kit Adjustable kit 45mm bore Adjustable kit Ralph Kit | (F)Any coil +<br>BPN-010H             | \$1845<br>\$1985<br>\$2285<br>\$2285 | 4 x shocks 2 x coil springs 2 x leaf springs 1 x bush kit 2 x ubolt kits |      |  |
|  | Foam cell kit Adjustable kit 45mm bore Adjustable kit Ralph Kit | (F)Any coil +<br>FS39M<br>or<br>FS38M | \$1955<br>\$2115<br>\$2415<br>\$2415 |  |      |  |

NISSAN: Patrol - GQ, GU Cab Chassis 1 of 1 92-2015 PRODUCT INFORMATION **PART No** RRP **PRODUCT** With Coil/Coil **TYPE Coil Spring Front Suspension** FC41047 41mm Foam cell \$160 ea Up to 50mm Twin tube / 60mm casing SHOCK BM401047 40mm Adjustablr \$200 ea Twin tube / 60mm casing Up to 50mm **ABSORBERS TDR1047B** 53mm ralph \$275 ea Twin tube / 70mm casing Up to 50mm 45mm Adjustable **BMX1047/2** \$275 ea Twin tube / 70mm casing 50mm only TDC734L \$120 ea Petrol/Diesel/Bar 50mm lift COIL TDC734HL Petrol/Diesel/Bar/Winch 50mm lift **SPRINGS EXT5613** \$120 ea Pin/Pin Heavy Duty S/Damper 35mm Bore SS5613-P/S \$165 ea Pin/Pin RTC Steering Stabilizer Power steer GQ **SV5613** \$200 ea Pin/Pin Adjustable S/Damper 35mm Bore **STEERING STABILIZERS EXT5000** \$120 ea Pin/Pin Heavy Duty S/Damper 35mm Bore SS5000-P/S GU \$165 ea Pin/Pin RTC Steering Stabilizer Power steer **SV5000** \$200 ea Pin/Pin Adjustable S/Damper 35mm Bore Radius rod to chassis **TDUK-041** \$65 kit 1 kit required All models Radius rod to diff **TDUK-050** \$200 kit 1 kit required All models Panhard rod bush kit **TDUK-051** \$65 kit kit of each required - OE bushes All models **URETHANE** 2 Degree Castor Bush **TDUK-054/2** \$200 kit All models kit required **PRODUCTS** 15mm Coil Spring **TDUK-1734/15** \$35 kit Qty as required - Coil Spring only All models 30mm Coil Spring TDUK-1734/30 \$40 kit Qty as required - Coil Spring only All models 0.5 degree **OFFSET NAK-005** \$250 ea 1 kit required All models KING PINS 0.75 degree **NAK-075** kit required All models 1 degree **NAK-001** kit required All models FITS TO TOP OF KNUCKLE Coil Spring Rear Suspension

| Con Spring Ke                   | ai Suspensio  |  |   |   |  |
|---------------------------------|---|--|---|---|--|
| SHOCK                           | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph   | FC41206<br>BM401206<br>TDR1206                       | \$160 ea<br>\$200 ea<br>\$275 ea              | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing   | Up to 50mn<br>Up to 50mn<br>Up to 50mn               |
| ABSORBERS                       | 45mm Adjustable   | BMX1206/2  | \$275 ea                                      | Twin tube / 70mm casing   | Up to 50mr   |
| COIL<br>SPRINGS                 |   | TDC749HL<br>TDC749VHL                                | \$150 ea<br>\$160 ea                          | Carries up to 300kg  Constant Load of 300kg to GVM  | 50mm lift<br>50mm lift                               |
| URETHANE<br>PRODUCTS            | Panhard rod bush kit<br>Trailing arm bush<br>15mm Coil Spring spacer<br>30mm Coil Spring spacer | TDUK-051<br>TDUK-052<br>TDUK-1736/15<br>TDUK-1736/30 | \$65 kit<br>\$165 kit<br>\$30 kit<br>\$40 kit | 1 kit required - OE style bushes<br>2 kits required - Upper & Lower<br>Qty as required - Coil Spring only<br>Qty as required - Coil Spring only | All models<br>All models<br>All models<br>All models |
| REPLACEMENT<br>SHOCK<br>BUSHING | Top & Bottom pin mount Top Eyering mount Bottom Pin mount                                       | TW967<br>ADJ00191<br>415024                          | \$3 ea<br>\$3 ea<br>\$4 ea                    | Four bushes per shock<br>One bush per shock<br>One bushe per shock  | Front<br>Rear<br>Rear                                |
| Complete<br>Suspension          | Foam cell kit<br>Adjustable kit<br>45mm bore Adjustable kit<br>Ralph Kit                        | (F) Any coil<br>(R)TDC749HL                          | \$1180<br>\$1340<br>\$1640<br>\$1640          | <u>Kit includes:</u><br>4 x shock absorbers<br>4 x coil springs   |  |
| Kit<br>Pricing                  | Foam cell kit Adjustable kit 45mm bore Adjustable kit Ralph Kit                                 | (F) Any coil<br>(R)TDC749VHL                         | \$1200<br>\$1360<br>\$1660<br>\$1660          |   |  |

2010-15

PRODUCT INFORMATION ST-L only PART No **PRODUCT** TYPE RRP

#### **Coil Spring Front Suspension**

| Con Spring Fit                |   |  |                                  | T  |                                     |
|-------------------------------|---|--|----------------------------------|--|-------------------------------------|
| SHOCK<br>ABSORBERS            | 40mm Foam Cell<br>40mm Adjustable                           | FC404750<br>BM404750                           | \$200 ea<br>\$300 ea             | Twin tube / 60mm<br>Twin tube / 60mm                                     | All                                 |
| COIL<br>SPRINGS               | These coils fit a 60mm casing shock                         | TDC790<br>TDC790L<br>TDC790HL                  | \$150 ea<br>\$150 ea<br>\$150 ea | Petrol / no bar<br>Petrol / Bar<br>Petrol / Bar / Winch                  | 40mm lift<br>40mm lift<br>40mm lift |
|                               |   | NIS-062/1<br>FC404750<br>TDC790<br>NIS-062     | \$420 ea                         | Petrol no bar 40mm foam cell shock Coil Spring Strut top                 | 40mm lift                           |
|                               | 40mm bore Foam<br>cell strut used in<br>this assembly       | NIS-062/2<br>FC404750<br>TDC790L<br>NIS-062    | \$420 ea                         | Petrol / bar<br>40mm foam cell shock<br>Coil Spring<br>Strut top         | 40mm lift                           |
| COMPLETE<br>STRUT<br>ASSEMBLY |   | NIS-062/3<br>FC404750<br>TDC790HL<br>NIS-062   | \$420 ea                         | Petrol / bar / winch<br>40mm foam cell shock<br>Coil Spring<br>Strut top | 40mm lift                           |
|                               | 40mm bore<br>adjustable strut used<br>in this assembly      | NIS-062/6<br>BM404750<br>TDC790<br>NIS-062     | \$520 ea                         | Petrol no bar<br>40mm foam cell shock<br>Coil Spring<br>Strut top        | 40mm lift                           |
|                               |   | NIS-062/7<br>BM404750<br>TDC790L<br>NIS-062    | \$520 ea                         | Petrol / bar<br>40mm foam cell shock<br>Coil Spring<br>Strut top         | 40mm lift                           |
|                               |   | NIS-062/8<br>BM404750<br>TDC790L<br>NIS-062    | \$520 ea                         | Petrol / bar / winch<br>40mm foam cell shock<br>Coil Spring<br>Strut top | 40mm lift                           |
| SHOCK<br>ABSORBERS            | 45mm Foam Cell  | BMX454750                                      | \$350 ea                         | Twin tube  | All                                 |
| COIL<br>SPRINGS               | These coils fit a<br>70mm casing shock                      | TDC791<br>TDC791L<br>TDC791HL                  | \$150 ea<br>\$150 ea<br>\$150 ea | Petrol / no bar<br>Petrol / Bar<br>Petrol / Bar / Winch                  | 40mm lift<br>40mm lift<br>40mm lift |
|                               |   | NIS-062/9<br>BMX454750<br>TDC791<br>NIS-062    | \$570 ea                         | Petrol no bar<br>40mm foam cell shock<br>Coil Spring<br>Strut top        | 40mm lift                           |
| COMPLETE<br>STRUT<br>ASSEMBLY | 45mm bore<br>adjustable strut<br>used in this assem-<br>bly | NIS-062/10<br>BMX454750<br>TDC79IL<br>NIS-062  | \$570 ea                         | Petrol / bar<br>40mm foam cell shock<br>Coil Spring<br>Strut top         | 40mm lift                           |
|                               |   | NIS-062/11<br>BMX454750<br>TDC791HL<br>NIS-062 | \$570 ea                         | Petrol / bar / winch<br>40mm foam cell shock<br>Coil Spring<br>Strut top | 40mm lift                           |

NISSAN: Patrol - Y62 2 of 2 2010-15 PRODUCT INFORMATION **PART No** ST-L only **PRODUCT RRP TYPE Coil Spring Front Suspension STRUT TOP NIS-062** \$70 ea Strut top only only required per side **Coil Spring Rear Suspension** FC401220 40mm Foam Cell \$160 ea Twin tube All **SHOCK** BM401220 40mm Adjustable \$200 ea Twin tube / 60mm **ABSORBERS** 3MX4541220 40mm Adjustable \$275 ea Twin tube / 60mm All **TDC795** \$150 ea Carries up to 120kg load 40mm lift COIL TDC795L \$190 ea Carries from 120kg-300kg 40mm lift **SPRINGS** TDC795HL \$190 ea Constant load of 300kg to GVM 40mm lift \$150(F)\$150(R) \$1,320 Foam cell kit Front struts require assembly \$1,400 \$150(F)\$190(R) 40mm Adjustable kit \$150(F)\$150(R) \$1,520 Kit includes: \$1,600 \$150(F)\$190(R) 4 x shock absorbers 4 x coil springs \$1,800 45mm Adjustable kit \$150(F)\$150(R) Complete \$1,880 \$150(F)\$190(R) Suspension Kit Foam cell kit \$1,460 \$150(F)\$150(R) **Pricing Front struts Assembled** \$1,540 \$150(F)\$190(R) and

These shock absorbers do not suit vehicles with a Hydraulic Body Motion Control System

\$150(F)\$150(R)

\$150(F)\$190(R)

\$150(F)\$150(R)

\$150(F)\$190(R)

40mm Adjustable kit

45mm Adjustable kit

\$1,660

\$1,740

\$1.960

\$2,040

ready to fit

Kit includes: 2 x shock absorbers 2 x Assembled struts

4 x coil springs

4Wheel Alignment must be carried out.

Using constant load springs incorrectly will result in the vehicle not being able to be wheel aligned

| NISSAN: Terrano II |
|--------------------|
|--------------------|

3/97-2000 PRODUCT INFORMATION PART No **PRODUCT R20 RRP TYPE Torsion Bar Front Suspension BD2057T** 35mm Nitrogen gas \$125 ea Twin tube All SHOCK **ABSORBERS** 41mm Foam cell FC42057B \$160 ea Twin tube / 60mm All A minimum droop of 4WTB-1458 \$300 pair **TORSION** 1232mm / 26mm Bar+Winch 60mm must be **BARS** maintained Remember to adjust Torsion Bars after fitting Shocks **Coil Spring Rear Suspension** 35mm Nitrogen gas **BD1388T** \$125 ea Twin tube OE & 30mm SHOCK 41mm Foam cell FC41388 \$160 ea Twin tube / 60mm OE & 30mm **ABSORBERS** 40mm Adjustable BM401388 \$200 ea Twin tube / 60mm OE & 30mm **TDC739** COIL \$120 ea Carries up to 300kg 30mm lift **SPRINGS TDC739H** Constant Load of 300kg to GVM 30mm lift **TW959** \$2.50 ea **Front** Top pin mount Two bushes per shock REPLACEMENT 412772 \$6.50 ea **Front Bottom Eyering mount** One bonded bush per shock SHOCK **BUSHING** Top & Bottom Eyering mnt 404702 \$3 ea Rear Two bushes per shock \$740 Nitrogen gas Kit Complete Kit includes: Foam cell kit \$880 Suspension 4 x shock absorbers Foam cell Front /Adj Rear \$960 2 x coil springs Kit **Pricing** 

# **SSANGYONG:** Musso incl. Sport Ute

1 of 1

8/96-98. 3/04 On Also see Daewoo

**PRODUCT** 

PART No

RR<u>P</u>

PRODUCT INFORMATION

TYPE

| <b>Torsion</b> | Bar | <b>Front</b> | <b>Suspension</b> |
|----------------|-----|--------------|-------------------|
|----------------|-----|--------------|-------------------|

|                    | _                                  |           |              | _                           |        |
|--------------------|------------------------------------|-----------|--------------|-----------------------------|--------|
| SHOCK<br>ABSORBERS | 35mm Nitrogen gas                  | BD2057T   | \$125 ea     | Twin tube                   | All    |
| TORSION BARS       | A minimum droop of<br>60mm must be | 4WTB-1800 | \$280 pair   | 26mm / 1040mm               |        |
|                    | maintained                         | Remember  | to adjust To | orsion Bars after fitting : | Shocks |

## **Coil Spring Rear Suspension**

| SHOCK<br>ABSORBERS                       | 35mm Nitrogen gas                        | BD1104T<br>BD1105T   | \$125 ea               | Twin tube  | OE Height              |
|--|--|----------------------|------------------------|--|------------------------|
|  | 40mm Adjustable                          | BM401104<br>BM401105 | \$200 ea               | Twin tube / 60mm casing                            | OE Height<br>35mm lift |
| COIL SPRINGS                             |  | TDC100<br>TDC100H    | \$120 ea               | Carries up to 300kg  Constant Load of 300kg to GVM | 35mm lift<br>35mm lift |
| REPLACEMENT<br>SHOCK<br>BUSHING          | Top pin mount<br>Bottom Eyering mount    | TW959<br>412772      | \$2.50 ea<br>\$6.50 ea | Two bushes per shock One bonded bush per shock     | Front<br>Front         |
|  | Top pin mount<br>Bottom Eyering mount    | TW959<br>404702      | \$2.50 ea<br>\$3 ea    | Two bushes per shock One bush per shock            | Rear<br>Rear           |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit<br>Gas Front / Adj Rear |                      | \$740<br>\$890         | Kit includes: 4 x shock absorbers 2 x coil springs |                        |

| 10/09 02                        |   |  |  |  |  |
|---------------------------------|---|--|--|--|--|
| 10/98 On<br>SN413, (JB33/43/48) | PRODUCT   | PART No                                | RRP  | PRODUCT<br>INFORMATION   | ТҮРЕ   |
| Coil Spring Fro                 | nt Suspensio  | n                                      |  | •  |  |
| SHOCK<br>ABSORBERS              | 35mm Nitrogen gas<br>35mm Nitrogen gas                    | BD1133TB<br>BD1134TB                   | \$125 ea<br>\$125 ea                         | Twin tube<br>Twin tube   | 40mm lift<br>60 & 80mm                           |
| COIL<br>SPRINGS                 | 40mm lift<br>60mm lift<br>80mm lift                       | TDC836<br>TDC838L<br>TDC824<br>TDC824H | \$110 ea<br>\$110 ea<br>\$110 ea             | All 10/98-05 All 1.3L All with Bar/Winch   | 40mm lift<br>60mm lift<br>80mm lift<br>80mm lift |
|                                 | 40mm lift<br>60mm lift<br>80mm lift                       | TDC836<br>TDC838L<br>TDC824<br>TDC824H | \$110 ea<br>\$110 ea<br>\$110 ea             | All <b>05 On</b> All <b>M13AAVVT</b> All <b>1.5L</b> All with Bar/Winch                                  | 40mm lift<br>60mm lift<br>80mm lift<br>80mm lift |
| STEERING<br>STABILIZER          |   | SD5610<br>SS5610-M/S<br>SV5610         | \$170 ea<br>\$210 ea<br>\$260 ea             | Replacement S/Damper<br>Replacement S/Damper<br>Replacement S/Damper                                     | All models All models All models                 |
| URETHANE                        | Trailing arm bush<br>Castor bushes - 3 deg                | TDUK-039<br>TDUK-063                   | \$205 kit<br>\$190 kit                       | 1 kit required 1 kit required 60 & 80mm lift   | All models                                       |
| PANHARD RODS                    |   | TDPR-009                               | \$180 ea                                     | For 60mm, 80mm lift  | All models                                       |
| Coil Spring Rea                 | ar Suspensio  | n                                      |  |  |  |
| SHOCK<br>ABSORBERS              | 35mm Nitrogen gas<br>35mm Nitrogen gas                    | BD1192TB<br>BD1193TB                   | \$125 ea<br>\$125 ea                         | Twin tube<br>Twin tube   | 40mm lift<br>60 & 80mm                           |
| COIL<br>SPRINGS                 | 40mm lift<br>60mm lift<br>80mm lift<br>80mm lift/OS model | TDC837<br>TDC839L<br>TDC825<br>TDC826  | \$110 ea<br>\$110 ea<br>\$110 ea<br>\$110 ea | Carries up to 300kg Carries up to 300kg Carries up to 300kg Carries up to 300kg                          | 40mm lift<br>60mm lift<br>80mm lift<br>80mm lift |
| URETHANE                        | Trailing arm bush<br>Castor bushes - 3 deg                | TDUK-039<br>TDUK-063                   | \$205 kit<br>\$190 kit                       | 1 kit of each required 1 required for 60 & 80mm lift   | All models                                       |
| PANHARD RODS                    |   | TDPR-010                               | \$180 ea                                     | For 60mm, 80mm lift  | All models                                       |
| BRAKE HOSES                     |   | TDBH-199                               | \$60 kit                                     | For 60mm, 80mm lift  | All models                                       |
| REPLACEMENT<br>SHOCK            | Top pin mount<br>Bottom Eyering mount                     | 402267<br>412773                       | \$2.50 ea<br>\$5.50 ea                       | Two bushes per shock One bonded bush per shock   | Front<br>Front                                   |
| BUSHING                         | Top Eyering mount<br>Bottom Eyering mount                 | 412773<br>4W-SPF420                    | \$5.50 ea<br>\$6 ea                          | One bonded bush per shock One bush per shock   | Rear<br>Rear                                     |
| Complete                        | Nitrogen gas Kit  | 40mm lift                              | \$940  | <u>Kit includes:</u><br>4 x shock absorbe<br>4 x coil springs  |  |
| Suspension<br>Kit<br>Pricing    | Nitrogen gas Kit  | 60 +80mm lift                          | \$1740                                       | Kit includes: 4 x shock absorbe 4 x coil springs 2 x 3deg castor busl 2 x panhard rods 1 x brake hose ki | n kit  |
|                                 |   |  |  |  |  |

SUZUKI: Sierra 1 of 1

7/74-5/99 All Models

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

| <b>Leaf Spring Front Suspension</b> | Leaf | Spring | <b>Front</b> | Susper | nsion |
|-------------------------------------|------|--------|--------------|--------|-------|
|-------------------------------------|------|--------|--------------|--------|-------|

| SHOCK<br>ABSORBERS     | 35mm Nitrogen gas  540,LJ20                   | BD1102T<br>,50,50V,81, | \$125 ea<br><b>SJ410(SJ40</b> | Twin tube ), SJ413,LJ80, 80V                    | 50mm lift                |
|------------------------|---|------------------------|-------------------------------|---|--------------------------|
| LEAF<br>SPRINGS        |   | T61                    | \$120 ea                      | All/Bar   | 50mm lift                |
| STEERING<br>STABILIZER |   | SD14030<br>SS5611-M/S  | \$105 ea<br>\$165 ea          | Replacement S/Damper<br>RTC Steering Stabilizer | Standard OE<br>Man steer |
| URETHANE               | Shackle bushes                                | TDUK-013               | \$75 kit                      | 1 kit required                                  | All models               |
| U BOLTS                | U Bolts must be tightened at<br>500km service | TDUB-014<br>TDUB-013   | \$30 kit                      | 1 required 1 required                           | P/S side<br>D/S side     |
| GREASABLE<br>SHACKLES  | Shackles                                      | TDGS-656               | \$80 kit                      | 1 kit required                                  | All models               |
|                        |   |                        |                               | ·   |                          |

| SHOCK                                    | 35mm Nitrogen gas                          | BD1364T<br>BD1366T | \$125 ea            | Twin tube   | OE Height<br>50mm lift |
|--|--|--------------------|---------------------|---|------------------------|
| ABSORBERS                                | 35mm Nitrogen gas                          | BD1102T<br>BD1104T | \$125 ea            | Twin tube   | OE<br>50mm lift        |
| LEAF SPRINGS                             |  | T62                | \$140 ea            | Carries up to 300kg   | 50mm lift              |
| URETHANE                                 | Shackle bushes                             | TDUK-013           | \$75 kit            | 1 kit required  | All models             |
| U BOLTS                                  | U Bolts must be tightened at 500km service | TDUB-014           | \$30 kit            | 2 kits required   | All models             |
| GREASABLE<br>SHACKLES                    | Shackles                                   | TDGS-656           | \$80 kit            | 1 kit required  | All models             |
| REPLACEMENT<br>SHOCK                     | Top pin mount<br>Bottom Eyering mount      | TW959<br>404702    | \$2.50 ea<br>\$3 ea | Two bushes per shock- BD1102,1104T) One bush per shock  | Front & R<br>Front     |
| BUSHING                                  | Top & bottom eyering mount                 | 404702             | \$3 ea              | Two bushes per shock  | Rear                   |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit                           |                    | \$1290              | Kit includes:<br>4 x shock absorber<br>4 x leaf springs<br>4 x Ubolt kits<br>4 x shackle bush kit |                        |

# **SUZUKI:** Vitara incl. Grand Vitara & XL-7

1 of 1

7/88-05: SE, SV, SQ

PRODUCT INFORMATION PART No **PRODUCT** RRP **TYPE** 7/01-05: JA

#### **Coil Spring Front Suspension**

|                                | 35mm Nitrogen gas strut  | BDS4613    | \$180 ea | Mini Strut-Replacement           | OE Height |
|--------------------------------|--------------------------|------------|----------|----------------------------------|-----------|
| SHOCK<br>ABSORBERS             | 35mm Nitrogen gas strut  | BDS4000L   | \$240 ea | Mini Strut: includes Camber bolt | 30mm lift |
|                                | 35mm Nitrogen gas strut  | BDS4000R   | \$240 ea | Mini Strut: includes Camber bolt | 30mm lift |
| COIL<br>SPRINGS                | 88-3/98: 1.6L SWB        | TDC814     | \$110 ea | All / Alloy Bar                  | 30mm lift |
| Vitara 2D SWB                  | 88-3/98: 2.0L SWB        | TDC816     | \$110 ea | All / Alloy Bar                  | 30mm lift |
| COIL<br>SPRINGS                | 91-3/98: 1.6L LWB        | TDC816     | \$110 ea | All / Alloy Bar                  | 30mm lift |
| Vitara 4D LWB                  | 95-3/98: 2.0L V6 LWB     | TDC818     | \$110 ea | All / Alloy Bar                  | 30mm lift |
| 111010 10 2110                 |                          |            |          |                                  |           |
| COIL                           | 4/98-7/05: 1.6, 2.0L SWB |            | \$110 ea | All / Alloy Bar                  | 30mm lift |
| SPRINGS                        | 4/98-7/05: 2.0L LWB      | TDC834SL   | \$110 ea | All / Alloy Bar                  | 30mm lift |
| Grand Vitara                   | 4/98-7-05: 2.5L V6 LWB   | TDC834     | \$110 ea | All / Alloy Bar                  | 30mm lift |
| COIL SPRINGS Grand Vitara XL-7 | 7/01-05: 2.7L V6         | TDC834H    | \$110 ea | All / Alloy Bar                  | 30mm lift |
| STEERING<br>STABILIZER         | 7/88-02                  | SS5614-M/S | \$205 ea | RTC Steering Stabilizer          | Man steer |

#### **Coil Spring Rear Suspension**

| SHOCK<br>ABSORBERS                       | 35mm Nitrogen gas                             | BD1166T          | \$125 ea  | Twin Tube   | All                    |
|--|---|------------------|-----------|---|------------------------|
| COIL SPRINGS Vitara 2D SWB               | 88-3/98: 1.6L SWB<br>88-3/98: 2.0L SWB        | TDC815           | \$110 ea  | Carries up to 300kg   | 30mm lift              |
| COIL SPRINGS Vitara 4D LWB               | 91-3/98: 1.6L LWB<br>95-3/98: 2.0L V6 LWB     | TDC817           | \$110 ea  | Carries up to 300kg   | 30mm lift              |
| COIL SPRINGS                             | 4/98-7/05: 1.6, 2.0L SWB                      | TDC835SL         | \$110 ea  | Carries up to 300kg   | 30mm lift              |
| Grand Vitara                             | 4/98-7/05: 2.0L LWB<br>4/98-7-05: 2.5L V6 LWB | TDC835<br>TDC835 | \$110 ea  | Carries up to 300kg<br>Carries up to 300kg  | 30mm lift<br>30mm lift |
| COIL SPRINGS Grand Vitara XL-7           | 7/01-05: 2.7L V6                              | TDC838           | \$110 ea  | Carriesup to 300kg  | 30mm lift              |
| REPLACEMENT<br>SHOCK<br>BUSHING          | Top pin mount                                 | TW959            | \$2.50 ea | Two bushes per shock  | Rear                   |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas Kit                              | 40mm lift        | \$1170    | <u>Kit includes:</u><br>2 x struts (front)<br>2 x shock absorbers (<br>4 x coil springs |                        |

TOYOTA: Fortuner 1 of 1

| 2004 On                                     | PRODUCT  | PART No                                      | RRP                  | PRODUCT<br>INFORMATION  | TYPE                                 |
|---|--|--|----------------------|---|--------------------------------------|
| Coil Spring Fro                             | nt Suspensi  | on   |                      |   |                                      |
| SHOCK ABSORBERS                             | 41mm Foam cell strut                                       | FC404600                                     | \$200 ea             | Twin Tube / 60mm casing   | All                                  |
| 41mm Bore<br>Foam Cell<br>COMPLETE<br>STRUT | FC404600<br>can be used for                                | TOY-026/3<br>FC404600<br>TDC974<br>TOY-1083  | \$390 ea             | Petrol / Diesel / Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top   | 40mm lift                            |
| Assembly                                    | OE & Raised applications                                   | TOY-026/4<br>FC404600<br>TDC974H<br>TOY-1083 | \$390 ea             | Petrol / Diesel / Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top   | 40mm lift                            |
| SHOCK ABSORBERS                             | 40mm Adjustable strut                                      | BM404600                                     | \$300 ea             | Twin Tube / 60mm casing   | All                                  |
| 40mm Bore<br>9 Stage<br>Adjustable          |  | TOY-026/1<br>BM404600<br>TDC974<br>TOY-1083  | \$490 ea             | Petrol / Diesel / Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top  | 40mm lift                            |
| COMPLETE<br>STRUT<br>Assembly               | BM404600<br>can be used for<br>OE & Raised<br>applications | TOY-026/2<br>BM404600<br>TDC974H<br>TOY-1083 | \$490 ea             | Petrol/ Diesel/Bar/ Dual Batt<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top                                  | 40mm lift                            |
| COIL<br>SPRINGS                             |  | TDC974<br>TDC974H                            | \$120 ea             | Petrol/Diesel/Bar<br>Petrol/Steel Bar/Winch   | 40mm lift<br>40mm lift               |
| STRUT TOP                                   | Strut top only   | TOY-1083                                     | \$70 ea              | 1 only required per side  |                                      |
| Coil Spring Rea                             | ır Suspensio   | n  |                      | •   |                                      |
|   | 41mm Foam cell<br>40mm Adjustable                          | FC41113<br>BM401113                          | \$160 ea<br>\$200 ea | Twin Tube / 60mm casing Twin Tube / 60mm casing   | All<br>All                           |
| SHOCK<br>ABSORBERS                          |  | TDC912<br>TDC912L<br>TDC912HL                | \$120 ea             | Carries up to 300kg  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM                                   | O.E height<br>40mm lift<br>40mm lift |
| REPLACEMENT<br>SHOCK                        | Top Pin Mount  | TOY-1083                                     | \$70 ea              | A new strut top needs to chased when replacing we bushes  | orn rubber                           |
| BUSHING                                     | Bottom Eyering mount  Bottom eyering mount                 | ADJ00300/40<br>ADJ00191                      | \$6 ea<br>\$3 ea     | One bush per shock  One bush per shock  | Front<br>Rear                        |
| Complete<br>Suspension                      | Foam cell kit<br>Adjustable kit                            | All coils                                    | \$1200<br>\$1480     | Front struts Require As  Kit includes: 2 x struts (front 2 x shock absorbers 4 x coil springs                       | )<br>(rear)                          |
| Kit<br>Pricing                              | Foam cell kit<br>Adjustable kit                            | All coils                                    | \$1340<br>\$1620     | Front struts Assembled ar<br>fit <u>Kit includes:</u> 2 x assembled struts ( 2 x shock absorbers ( 2 x coil springs | front)                               |

TOYOTA: 4RUNNER - IFS with Leaf Spring Rear 1 of 1 PRODUCT INFORMATION **PART No** YN61, 63 **PRODUCT TYPE RRP Torsion Bar Front Suspension** SHOCK FC41127B 41mm Foam cell \$160 ea Twin tube / 60mm casing **ABSORBERS EXT5510** \$120 ea Heavy Duty S/ Damper Standard OE **STEERING** SS5510-P/S \$165 ea RTC Steering Stabilizer Power steer **STABILIZERS** 4WTB-1646 A minimum droop of \$250 pair 1064mm / 26mm All model **TORSION** 60mm must be **BARS** maintained Remember to adjust Torsion Bars after fitting Shocks **Leaf Spring Rear Suspension BD1350T** 35mm Nitrogen gas \$125 ea Twin tube OE Height FC41350 41mm Foam cell \$160 ea Twin tube / 60mm casing **OE** Height SHOCK BM401350 40mm Adjustable \$200 ea Twin tube / 60mm casing OE Height **ABSORBERS BD1377T** 35mm Nitrogen gas \$125 ea Twin tube 50mm lift FC41377 41mm Foam cell \$160 ea Twin tube / 60mm casing 50mm lift BM401377 40mm Adjustable \$200 ea Twin tube / 60mm casing 50mm lift **LEAF T46C** \$170 ea Carries up to 300kg 50mm lift **SPRINGS T46L** \$180 ea Constant Load of 300kg to GVM 50mm lift **TDUK-015** Shackle Bush Kit **URETHANE** \$55 kit 1 Kit required 11/85-89 U Bolts must be tightened at **U BOLTS TDUB-016** \$30 kit 2 kits required All models 500km service **GREASABLE PINS** Pins **TDGP-385** \$70 kit 1 kit of each required All models **SHACKLES Shackles TDGS-386** \$80 kit 1 kit of each required All models REPLACEMENT **TW959 Front** Top pin mount \$2.50 ea Two bushes per shock SHOCK **BUSHING** ADJ00191 Rear Top & bottom eyering mount \$3 ea Two bushes per shock Foam cell front/Gas rear T46C \$1025 Foam cell kit \$1095 Complete Kit includes: \$1175 Suspension Adjustable kit 4 x shock absorbers Kit 2 x leaf springs 2 x ubolt kits Foam cell front/Gas rear T46L \$1045 **Pricing** 1 x shackle bush kits Foam cell kit \$1115 Adjustable kit \$1195

| TOYOTA | 1: | 4 Runner | - IFS | with rear | Coil springs |
|--------|----|----------|-------|-----------|--------------|
|--------|----|----------|-------|-----------|--------------|

89 On

LN,RN,RZN,VZN130 PRODUCT PART No RRP PRODUCT TYPE

#### **Torsion Bar Front Suspension**

| SHOCK<br>ABSORBERS      | 41mm Foam cell                  | FC41127B              | \$160 ea             | Twin tube / 60mm casing                   | All                      |
|-------------------------|---------------------------------|-----------------------|----------------------|---|--------------------------|
| STEERING<br>STABILIZERS |                                 | EXT5510<br>SS5510-P/S | \$120 ea<br>\$165 ea | Heavy Duty Damper RTC Steering Stabilizer | 35mm bore<br>Power Steer |
| TORSION<br>BARS         | A minimum droop of 60mm must be | 4WTB-1646             | \$250 pair           | 1064mm / 26mm                             |                          |
| 27110                   | maintained                      | Remembe               | r to adjust T        | orsion Bars after fitting                 | Shocks                   |

## **Coil Spring Rear Suspension**

| SHOCK                                    | 41mm Foam cell<br>40mm Adjustable           | FC41108<br>BM401108          | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing                       | OE Height                     |
|--|---|------------------------------|----------------------|---|-------------------------------|
| ABSORBERS                                | 41mm Foam cell<br>40mm Adjustable           | FC41113<br>BM401113          | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing                       | 50mm lift<br>50mm lift        |
| COIL<br>SPRINGS                          |   | TDC946S<br>TDC946<br>TDC946H | \$120 ea             | Carries up to 300kg Carries up to 300kg Constant Load of 300kg to GVM | OE Height 50mm lift 50mm lift |
| PANHARD ROD                              |   | TDPR-008                     | \$250 ea             | Fit to vehicles if lift is above 50mm                                 |                               |
| REPLACEMENT<br>SHOCK                     | Top pin mount                               | TW959                        | \$2.50 ea            | Two bushes per shock  | Front                         |
| BUSHING                                  | Top pin mount<br>Bottom Eyering mount       | TW959<br>ADJ00191            | \$2.50 ea<br>\$3 ea  | Two bushes per shock<br>One bush per shock                            | Rear<br>Rear                  |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Foam cell Front / Adj Rear | Any coil                     | \$880<br>\$960       | <u>Kit includes:</u><br>4 x shock absorbe<br>2 x coil springs         | rs                            |

TOYOTA: Hilux 4WD - Leaf / Leaf Spring Models

1 of 2

4/79-83: RN,LN36,46 11/83-97YN,LN65,67,106,107

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

#### **Leaf Spring Front Suspension**

| SHOCK<br>ABSORBERS  | 35mm Nitrogen gas<br>41mm Foam cell                    | BD1134T<br>FC41134                            | \$125 ea<br>\$160 ea                         | Twin tube  Twin tube / 60mm casing   | OE Height   |
|---|--|---|--|--|---|
| RN36, 46, LN46  | 40mm Adjustable  | BM401134                                      | \$200 ea                                     | Twin tube / 60mm casing  | OE Height   |
| 4/79-83<br>YN65, LN65, 67,<br>RN105, 106, 107<br>11/83-97 | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1109T<br>FC41109<br>BM401109                | \$125 ea<br>\$160 ea<br>\$160 ea             | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing                                      | 50mm lift<br>50mm lift<br>50mm lift                   |
| STEERING<br>STABILIZERS                                   |  | EXT5500<br>SS5500-M/S<br>SS5500-P/S<br>SV5500 | \$120 ea<br>\$165 ea<br>\$165 ea<br>\$200 ea | Heavy Duty S/Damper RTC Steering Stabilizer RTC Steering Stabilizer Adjustable steering damper | 35mm Bore<br>Manual steer<br>Power steer<br>35mm Bore |
| LEAF<br>SPRINGS   |  | T75<br>T78                                    | \$130 ea<br>\$135 ea                         | Petrol/Diesel/Alloy & Steel Bar<br>Petrol/Diesel/Bar/Winch/D/Battery                           | 50mm lift<br>50mm lift                                |
| URETHANE  | Shackle bushes   | TDUK-014                                      | \$55 kit                                     | 1 kit required   | All models  |
| U BOLTS   | U Bolts must be tightened at 500km service             | TDUB-015<br>TDUB-016                          | \$30 kit                                     | 1 kit required 1 kit required  | RH Side<br>LH Side                                    |
| GREASABLE PINS & SHACKLES                                 | Pins<br>Shackles                                       | TDGP-385<br>TDGS-384                          | \$70 kit<br>\$80 kit                         | 1 kit required 1 kit required  | All models  |
| ADJUSTABLE<br>DIFF LOCATOR                                |  | TDDL-001                                      | \$110 ea                                     | 1 required   | All models  |

| SHOCK<br>ABSORBERS   | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1382T<br>FC41382<br>BM401382 | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing | OE Height OE Height OE Height       |
|--|--|--------------------------------|----------------------------------|---|-------------------------------------|
| RN36, 46, LN46<br><u>4/79-83</u>                             | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1388T<br>FC41388<br>BM401388 | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing | 50mm lift<br>50mm lift<br>50mm lift |
| SHOCK<br>ABSORBERS   | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1350T<br>FC41350<br>BM401350 | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing | OE Height OE Height OE Height       |
| YN65, LN65, 67,<br>RN105, 106, 107<br><u>11/8<b>3-97</b></u> | 35mm Nitrogen gas<br>41mm Foam cell<br>40mm Adjustable | BD1377T<br>FC41377<br>BM401377 | \$125 ea<br>\$160 ea<br>\$200 ea | Twin tube Twin tube / 60mm casing Twin tube / 60mm casing | 50mm lift<br>50mm lift<br>50mm lift |

# TOYOTA: Hilux 4WD - Leaf / Leaf Spring Models

2 of 2

4/79-83: RN,LN36,46 11/83-97YN,LN65,67,106,10

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

| LEAF<br>SPRINGS  |   | T46C<br>T46L<br>BP-002XHD | \$170 ea<br>\$180 ea<br>\$360 ea | Carries up to 300kg  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM  | 50mm lift<br>50mm lift<br>50mm lift |
|--|---|---------------------------|----------------------------------|--|-------------------------------------|
| URETHANE   | Shackle bushes  | TDUK-015                  | \$55 kit                         | 1 kit required   | All models                          |
| U BOLTS  | U Bolts must be tightened at 500km service            | TDUB-016                  | \$30 kit                         | 2 kit required   | All models                          |
| GREASABLE PINS<br>&<br>SHACKLES                              | Pins<br>Shackles                                      | TDGP-385<br>TDGS-386      | \$70 kit<br>\$80 kit             | 1 kit required 1 kit required  | All models                          |
| REPLACEMENT<br>SHOCK   | Top pin mount<br>Bottom Eyering mount                 | TW959<br>412773           | \$2.50 ea<br>\$5.50 ea           | Two bushes per shock One bonded bush per shock   | Front<br>Front                      |
| BUSHING  | Top & bottom eyering mount Top & bottom eyering mount | 404702<br>ADJ00191        | \$3 ea<br>\$3 ea                 | Two bushes per shock (1382)<br>Two bushes per shock (1377)   | Rear<br>Rear                        |
| Complete<br>Suspension<br>Kit<br>Pricing<br><u>Front End</u> | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit   | T75                       | \$735<br>\$805<br>\$885          | Front end of vehicle kit includes:  2 x shock absorbers 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits 1 X diff locator |                                     |
|  | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit   | T78                       | \$745<br>\$815<br>\$895          |  |                                     |
|  | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit   | T46C                      | \$705<br>\$775<br>\$855          |  |                                     |
| Complete<br>Suspension<br>Kit<br>Pricing<br><u>Rear End</u>  | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit   | T46L                      | \$725<br>\$795<br>\$875          | Rear end of vehicle kit includes:  2 x shock absorbers 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits                   |                                     |
|  | Nitrogen gas Kit<br>Foam cell kit<br>Adjustable kit   | BP-002XHD                 | \$1085<br>\$1155<br>\$1235       |  |                                     |

|                                     | HILUX - IFS    | IILUA - IFS with Leaf Spring Rear                    |            |                         |             |  |
|-------------------------------------|----------------|--|------------|-------------------------|-------------|--|
| 10/88-97<br>LN,RN106, 107, 110, 111 | PRODUCT        | PART No  | RRP        | PRODUCT<br>INFORMATION  | TYPE        |  |
| Torsion Bar Fro                     | ont Suspensi   | on   |            |                         |             |  |
| SHOCK<br>ABSORBERS                  | 41mm Foam cell | FC41127B   | \$160 ea   | Twin tube / 60mm casing | All         |  |
| STEERING                            |                | EXT5510  | \$120 ea   | Heavy Duty Damper       | Standard OE |  |
| STABILIZERS                         |                | SS5510-P/S   | \$165 ea   | RTC Steering Stabilizer | Power steer |  |
| TORSION                             | 60mm must be   | 4WTB-1646  | \$250 pair | 1064mm / 26mm           | All models  |  |
| BARS                                |                | Remember to adjust Torsion Bars after fitting Shocks |            |                         |             |  |
| Loof Spring Po                      | ar Suspansi    |  |            | -                       |             |  |

|  | a= \  | DD40507    | <b>*</b>                   | I  | 1          |
|--|---|------------|----------------------------|--|------------|
|  | 35mm Nitrogen gas   | BD1350T    | \$125 ea                   | Twin tube  | OE Height  |
|  | 41mm Foam cell  | FC41350    | \$160 ea                   | Twin tube / 60mm casing  | OE Height  |
| SHOCK                                    | 40mm Adjustable   | BM401350   | \$200 ea                   | Twin tube / 60mm casing  | OE Height  |
| ABSORBERS                                | 35mm Nitrogen gas   | BD1377T    | \$125 ea                   | Twin tube  | 50mm lift  |
|  | 41mm Foam cell  | FC41377    | \$160 ea                   | Twin tube / 60mm casing  | 50mm lift  |
|  | 40mm Adjustable   | BM401377   | \$200 ea                   | Twin tube / 60mm casing  | 50mm lift  |
| LEAF                                     |   | BP-007     | \$220 ea                   | Carries up to 300kg  | 50mm lift  |
| SPRINGS                                  |   | BP-007H    | \$220 ea                   | Constant Load of 300kg to GVM  | 50mm lift  |
| or killoo                                |   | BP-007HH   | \$300 ea                   | Constant Load of 500kg to GVM  |            |
| URETHANE                                 | Shackle Bush Kit  | TDUK-037   | \$85 kit                   | 1 kit required   | 10/88-97   |
| U BOLTS                                  | U Bolts must be tightened at 500km service                                | TDUB-016   | \$30 kit                   | 2 kits required  | All models |
| GREASABLE SHACKLES                       | Shackles  | TDGS-386/1 | \$80 kit                   | 1 kit required   | All models |
| REPLACEMENT<br>SHOCK                     | Top pin mount   | TW959      | \$2.50 ea                  | Two bushes per shock   | Front      |
| BUSHING                                  | Top & bottom eyering mount  | ADJ00191   | \$3 ea                     | Two bushes per shock   | Rear       |
|  | Foam cell Front / Gas Rear<br>Foam cell kit<br>Foam cell Front / Adj Rear | BP-007     | \$1155<br>\$1225<br>\$1305 |  |            |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Front / Gas Rear<br>Foam cell kit<br>Foam cell Front / Adj Rear | BP-007H    | \$1155<br>\$1225<br>\$1305 | Kit includes:  4 x shock absorbers 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits |            |
|  | Foam cell Front / Gas Rear<br>Foam cell kit<br>Foam cell Front / Adj Rear | BP-007HH   | \$1315<br>\$1385<br>\$1465 |  |            |
|  |   |            |                            |  |            |

TOYOTA: HILUX - IFS with Leaf Spring Rear

1 of 1

10/97-05 RZN,VZN167,169

PRODUCT

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

| <b>Torsion</b> | Bar | <b>Front</b> | Susp | ension |
|----------------|-----|--------------|------|--------|
|----------------|-----|--------------|------|--------|

| SHOCK<br>ABSORBERS      | 41mm Foam cell                                   | FC41127B                        | \$160 ea                         | Twin tube / 60mm casing   | All                       |
|-------------------------|--|---------------------------------|----------------------------------|---|---------------------------|
| STEERING<br>STABILIZERS |  | EXT5510<br>SS5513-P/S<br>SV5513 | \$120 ea<br>\$165 ea<br>\$200 ea | Heavy Duty Damper<br>RTC Steering Stabilizer<br>35mm Adjustable Steering stabilizer | All models<br>Power steer |
| TORSION<br>BARS         | A minimum droop of<br>60mm must be<br>maintained | 4WTB-1646 Remember              | \$250 pair                       | 1064.5mm / 26mm  Orsion Bars after fitting  | All models  Shocks        |

|                       | 35mm Nitrogen gas                          | D/S: <b>BD1350T</b>  | \$125 ea         | Twin tube                                  | OE Height  |
|-----------------------|--|----------------------|------------------|--|------------|
|                       | 35mm Nitrogen gas                          | P/S: <b>BD1377T</b>  | \$125 ea         | Twin tube                                  | OE Height  |
|                       | 41mm Foam cell                             | D/S: FC41350         | \$160 aa         | Turin tuha / COmmai                        | OF U-1-b   |
|                       |  |                      | \$160 ea         | Twin tube / 60mm casing                    | OE Height  |
|                       | 41mm Foam cell                             | P/S: FC41377         | \$160 ea         | Twin tube / 60mm casing                    | OE Height  |
| SHOCK                 | 40mm Adjustable                            | D/S: <b>BM401350</b> | \$200 ea         | Twin tube / 60mm casing                    | OE Height  |
| ABSORBERS             | 40mm Adjustable                            | P/S:BM401377         | \$200 ea         | Twin tube / 60mm casing                    | OE Height  |
|                       | 05 119                                     | DD4277T              | <b>A</b> 405     |  | İ          |
|                       | 35mm Nitrogen gas                          | BD1377T              | \$125 ea         | Twin tube                                  | 50mm lift  |
|                       | 41mm Foam cell                             | FC41377              | \$160 ea         | Twin tube / 60mm casing                    | 50mm lift  |
|                       | 40mm Adjustable                            | BM401377             | \$200 ea         | Twin tube / 60mm casing                    | 50mm lift  |
|                       |  | T79C                 | \$210 ea         | Carries up to 300kg                        | 50mm lift  |
| LEAF<br>SPRINGS       |  | T79L                 | \$230 ea         | Constant Load of 300kg to GVM              | 50mm lift  |
| SPRINGS               |  | T79LL                | \$390 ea         | Constant Load of 500kg to GVM              | 50mm lift  |
| UDETHANE              | 0, 1, 5, 1,7;                              | <b></b>              |                  |  |            |
| URETHANE              | Shackle Bush Kit                           | TDUK-038             | \$85 kit         | 1 kit required                             | 10/97-05   |
| U BOLTS               | U Bolts must be tightened at 500km service | TDUB-016             | \$30 kit         | 2 kits required                            | All models |
| GREASABLE<br>SHACKLES | Shackles                                   | TDGS-386/1           | \$80 kit         | 1 kit required                             | All models |
| REPLACEMENT           | Top pin mount                              | TW959                | \$2.50 ea        | Two bushes per shock                       | Front      |
| SHOCK<br>BUSHING      | Top & bottom eyering mount                 | ADJ00191             | \$3 ea           | Two bushes per shock                       | Rear       |
|                       | Foam cell Front / Gas Rear                 | T79C                 | \$1135           |  |            |
|                       | Foam cell kit                              |                      | \$1205           |  |            |
|                       | Foam cell Front / Adj Rear                 |                      | \$1285           | <b>,,,, , ,</b>                            |            |
| Complete              | Foam cell Front / Gas Rear                 | T79L                 | \$1175           | <u>Kit includes:</u><br>4 x shock absorber | rs         |
| Suspension            | Foam cell kit                              | 1790                 | \$1173<br>\$1245 | 2 x leaf springs<br>2 x Ubolt kits         |            |
| Kit<br>Pricing        | Foam cell Front / Adj Rear                 |                      | \$1325           | 1 x shackle bush ki                        | ts         |
|                       |  |                      | <b>A</b> 4.55=   |  |            |
|                       | Foam cell Front / Gas Rear                 | T79LL                | \$1495<br>\$1565 |  |            |
|                       | Foam cell kit Foam cell Front / Adj Rear   |                      | \$1565<br>\$1645 |  |            |
|                       | . Sam Son Front / Auj Real                 |                      | ψ.5-το           |  |            |

4/05-2015 PRODUCT INFORMATION **PART No PRODUCT RRP TYPE KUN26R Coil Spring Front Suspension SHOCK ABSORBERS** 40mm Foam cell FC404600 \$200 ea Twin Tube / 60mm casing 40mm lift TOY-026/3 \$390 ea 41mm Bore Petrol / Diesel / Bar 40mm lift Foam Cell FC404600 40mm Foam cell shock TDC974 Coil Spring **COMPLETE** FC404600 TOY-1083 Strut Top STRUT can be used for Assembly OE & Raised TOY-026/4 applications \$390 ea Petrol / Diesel / Bar / Winch 40mm lift FC404600 40mm Foam cell shock TDC974H Coil Spring TOY-1083 Strut Top **SHOCK ABSORBERS** BM404600 \$300 ea Twin Tube / 60mm casing 40mm Adjustable 40mm lift 40mm Bore TOY-026/1 \$490 ea Petrol / Diesel / Bar 40mm lift 9 Stage BM404600 40mm Adjustable shock Adjustable TDC974 Coil Spring BM404600 TOY-1083 Strut Top **COMPLETE** can be used for OE & Raised **STRUT** applications TOY-026/2 **Assembly** \$490 ea Petrol / Diesel / Bar / Winch 40mm lift 40mm Adjustable shock BM404600 TDC974H Coil Spring TOY-1083 Strut Top **TDC974S** \$120 ea Petrol/Diesel/ Bar OH Height COIL **TDC974 SPRINGS** \$120 ea Petrol/Diesel/ Bar 40mm lift **TDC974H** Petrol/Steel Bar/Winch 40mm lift **TOY-1083 STRUT TOP** Strut top only \$70 kit 1 only required per side **Leaf Spring Rear Suspension** FC41350 41mm Foam cell \$160 ea OE Height Twin tube / 60mm casing 40mm Adjustable BM401350 \$200 ea Twin tube / 60mm casing **OE** Height **SHOCK ABSORBERS** FC41376 41mm Foam cell \$160 ea Twin tube / 60mm casing 40mm lift BM401376 40mm Adjustable \$200 ea Twin tube / 60mm casing 40mm lift **T80C** \$180 ea Carries up to 300kg 40mm lift **LEAF T80L** \$215 ea Constant Load of 300kg to GVM 40mm lift **SPRINGS** T80LL Constant Load of 500kg to GVM \$250 ea 40mm lift **URETHANE** Shackle Bush Kit **TDUK-067** \$85 kit 1 kit required All models U Bolts must be tightened at **U BOLTS TDUB-016** \$30 kit 2 kits required All models 500km service **GREASABLE TDGS-389** SHACKLES \$80 kit 1 Kit required All Models **SHACKLES** 

# TOYOTA: Hilux - Coil/Leaf

| 4/05 On:<br>KUN26R                       | PRODUCT                         | PART No     | RRP              | PRODUCT<br>INFORMATION  | TYPE  |
|--|---------------------------------|-------------|------------------|---|-------|
| REPLACEMENT                              | Top & bottom eyering mount      | TOY-1083    | \$70 ea          | A new strut top needs to be p<br>chased when replacing worn ru<br>bushes  |       |
| SHOCK<br>BUSHING                         | Bottom Eyering mount            | ADJ00300/40 | \$6 ea           | One bush per shock  | Front |
|  | Top & bottom eyering mount      | ADJ00191    | \$3 ea           | Two bushes per shock  | Rear  |
|  | Foam cell kit<br>Adjustable kit | T80C        | \$1465<br>\$1745 | Front struts<br>Require Assemb  | oly   |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>Adjustable kit | T80L        | \$1535<br>\$1815 | Kit includes:  2 x struts (front)  2 x shock absorbers (rear)  2 x coils (front)  2 x leaf springs  2 x ubolt kits  1 x shackle bush kits |       |
|  | Foam cell kit<br>Adjustable kit | T80LL       | \$1605<br>\$1885 |   |       |
|  | Foam cell kit<br>Adjustable kit | T80C        | \$1605<br>\$1885 | Front struts Assemble<br>and<br>ready to fit  |       |
|  | Foam cell kit<br>Adjustable kit | T80L        | \$1675<br>\$1955 | Kit includes:  2 x assembled struts (front) 2 x shock absorbers (rear) 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits              |       |
|  | Foam cell kit<br>Adjustable kit | T80LL       | \$1745<br>\$2025 |   |       |

| TOYOTA: | Hilux 4 | <b>4WD</b> (Mine Application Only) |
|---------|---------|------------------------------------|
|---------|---------|------------------------------------|

All models

All Models

|  | 4/05 On:                      |   |          |  |                        |  |  |
|--|-------------------------------|---|----------|--|------------------------|--|--|
| KUN26R   | PRODUCT                       | PART No                                     | RRP      | PRODUCT<br>INFORMATION   | TYPE                   |  |  |
| Coil Spring Fro  | nt Suspensio                  | on  |          |  |                        |  |  |
| If vehicle is not used for HD Mine use, refer to listing on previous | 40mm Foam cell                | FC404600                                    | \$200 ea | 41mm foam cell strut   | 40mm lift              |  |  |
| shock<br>Absorbers   | COMPLETE<br>STRUT<br>Assembly | TOY-026/5<br>FC404600<br>TDC976<br>TOY-1083 | \$390 ea | All models & configurations 40mm Foam cell shock Coil Spring Strut Top | 40mm lift              |  |  |
| COIL<br>SPRINGS  |                               | TDC976                                      | \$120 ea | Petrol/Diesel/ Bar   | 40mm lift              |  |  |
| STRUT TOP  | Strut top only                | TOY-1083                                    | \$70 ea  | 1 only required per side   |                        |  |  |
| Leaf Spring Rea  | ar Suspensio                  | n   |          |  |                        |  |  |
| SHOCK<br>ABSORBERS   | 41mm Foam cell                | FC41350<br>FC41376                          | \$160 ea | Twin tube / 60mm casing  | OE Height<br>40mm lift |  |  |
| LEAF<br>SPRINGS  |                               | T80LL                                       | \$250 ea | Constant Load of 500kg to GVM  | 40mm lift              |  |  |
| URETHANE<br>PRODUCTS   | Shackle Bush Kit              | TDUK-067                                    | \$85 kit | 1 kit required   | All models             |  |  |

**TDUB-016** 

**TDGS-389** 

# Mine Spec Applications: Please note

U Bolts must be tightened at

500km service

SHACKLES

You must take into consideration the GVM of the vehicle when selecting a suspension kit

Kerb weight: 1765 - 1815kg GVM:2810kg

**U BOLTS** 

**GREASABLE** 

SHACKLES

Carrying excessive and over the GVM loads in the tray <u>WILL</u> cause the following problems.

The rear of the vehicle will drop down and the front static ride height will increase causing the struts to be at near full extension. When the vehicle is driven in this condition, the strut will top out on full extension and will start to leak and eventually break.

With a 16" rim fitted to this vehicle, the front BOTTOM of RIM TO GUARD measurement must NOT be exceeded when loaded.

### **Bottom of Rim to Guard:**

<u>770 - 780mm</u>

\$30 kit

\$80 kit

Maximum!!!

With some MINE SPEC tray's weighing in excess of 500kg being fitted to these vehicles the remaining load capacity is only 500kg.

2 kits required

1 Kit required

When you also take into account:

- 1:Driver & passengers
- 2:Tools
- 3:Vehicle fuel
- 4: Bar / Winch / Dual Battery / Rollover protection bars.

This reduces the load able to be carried within the GVM of the vehicle even further. Please call 4Way Suspension on **02-9672 8899** to discuss any mine spec suspension inquiries that you may have to help with the selection of Tough Dog suspension parts for your applications.

**TOYOTA:** Landcruiser - 40, 42 Series

1 of 2

12/77-84: BJ40, 42

PRODUCT INFORMATION PART No **PRODUCT** RRP **TYPE** 59-84: FJ40

#### **Leaf Spring Front Suspension**

| SHOCK                   | 41mm Foam cell<br>40mm Adjustable          | FC41364<br>BM401364                 | \$160 ea<br>\$200 ea             | Twin tube / 60mm casing Twin tube / 60mm casing                           | OE Height                                |
|-------------------------|--|-------------------------------------|----------------------------------|---|--|
| ABSORBERS               | 41mm Foam cell<br>40mm Adjustable          | FC41366<br>BM401366                 | \$160 ea<br>\$200 ea             | Twin tube / 60mm casing Twin tube / 60mm casing                           | 50mm lift<br>50mm lift                   |
| LEAF<br>SPRINGS         | Small Eye<br>25mm ID                       | BP-009<br>BP-009H                   | \$230 ea<br>\$250 ea             | Petrol/Diesel/Bar Petrol/Diesel/Bar/Winch                                 | 50mm lift<br>50mm lift                   |
|                         | Large Eye<br>35mm ID                       | BP-011<br>BP-011H                   | \$230 ea<br>\$250 ea             | Petrol/Diesel/Bar Petrol/Diesel/Bar/Winch                                 | 50mm lift<br>50mm lift                   |
| STEERING<br>STABILIZERS |  | EXT5511<br>SS5511-M/S<br>SS5511-P/S | \$120 ea<br>\$165 ea<br>\$165 ea | Heavy Duty S/Damper<br>RTC Steering Stabilizer<br>RTC Steering Stabilizer | 35mm Bore<br>Manual steer<br>Power steer |
| URETHANE                | 25mm Eye<br>35mm Eye                       | TDUK-016 TDUK-012                   | \$55 kit<br>\$65 kit             | 1 kit required 1 kit required   | Small eye                                |
| U BOLTS                 | U Bolts must be tightened at 500km service | TDUB-017                            | \$30 kit                         | 2 kits required   | All models                               |
| GREASABLE PINS          | Pins<br>Shackle                            | TDGP-346<br>TDGS-343                | \$70 kit<br>\$80 kit             | 1 kit required<br>1 kit required  | 25mm eye<br>25mm eye                     |
| SHACKLES                | Pin<br>Shackle                             | TDGP-351<br>TDGS-348                | \$70 kit<br>\$80 kit             | 1 kit required<br>1 kit required  | 35mm eye<br>35mm eye                     |

| SHOCK                   | 41mm Foam cell       | FC41366  | \$160 ea | Twin tube / 60mm casing       | OE Height |
|-------------------------|----------------------|----------|----------|-------------------------------|-----------|
| ABSORBERS               | 40mm Adjustable      | BM401366 | \$200 ea | Twin tube / 60mm casing       | OE Height |
|                         |                      |          |          | <u> </u>                      |           |
| FJ40 59-84              | 41mm Foam cell       | FC41382  | \$160 ea | Twin tube / 60mm casing       | 50mm lift |
| to Chassis no. 191114   | 40mm Adjustable      | BM401382 | \$200 ea | Twin tube / 60mm casing       | 50mm lift |
| 2112.214                |                      |          |          | <del> </del>                  |           |
| SHOCK                   | 41mm Foam cell       | FC41382  | \$160 ea | Twin tube / 60mm casing       | OE Height |
| ABSORBERS               | 40mm Adjustable      | BM401382 | \$200 ea | Twin tube / 60mm casing       | OE Height |
| BJ40 12/77-80           |                      |          |          |                               |           |
| BJ42 10/80-84           | 41mm Foam cell       | FC41388  | \$160 ea | Twin tube / 60mm casing       | 50mm lift |
| from Chassis no. 191115 | 40mm Adjustable      | BM401388 | \$200 ea | Twin tube / 60mm casing       | 50mm lift |
|                         |                      |          |          |                               |           |
|                         | Small Eye            | BP-010   | \$230 ea | Carries up to 300kg           | 50mm lift |
| LEAF                    | 25mm ID              | BP-010H  | \$250 ea | Constant Load of 300kg to GVM | 50mm lift |
| SPRINGS                 | I E                  |          |          | 1                             |           |
|                         | Large Eye<br>35mm ID | BP-012   | \$240 ea | Carries up to 300kg           | 50mm lift |
|                         | 33 III I I I         | BP-012H  | \$260 ea | Constant Load of 300kg to GVM | 50mm lift |

# **TOYOTA:** Landcruiser - 40, 42 Series

2 of 2

12/77-84: BJ40, 42

PRODUCT INFORMATION PART No **PRODUCT** 59-84: FJ40 RRP **TYPE** 

| URETHANE                                 | 25mm Eye                                   | TDUK-016             | \$55 kit             | 1 kit required  | Small eye            |
|--|--|----------------------|----------------------|---|----------------------|
|  | 35mm Eye                                   | TDUK-012             | \$65 kit             | 1 kit required  | Large eye            |
| U BOLTS                                  | U Bolts must be tightened at 500km service | TDUB-017             | \$30 kit             | 2 kits required   | All models           |
| GREASABLE PINS<br>&<br>SHACKLES          | Pins<br>Shackle                            | TDGP-346<br>TDGS-343 | \$70 kit<br>\$80 kit | 1 kit required 1 kit required   | 25mm eye<br>25mm eye |
|  | Pin<br>Shackle                             | TDGP-351<br>TDGS-348 | \$70 kit<br>\$80 kit | 1 kit required 1 kit required   | 35mm eye<br>35mm eye |
| REPLACEMENT<br>SHOCK BUSHING             | Top & bottom eyering mount                 | 404702               | \$3 ea               | Two bushes per shock  | F & Rear             |
| Complete<br>Suspension<br>Kit<br>Pricing | <b>F</b> oam cell Kit<br>Adjustable kit    | BP-009+010           | \$1790<br>\$1950     | Kit includes: 4 x shock absorbers 4 x leaf springs 4 x ubolt kits 2 x shackle bush kits |                      |
|  | Foam cell Kit<br>Adjustable kit            | BP-009H+010H         | \$1870<br>\$2030     |   |                      |
|  | Foam cell Kit<br>Adjustable kit            | BP-011+012           | \$1810<br>\$1990     |   |                      |
|  | Foam cell Kit<br>Adjustable kit            | BP-011H+012H         | \$1910<br>\$2070     |   |                      |

**TOYOTA:** Landcruiser - 45, 47 Series

1 of 2

1/65-84: FJ45

PRODUCT INFORMATION 9/77-84: HJ45, 47 **PART No PRODUCT RRP TYPE Leaf Spring Front Suspension** Twin tube / 60mm casing 41mm Foam cell FC41364 \$160 ea OE Height BM401364 \$200 ea 40mm Adjustable Twin tube / 60mm casing OE Height SHOCK **ABSORBERS** 41mm Foam cell FC41366 \$160 ea Twin tube / 60mm casing 50mm lift 40mm Adjustable BM401366 \$200 ea Twin tube / 60mm casing 50mm lift 45 Series-Small eye-30mm **BP-013** \$270 ea Petrol/Diesel/Bar 50mm lift 45 Series-Small eye-30mm **BP-013H** \$290 ea Petrol/Diesel/Bar/Winch: 50mm lift **LEAF SPRINGS BP-015** 47 Series-Large eye-35mm \$270 ea Petrol/Diesel/Bar 50mm lift **BP-015H** 47 Series-Large eye-35mm \$290 ea Petrol/Diesel/Bar/Winch: 50mm lift **EXT5511** \$120 ea Heavy Duty S/Damper 35mm Bore **STEERING** SS5511-M/S \$165 ea RTC Steering Stabilizer Man. steer STABILIZERS SS5511-P/S \$165 ea RTC Steering Stabilizer Power steer Shackle bushes **TDUK-016** \$55 kit 1 kit of each required 30mm eye URETHANE Shackle bushes **TDUK-012** \$65 kit 1 kit of each required 35mm eye ΑII **TDUB-017** \$30 kit 1 kit required All models **U BOLTS** Models **TDUB-018** All models 1 kit required Pins **TDGP-346** \$70 kit 1 kit required 30mm eye **Shackles TDGS-343 GREASABLE PINS** \$80 kit 1 kit required 30mm eye **TDGP-351** Pins \$70 kit 1 kit required 35mm eye **SHACKLES Shackles TDGS-348** \$80 kit 1 kit required 35mm eye Leaf Spring Rear Suspension FC41382 41mm Foam cell \$160 ea Twin tube / 60mm casing OE Height BM401382 SHOCK 40mm Adjustable \$200 ea Twin tube / 60mm casing **OE** Height **ABSORBERS** FC41388 Twin tube / 60mm casing 41mm Foam cell \$160 ea 50mm lift 40mm Adjustable BM401388 \$200 ea Twin tube / 60mm casing 50mm lift 45 Series-Small eye-30mm **BP-014** \$310ea Petrol/Diesel/Bar 50mm lift 45 Series-Small eye-30mm **BP-014H** \$330 ea Petrol/Diesel/Bar/Winch: 50mm lift LEAF **SPRINGS BP-016** \$310 ea 47 Series-Large eye-35mm Petrol/Diesel/Bar 50mm lift **BP-016H** 47 Series-Large eye-35mm \$330 ea Petrol/Diesel/Bar/Winch: 50mm lift **URETHANE** Shackle bushes **TDUK-017** \$55 kit 1 kit of each required 30mm eye Shackle bushes **TDUK-012** \$65 kit 1 kit of each required 35mm eye U Bolts must be tightened at **TDUB-017 U BOLTS** \$30 kit 1 kit required All models 500km service **TDGP-347** Pins \$70 kit 1 kit required 30mm eye **GREASABLE PINS** TDGS-344/5 **Shackles** \$80 kit 1 kit required 30mm eye **SHACKLES TDGP-351** Pins \$70 kit 1 kit required 35mm eye TDGS-349/50 **Shackles** \$80 kit 1 kit required 35mm eye REPLACEMENT Top & bottom eyering mount 404702 \$3 ea F & Rear Two bushes per shock SHOCK **BUSHING** 

**TOYOTA:** Landcruiser - 45, 47 Series

2 of 2

1/65-84: FJ45 9/77-84: HJ45, 47

**PRODUCT** 

PART No

PRODUCT INFORMATION RRP

**TYPE** 

### **Leaf Spring Rear Suspension**

| Complete   |
|------------|
| Suspension |
| Kit        |
| Pricing    |

| Foam cell Kit<br>Adjustable kit | BP-013+014   | \$2030<br>\$2190 |
|---------------------------------|--------------|------------------|
| Foam cell Kit<br>Adjustable kit | BP-013H+014h | \$2110<br>\$2270 |
| Foam cell Kit<br>Adjustable kit | BP-015+016   | \$2050<br>\$2210 |
| Foam cell Kit<br>Adjustable kit | BP-015H+016  | \$2130<br>\$2290 |

#### Kit includes:

4 x shock absorbers 4 x leaf springs 4 x ubolt kits 2 x shackle bush kits **TOYOTA:** Landcruiser - 60, 61, 62 Series

1 of 2

11/80-90: FJ60, 62

PRODUCT INFORMATION **PART No PRODUCT** 11/80-91: HJ60, 61 **RRP TYPE Leaf Spring Front Suspension** 41mm Foam cell FC41113 \$160 ea Twin tube / 60mm casing OE Height 40mm Adjustable BM401113 \$200 ea Twin tube / 60mm casing OE Height SHOCK **ABSORBERS** FC41163 41mm Foam cell \$160 ea Twin tube / 60mm casing 50mm lift 40mm Adjustable BM401163 \$200 ea Twin tube / 60mm casing 50mm lift **T43L** \$180 ea Petrol/Diesel/Bar 50mm lift **T43H** \$195 ea Petrol/Diesel/Bar/Winch 50mm lift LEAF SPRINGS Factory fitted **T53** \$240 ea Turbo Diesel/Bar 50mm lift Turbo Diesel **T53H** \$260 ea Turbo Diesel/Bar/Winch/D/Battery 50mm lift **EXT5001** \$120 ea Heavy Duty S/Damper 35mm Bore **STEERING** SS5001-P/S \$165 ea RTC Steering Stabilizer Power steer **STABILIZERS** SV5001 \$200 ea Adjustable steering stabilizer 35mm **URETHANE** Shackle bushes **TDUK-012** \$65 kit 1 kit required All models U Bolts must be tightened at **U BOLTS TDUB-019** \$30 kit 2 kits required All models 500km service Pins **TDGP-351 GREASABLE PINS** \$70 kit 1 kit required All models **SHACKLES** Shackle **TDGS-348** \$80 kit 1 kit required All models **ADJUSTABLE** 0.5 degree **TAK-005** \$250 ea 1 only required All models **KING PINS** 0.75 degree **TAK-075** 1 only required All models 1.0 degree **TAK-001** 1 only required All models FITS TO TOP OF KNUCKLE REPLACEMENT Top pin mount **TW959** \$2.50 ea Two bushes per shock Front SHOCK BUSHING ADJ00191 **Front Bottom Eyering mount** \$3 ea One bush per shock Leaf Spring Rear Suspension FC41366 41mm Foam cell \$160 ea Twin tube / 60mm casing OE Height BM401366 \$200 ea 40mm Adjustable Twin tube / 60mm casing OE Height 11/80-10/85 FC41382 41mm Foam cell \$160 ea Twin tube / 60mm casing 50mm lift SHOCK **ABSORBERS** 40mm Adjustable BM401382 \$200 ea Twin tube / 60mm casing 50mm lift FC41350 41mm Foam cell \$160 ea Twin tube / 60mm casing ΑII 10/85-91 40mm Adjustable BM401350 \$200 ea Twin tube / 60mm casing All

**TOYOTA:** Landcruiser - 60, 61, 62 Series

2 of 2

11/80-90: FJ60, 62 11/80-91: HJ60, 61

PRODUCT INFORMATION PART No **PRODUCT** RRP TYPE

| LEAF                                   |   | T44L<br>T44H         | \$240 ea             | Carries up to 300kg  | 50mm lift              |
|--|---|----------------------|----------------------|--|------------------------|
| SPRINGS                                |   | T44HM                | \$260 ea<br>\$360 ea | Constant Load of 300kg to GVM Constant Load of 500kg to GVM  | 50mm lift<br>50mm lift |
| URETHANE                               | Shackle bushes  | TDUK-012             | \$65 kit             | 1 kit required   | All models             |
| U BOLTS                                | U Bolts must be tightened at 500km service            | TDUB-017             | \$30 kit             | 2 kits required All models   |                        |
| GREASABLE PINS<br>&<br>SHACKLES        | Pins<br>Shackle                                       | TDGP-351<br>TDGS-357 | \$70 kit<br>\$80 kit | 1 kit required 1 kit required  | All models             |
| REPLACEMENT<br>SHOCK<br>BUSHING        | Top & bottom eyering mount Top & bottom eyering mount | 404702<br>ADJ00191   | \$3 ea<br>\$3 ea     | Two bushes per shock-(16mm eye) Two bushes per shock-(19mm eye)                                      | Rear<br>Rear           |
| Complete<br>Suspension                 | Foam cell Kit<br>40mm Adjustable kit                  | T43L / T44L          | \$1730<br>\$1890     | Complete Kit includes:  4 x shock absorbers  4 x leaf springs  4 x ubolt kits  2 x shackle bush kits |                        |
| Kit<br>Pricing                         | Foam cell Kit<br>40mm Adjustable kit                  | T43H / T44H          | \$1800<br>\$1960     |  |                        |
| Rear end<br>Suspension<br>Kit Pricing  | Foam cell Kit<br>40mm Adjustable kit                  | T44HM                | \$1165<br>\$1245     | Each end Kit include   | <u>s:</u>              |
| Front end<br>Suspension<br>Kit Pricing | Foam cell Kit<br>Adjustable kit                       | T53                  | \$925<br>\$1005      | 2 x shock absorbers<br>2 x leaf springs<br>2 x ubolt kits<br>1 x shackle bush kits                   |                        |
|  | Foam cell Kit<br>Adjustable kit                       | T53H                 | \$965<br>\$1045      | T A SHACKIE DUSH KII   | 3                      |

**TOYOTA:** Bundeera - 70 Series

1 of 1

11/84-91: RJ70 3/86-91: LJ70

PRODUCT PART No RRP PRODUCT TYPE

#### **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS      | 41mm Foam cell        | FC41005<br>FC41007              | \$160 ea                         | Twin tube / 60mm casing Twin tube / 60mm casing                                  | OE Height<br>40mm lift                |
|-------------------------|-----------------------|---------------------------------|----------------------------------|--|---------------------------------------|
| COIL<br>SPRINGS         |                       | TDC941L                         | \$120 ea                         | Petrol/Diesel/Bar  | 40mm lift                             |
| STEERING<br>STABILIZERS |                       | EXT5001<br>SS5001-P/S<br>SV5001 | \$120 ea<br>\$165 ea<br>\$200 ea | Heavy Duty S/Damper<br>RTC Steering Stabilizer<br>Adjustable steering stabilizer | 35mm Bore<br>Power steer<br>35mm bore |
| URETHANE                | Radius Rod to Diff    | TDUK-042                        | \$100 kit                        | 2 kits required  | All models                            |
| ORETHANE                | Radius Rod to chassis | TDUK-041                        | \$65 kit                         | 1 kit required   | All models                            |

#### **Leaf Spring Rear Suspension**

|  | 41mm Foam cell           | FC43005  | \$160 ea  | Twin tube / 60mm casing   | OE Ht-D/S  |
|--|--------------------------|----------|-----------|---|------------|
| SHOCK                                    |                          | FC41107  |           | Twin tube / 60mm casing   | OE Ht-P/S  |
| ABSORBERS                                | 41mm Foam cell           | FC41350  | \$160 ea  | Twin tube / 60mm casing   | 40mm-D/S   |
|  |                          | FC41108  |           | Twin tube / 60mm casing   | 40mm-P/S   |
| COIL<br>SPRINGS                          |                          | TDC942L  | \$120 ea  | Carries up to 300KG   | 40mm lift  |
| URETHANE                                 | Radius Rod to Diff       | TDUK-042 | \$100 kit | 2 kits required   | All models |
| J. J | Radius Rod to chassis    | TDUK-041 | \$65 kit  | 1 kit required  | All models |
|  | Top & bottom pin mount   | TW959    | \$2.50 ea | Four bushes per shock   | Front      |
| REPLACEMENT<br>SHOCK                     | Top & Bottom Eyering mnt | ADJ00191 | \$3 ea    | Two bushes per shock-(19mm eye) FC43005,41350)                  | Rear       |
| BUSHING                                  | Top Pin mount            | TW959    | \$2.50 ea | One bonded bush per shock                                       | Rear       |
|  | Bottom Eyering mount     | ADJ00191 | \$3 ea    | One bush per shock<br>FC41107,41108)                            | Rear       |
| Complete<br>Suspension<br>Kit Pricing    | Foam cell Kit            | Any coil | \$1120    | <u>Kit includes:</u><br>4 x shock absorbers<br>4 x coil springs |            |

## **TOYOTA:** Landcruiser - 70, 73, 74 Series

1 of 2

11/84-90:BJ ,11/84-92:FJ 2/91-91:PZJ,1/90-92:HZJ

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

#### **Leaf Spring Front Suspension**

|                        | 41mm Foam cell<br>40mm Adjustable          | FC41113<br>BM401113 | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing | OE Height<br>OE Height |
|------------------------|--|---------------------|----------------------|---|------------------------|
| SHOCK                  | 41mm Foam cell                             | FC41163             | \$160 ea             | Twin tube / 60mm casing                         | 50mm lift              |
| ABSORBERS              | 40mm Adjustable                            | BM401163            | \$200 ea             | Twin tube / 60mm casing                         | 50mm lift              |
|                        | 53mm Ralph                                 | TDR1163B            | \$275 ea             | Twin tube / 70mm casing                         | 50mm lift              |
|                        | 45mm Adjustable                            | BMX1163B            | \$275 ea             | Twin tube / 70mm casing                         | 50mm lift              |
| LEAF<br>SPRINGS        |  | T52                 | \$160 ea             | Petrol/Diesel/Alloy or steel Bar                | 50mm lift              |
| CTEEDING               |  | EXT5001             | \$120 ea             | Heavy Duty S/Damper                             | 35mm Bore              |
| STEERING<br>STABILIZER |  | SS5001-P/S          | \$165 ea             | RTC Steering Stabilizer                         | Power steer            |
| STABILIZER             |  | SV5001              | \$200 ea             | Adjustable steering stabilizer                  | 35mm Bore              |
| URETHANE               | Shackle bushes                             | TDUK-012            | \$65 kit             | 1 kit of each required                          | All models             |
| U BOLTS                | U Bolts must be tightened at 500km service | TDUB-019            | \$30 kit             | 2 kits of each required                         | All models             |
| GREASABLE PINS         | Pins                                       | TDGP-351            | \$70 kit             | 1 kit required                                  | All models             |
| &<br>SHACKLES          | Shackles                                   | TDGS-357            | \$80 kit             | 1 kit required                                  | All models             |
| ADJUSTABLE             | 0.5 degree                                 | TAK-005             | \$250 ea             | Fits to top of knuckle                          | All models             |
| KING PINS              | .0.75 degree                               | TAK-075             |                      | Fits to top of knuckle                          | All models             |
| FITS TO TOP OF KNUCKLE | 1.0 degree                                 | TAK-001             |                      | Fits to top of knuckle                          | All models             |

#### **Leaf Spring Rear Suspension**

|                | = "  | E0442E0   | <b>#</b> 400 |                          |            |
|----------------|--|-----------|--------------|--------------------------|------------|
|                | 41mm Foam cell                             | FC41350   | \$160 ea     | Twin tube / 60mm casing  | OE Height  |
|                | 40mm Adjustable                            | BM401350  | \$200 ea     | Twin tube / 60mm casing  | OE Height  |
| SHOCK          |  |           |              |                          | -          |
| ABSORBERS      | 41mm Foam cell                             | FC41377   | \$160 ea     | Twin tube / 60mm casing  | 50mm lift  |
| ABOOKBEKO      | 40mm Adjustable                            | BM401377  | \$200 ea     | Twin tube / 60mm casing  | 50mm lift  |
|                | 53mm Ralph                                 | TDR1377   | \$275 ea     | Twin tube / 70mm casing  | 50mm lift  |
|                | 45mm Adjustable                            | BMX1377/2 | \$275 ea     | Twin tube / 70mm casing  | 50mm lift  |
|                |  |           |              |                          |            |
| LEAF           |  | T44L      | \$240 ea     | Light Load: up to 300kg  | 50mm lift  |
| SPRINGS        |  | T44H      | \$260 ea     | Medium Load:300kg to GVM | 50mm lift  |
|                |  |           |              | ·                        |            |
| URETHANE       | Shackle bushes                             | TDUK-012  | \$65 kit     | 1 kit required           | All models |
|                |  |           |              | ·                        |            |
| U BOLTS        | U Bolts must be tightened at 500km service | TDUB-017  | \$30 kit     | 2 kits of each required  | All models |
| CDEACADLE DINC |  |           |              |                          |            |
| GREASABLE PINS | Pins                                       | TDGP-351  | \$70 kit     | 1 kit required           | All models |
| &<br>SUACKI ES | Shackles                                   | TDGS-357  | \$80 kit     | 1 kit required           | All models |
| SHACKLES       |  |           |              | •                        |            |

2 74 Sorios 2 of 2

## **TOYOTA**: Landcruiser - 70, 73, 74 Series

| 11/84-90:BJ ,11/84-92:FJ<br>2/91-91:PZJ ,1/90-92:HZJ | PRODUCT                                      | PART No  | RRP  | PRODUCT<br>INFORMATION                     | TYPE           |
|--|--|--|--|--|----------------|
| REPLACEMENT<br>SHOCK<br>BUSHING                      | Top pin mount<br>Bottom Eyering mount        | TW959<br>ADJ00191                                | \$2.50 ea<br>\$3 ea  | Two bushes per shock<br>One bush per shock | Front<br>Front |
|  | Top & bottom eyering mount                   | ADJ00191   | \$3 ea   | Two bushes per shock-(19mm eye)            | Rear           |
| Complete<br>Suspension                               | Foam cell Kit<br>Adjustable kit<br>Ralph kit | T52 & T44L                                       | \$1670<br>\$1830<br>\$2130                                 | <u>Kit includes:</u><br>4 x shock absorber | s              |
| Kit<br>Pricing                                       | Foam cell Kit<br>Adjustable kit<br>Ralph kit | m cell Kit T52 &T44H \$1710<br>stable kit \$1870 | 4 x leaf springs<br>4 x Ubolt kits<br>2 x shackle bush kit | s  |                |

**TOYOTA:** Landcruiser - 71 & 74 Series

1 of 1

H7.171 & H7.174

| HZJ71 & HZJ74<br>SWB & LWB | PRODUCT  | PART No                                     | RRP  | PRODUCT INFORMATION   | TYPE                                    |
|----------------------------|--|---|--|---|---|
| Coil Spring Fro            | ont Suspensio  | on  |  |   |   |
| sноск                      | 41mm Foam cell<br>40mm Adjustable                                  | FC41050<br>BM401050                         | \$160 ea<br>\$200 ea                         | Twin tube / 60mm casing Twin tube / 60mm casing   | OE & 50mm<br>OE &50mm                   |
| ABSORBERS                  | 53mm Ralph<br>45mm Adjustable                                      | TDR1050B<br>BMX1050/2                       | \$275 ea<br>\$275 ea                         | Twin tube / 70mm casing Twin tube / 70mm casing   | OE & 50mm<br>OE & 50mm                  |
| COIL<br>SPRINGS            |  | TDC950SL<br>TDC950L                         | \$120 ea                                     | Petrol/Diesel/Bar<br>Petrol/Diesel/Bar/Winch  | 40mm lift<br>40mmm lift                 |
| STEERING<br>STABILIZERS    |  | EXT5001<br>SS5001-P/S<br>SV5001             | \$120 ea<br>\$165 ea<br>\$200 ea             | Heavy Duty steering damper RTC Steering stabilizer Adjustable steering stabilizer               | 35mm Bore<br>Power Steer<br>35mm Bore   |
| Leaf Spring Re             | ar Suspensio   | n   |  |   |   |
| SHOCK<br>ABSORBERS         | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable | FC41377<br>BM401377<br>TDR1377<br>BMX1377/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing | OE & 50mm OE & 50mm OE & 50mm OE & 50mm |
| LEAF<br>SPRINGS            |  | T44L<br>T44H                                | \$240 ea<br>\$260 ea                         | Carries up to 300kg to GVM  Constant load of 300kg to GMV                                       | 50mm lift                               |
| URETHANE                   | Shackle bushes   | TDUK-012                                    | \$65 kit                                     | 1 kit required  | 78 Series                               |
| U BOLTS                    | U Bolts must be tightened at 500km service                         | TDUB-017                                    | \$30 kit                                     | 2 kits required   | All models                              |
| REPLACEMENT<br>SHOCK       | Top & bottom pin mount   | TW957                                       | \$2.50 ea                                    | Four bushes per shock   | Front                                   |
| BUSHING                    | Top & bottom eyering mount   | ADJ00191                                    | \$3 ea                                       | Two bushes per shock  | Rear                                    |
| Complete<br>Suspension     | Foam cell kit<br>Adjustable kit                                    | Any Coil +T44L                              | \$1485<br>\$1645                             | <u>Kit includes:</u><br>4 x shock absorbe<br>2 x leaf springs                                   | rs                                      |
| Kit<br>Pricing             | Foam cell kit<br>Adjustable kit                                    | Any Coil + T44H                             | \$1525<br>\$1685                             | 2 x ubolt kits<br>2 x ubolt kits<br>1 x shackle bush k<br>1 x Panhard rod                       | its                                     |

**TOYOTA:** Landcruiser - 75 Series

1 of 2

11/84-99: FJ, FZJ75 11/84-99: HJ, HZJ75

PRODUCT

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

#### **Leaf Spring Front Suspension**

|   |  | _          |          | -                                   |             |
|---|--|------------|----------|-------------------------------------|-------------|
|   | 41mm Foam cell                             | FC41113    | \$160 ea | Twin tube / 60mm casing             | OE Height   |
| SHOCK                                   | 41mm Foam cell                             | FC41163    | \$160 ea | Twin tube / 60mm casing             | 50mm lift   |
| ABSORBERS                               | 40mm Adjustable                            | BM401163   | \$200 ea | Twin tube / 60mm casing             | 50mm lift   |
|   | 53mm Ralph                                 | TDR1163B   | \$275 ea | Twin tube / 70mm casing             | 50mm lift   |
| FJ, HJ75: 11/84-92                      | 45mm Adjustable                            | BMX1163/2  | \$275 ea | Twin tube / 70mm casing             | 50mm lift   |
|   | 41mm Foam cell                             | FC41113B   | \$160 ea | Twin tube / 60mm casing             | OE Height   |
| SHOCK<br>ABSORBERS                      | 41mm Foam cell                             | FC41163B   | \$160 ea | Twin tube / 60mm casing             | 50mm lift   |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 40mm Adjustable                            | BM401163   | \$200 ea | Twin tube / 60mm casing             | 50mm lift   |
| F7   117   75   0/00   00               | 53mm Ralph                                 | TDR1163B   | \$275 ea | Twin tube / 70mm casing             | 50mm lift   |
| FZJ, HZJ75: 3/90-99                     | 45mm Adjustable                            | BMX1163/2  | \$275 ea | Twin tube / 70mm casing             | 50mm lift   |
| LEAF                                    | Troop Carrier, Ute,                        | T52        | \$160 ea | Petrol/Diesel/Alloy/Steel Bar       | 50mm lift   |
| SPRINGS                                 | Cab Chassis                                | T52H       | \$190 ea | Petrol/Diesel/Alloy/Steel Bar/Winch | 50mm lift   |
|   |  | EXT5001    | \$120 ea | Heavy Duty steering damper          | 35mm Bore   |
| STEERING<br>STABILIZERS                 |  | SS5001-P/S | \$165 ea | RTC Steering stabilizer             | Power Steer |
| STABILIZERS                             |  | SV5001     | \$200 ea | Adjustable steering stabilizer      | 35mm Bore   |
| URETHANE                                | Shackle bushes                             | TDUK-012   | \$65 kit | 1 kit required                      | All models  |
| U BOLTS                                 | U Bolts must be tightened at 500km service | TDUB-019   | \$30 kit | 2 kits required                     | All models  |
| GREASABLE                               | Pins                                       | TDGP-351   | \$70 kit | 1 kit required                      | All models  |
| SHACKLES                                | Shackles                                   | TDGS-357   | \$80 kit | 1 kit required                      | All models  |
| OFFSET                                  | 0.5 degree                                 | TAK-005    | \$250 ea | 1 only required                     | All models  |
| KING PINS                               | 0.75 degree                                | TAK-075    |          | 1 only required                     | All models  |
| FITS TO TOP OF KNUCKLE                  | 1.0 degree                                 | TAK-001    |          | 1 only required                     | All models  |
|   | -  | -          | •        |                                     | •           |

#### **Leaf Spring Rear Suspension**

|                 | 41mm Foam cell  | FC41350                  | \$160 ea                         | Twin tube / 60mm casing   | OE Height                           |
|-----------------|-----------------|--------------------------|----------------------------------|---|-------------------------------------|
| SHOCK           | 41mm Foam cell  | FC41377                  | \$160 ea                         | Twin tube / 60mm casing   | 50mm lift                           |
| ABSORBERS       | 40mm Adjustable | BM401377                 | \$200 ea                         | Twin tube / 60mm casing   | 50mm lift                           |
|                 | 53mm Ralph      | TDR1377                  | \$275 ea                         | Twin tube / 70mm casing   | 50mm lift                           |
|                 | 45mm Adjustable | BMX1377/2                | \$275 ea                         | Twin tube / 70mm casing   | 50mm lift                           |
| LEAF<br>SPRINGS |                 | T51<br>FS751M<br>FS751HM | \$310 ea<br>\$360 ea<br>\$380 ea | Carries up to 300kg  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM | 50mm lift<br>50mm lift<br>50mm lift |
| URETHANE        | Shackle bushes  | TDUK-018                 | \$75 kit                         | 1 kit required  | All models                          |
| U BOLTS         |                 | TDUB-017                 | \$30 kit                         | 2 kits required   | All models                          |

### **TOYOTA**: Landcruiser - 75 Series

2 of 2

11/84-99: FJ, FZJ75 11/84-99: HJ, HZJ75

PART No **PRODUCT** 

**RRP** 

PRODUCT INFORMATION

TYPE

| Leaf | <b>Spring</b> | Rear | Suspension |
|------|---------------|------|------------|
|------|---------------|------|------------|

| GREASABLE<br>SHACKLES                    | Pins<br>Shackles  | TDGP-354<br>TDGS-357 | \$70 kit<br>\$80 kit                 | 1 kit required 1 kit required   | All models     |
|--|---|----------------------|--------------------------------------|---|----------------|
| REPLACEMENT<br>SHOCK<br>BUSHING          | Top pin mount<br>Bottom Eyering mount                                     | TW959<br>ADJ00191    | \$2.50 ea<br>\$3 ea                  | Two bushes per shock One bush per shock   | Front<br>Front |
| вознімо                                  | Top & bottom eyering mount  | ADJ00191             | \$3 ea                               | Two bushes per shock  | Rear           |
| Complete<br>Suspension                   | Foam cell Kit<br>40mm Adjustable kit<br>45mm Adjustable kit<br>53mm Ralph | T52                  | \$765<br>\$845<br>\$995<br>\$995     | Front end Kit includes: 2 x shock absorbers 2 x leaf springs 2 x Ubolt kits 1 x shackle bush kits |                |
| Kit<br>Pricing<br><u>Front end</u>       | Foam cell Kit 40mm Adjustable kit 45mm Adjustable kit 53mm Ralph          | T52H                 | \$825<br>\$905<br>\$1055<br>\$1055   |   |                |
|  | Foam cell Kit 40mm Adjustable kit 45mm Adjustable kit 53mm Ralph          | T51                  | \$1075<br>\$1155<br>\$1305<br>\$1305 |   |                |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell Kit<br>40mm Adjustable kit<br>45mm Adjustable kit<br>53mm Ralph | FS751M               | \$1175<br>\$1255<br>\$1405<br>\$1405 | Rear end Kit include  2 x shock absorb  2 x leaf springs  2 x ubolt kits  1 x shackle bush        | ers<br>S       |
| <u>Rear End</u>                          | Foam cell Kit<br>40mm Adjustable kit<br>45mm Adjustable kit<br>53mm Ralph | FS751HM              | \$1215<br>\$1295<br>\$1445<br>\$1445 |   |                |

**TOYOTA:** Landcruiser - 76 Series - V8 (Wagon)

1 of 2

2009 On GXL, Workmate

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

#### **Coil Spring Front Suspension**

| SHOCK                   | 41mm Adjustable<br>40mm Adjustable | FC41050<br>BM401050  | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing | OE & 50mm    |
|-------------------------|------------------------------------|----------------------|----------------------|---|--------------|
| ABSORBERS               | 53mm Ralph                         | TDR1050B             | \$275 ea             | Twin tube / 60mm casing                         | OE & 50mm    |
| Wagon                   | 45mm Adjustable                    | BMX1050/2            | \$275 ea             | Twin tube / 60mm casing                         | 50mm         |
| COIL                    |                                    | TDC950SL             | \$120 ea             | Petrol/Diesel/Bar                               | OE Height    |
| SPRINGS                 |                                    | TDC950L              |                      | Petrol/Diesel/Bar                               | 40mmm lift   |
|                         |                                    | TDC950HL             |                      | Petrol/Diesel/Bar/Winch                         | 40mmm lift   |
| STEEDING                |                                    | EXT5004              | \$120 ea             | Heavy Duty steering damper                      | 35mm Bore    |
| STEERING<br>STABILIZERS |                                    | SS5004-P/S           | \$165 ea             | RTC Steering stabilizer                         | Power Steer  |
|                         |                                    | SV5004               | \$200 ea             | Adjustable steering stabilizer                  | 35mm Bore    |
| URETHANE                | Coil Spring Spacer                 | TDUK-1961/30         | \$40 ea              | 30mm  | 70+76 Series |
| PANHARD RODS            |                                    | TDPR-015             | \$230 ea             | V8  | All models   |
|                         |                                    | TDPR-019             | \$250 ea             | V8-LHD VEHICLE                                  |              |
| OFFSET<br>KING PINS     | 0.5 degree<br>0.75 degree          | TAK-8005<br>TAK-8075 | \$280 ea             | 1 only required 1 only required                 | All models   |
| FITS TO TOP OF KNUCKLE  | 1.0 degree                         | TAK-8001             |                      | 1 only required                                 | All models   |

#### **Leaf Spring Rear Suspension**

| SHOCK<br>ABSORBERS | 41mm Foam cell<br>40mm Adjustable<br>53mm Adjustable<br>45mm Adjustable | FC41377<br>BM401377<br>TDR1377<br>BMX1377/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing | OE & 50mm OE & 50mm OE & 50mm 50mm  |
|--------------------|---|---|--|---|-------------------------------------|
| LEAF<br>SPRINGS    |   | FS761<br>FS761M<br>FS761HM                  | \$350 ea<br>\$390 ea<br>\$400 ea             | Carries up to 300kg  Constant load of 300kg to GVM  Constant Load of 500kg to GVM               | 50mm lift<br>50mm lift<br>50mm lift |
| URETHANE           | Shackle bushes  | TDUK-048                                    | \$85 kit                                     | 1 kit required  | 70+76 Series                        |
| U BOLTS            | U Bolts must be tightened at 500km service                              | TDUB-024                                    | \$30 kit                                     | 2 kits required   | All models                          |
| GREASABLE<br>PINS  | Shackles  | TDGS-387/18                                 | \$110 kit                                    | 1 kit required  | All models                          |
| &<br>SHACKLES      | Pins  | TDGP-388                                    | \$70 kit                                     | 1 kit required  | All models                          |

## **TOYOTA**: Landcruiser - 76 Series-V8 (Wagon)

| 2009 On<br>GXL, Workmate                 | PRODUCT  | PART No  | RRP  | PRODUCT<br>INFORMATION  | TYPE  |
|--|--|--|--|---|-------|
| REPLACEMENT                              | Top & bottom pin mount   | TW957  | \$4 ea   | Four bushes per shock   | Front |
| SHOCK<br>BUSHING                         | Top & bottom eyering mount   | ADJ00191   | \$3.00 ea  | Two bushes per shock  | Rear  |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit 40mm Adjustable kit 45mm bore Adjustable kit 53mm Ralph  Foam cell kit 40mm Adjustable kit 45mm bore Adjustable kit 53mm Ralph | (F) Any coil<br>&<br>(R) FS761<br>(F) Any coil<br>&<br>(R) FS76M | \$1775<br>\$1935<br>\$2235<br>\$2235<br>\$1855<br>\$2015<br>\$2315<br>\$2315 | Kit includes:  4 x shock absorbers 2 x coil springs 2 x leaf springs 2 x ubolt kits 1 x shackle bush kits |       |
|  | Foam cell kit<br>40mm Adjustable kit<br>45mm bore Adjustable kit<br>53mm Ralph   | (F) Any coil<br>&<br>(R) FS761HM                                 | \$1875<br>\$2035<br>\$2335<br>\$2335   |   |       |

**TOYOTA**: Landcruiser - 77 Series (Overseas)

1 of 1

PRODUCT INFORMATION PART No **PRODUCT** RRP **TYPE FZJ77, HZJ77, PZJ77** 

#### **Leaf Spring Front Suspension**

| SHOCK<br>ABSORBERS      | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable | FC41163B<br>BM401163<br>TDR1163B<br>BMX1163/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing | 50mm lift<br>50mm lift<br>50mm lift<br>50mm lift |
|-------------------------|--|---|--|---|--|
| LEAF<br>SPRINGS         |  | T52<br>T52H                                   | \$160 ea<br>\$190 ea                         | Petrol/Diesel/Alloy/Steel Bar<br>Petrol/Diesel/Alloy/Steel Bar/Winch                            | 50mm lift<br>50mm lift                           |
| STEERING<br>STABILIZERS |  | EXT5001<br>SS5001-P/S<br>SV5001               | \$120 ea<br>\$165 ea<br>\$200 ea             | Heavy Duty steering damper<br>RTC Steering stabilizer<br>Adjustable steering stabilizer         | 35mm Bore<br>Power Steer<br>35mm Bore            |
| URETHANE                | Shackle bushes   | TDUK-012                                      | \$65 kit                                     | 1 kit required  | All models                                       |
| U BOLTS                 | U Bolts must be tightened at 500km service                         | TDUB-019                                      | \$30 kit                                     | 2 kits required   | All models                                       |
| GREASABLE<br>SHACKLES   | Pins   | TDGP-351                                      | \$70 kit                                     | 1 kit required  | All models                                       |
|                         | Shackles   | TDGS-348                                      | \$80 kit                                     | 1 kit required  | All models                                       |

#### **Leaf Spring Rear Suspension**

|                                 | 41mm Foam cell                             | FC41377           | \$160 ea             | Twin tube / 60mm casing                              | 50mm lift              |
|---------------------------------|--|-------------------|----------------------|--|------------------------|
| SHOCK                           | 40mm Adjustable                            | BM401377          | \$200 ea             | Twin tube / 60mm casing                              | 50mm lift              |
| ABSORBERS                       | 53mm Ralph                                 | TDR1377           | \$275 ea             | Twin tube / 70mm casing                              | 50mm lift              |
|                                 | 45mm Adjustable                            | BMX1377/2         | \$275 ea             | Twin tube / 70mm casing                              | 50mm lift              |
| LEAF<br>SPRINGS                 |  | FS761<br>FS761M   | \$350 ea<br>\$390 ea | Carries up to 300kg<br>Constant load of 300kg to GVM | 50mm lift<br>50mm lift |
| URETHANE                        | Shackle bushes                             | TDUK-018          | \$75 kit             | 1 kit required                                       | All models             |
| U BOLTS                         | U Bolts must be tightened at 500km service | TDUB-017          | \$30 kit             | 2 kits required                                      | All models             |
| GREASABLE<br>SHACKLES           | Pins                                       | TDGP-354          | \$70 kit             | 1 kit required                                       | All models             |
| SHACKEES                        | Shackles                                   | TDGS-357          | \$80 kit             | 1 kit required                                       | All models             |
| REPLACEMENT<br>SHOCK<br>BUSHING | Top pin mount<br>Bottom Eyering mount      | TW959<br>ADJ00191 | \$2.50 ea<br>\$3 ea  | Two bushes per shock One bush per shock              | Front<br>Front         |
|                                 | Top & bottom eyering mount                 | ADJ00191          | \$3 ea               | Two bushes per shock                                 | Rear                   |

| XZJ 78w/Coil Springs | PRODUCT         | PART No              | RRP      | PRODUCT INFORMATION            | TYPE      |
|----------------------|-----------------|----------------------|----------|--------------------------------|-----------|
| Coil Spring Fro      | nt Suspensi     | on                   |          |                                |           |
| SHOCK                | 41mm Foam cell  | FC41254              | \$160 ea | Twin tube / 60mm casing        | 50mm lift |
| ABSORBERS            | 40mm Adjustable | BM401254             | \$200 ea | Twin tube / 60mm casing        | 50mm lift |
| COIL                 |                 | TDC960L              | \$120 ea | Petrol/Diesel/Bar              | 50mm lift |
| SPRINGS              |                 | TDC960HL             |          | Petrol/Diesel/Bar/Winch        | 50mm lift |
| STEERING             |                 | EXT5001              | \$120 ea | Heavy Duty steering damper     | 35mm Boi  |
| STABILIZERS          |                 | SS5001-P/S<br>SV5001 | \$165 ea | RTC Steering stabilizer        | Power Ste |
|                      |                 | 373001               | \$200 ea | Adjustable steering stabilizer | 35mm Bor  |
| Coil Spring Rea      | ar Suspensio    | on                   |          |                                |           |
| SHOCK                | 41mm Foam cell  | FC41255              | \$160 ea | Twin tube / 60mm casing        | 50mm lift |
| ABSORBERS            | 40mm Adjustable | BM401255             | \$200 ea | Twin tube / 60mm casing        | 50mm lift |
| COIL                 |                 | TDC961L              | \$120 ea | Carries up to 300kg            | 50mm lift |
| SPRINGS              |                 | TDC961HL             |          | Constant Load of 300kg to GVM  | 50mm lift |
|                      | •               |                      |          | !                              |           |
|                      |                 |                      |          |                                |           |
|                      |                 |                      |          |                                |           |

**TOYOTA:** Landcruiser - 78,79 Series inc V8

1 of 2

10/99 On:FZJ, HZJ PRODUCT INFORMATION **PART No PRODUCT** 11/01 On:HDJ **RRP TYPE Coil Spring Front Suspension** FC41050 41mm Foam cell \$160 ea Twin tube / 60mm casing OE & 50mm SHOCK BM401050 40mm Adjustable \$200 ea Twin tube / 60mm casing OE &50mm **ABSORBERS TDR1050B** 53mm Ralph \$275 ea Twin tube / 70mm casing OF & 50mm 45mm Adjustable BMX1050/2 \$275 ea Twin tube / 70mm casing 50mm only TDC950SL \$120 ea Petrol/Diesel/Bar OE Height COIL TDC950L Petrol/Diesel/Bar 40mmm lift **SPRINGS** TDC950HL Petrol/Diesel/Bar/Winch 40mmm lift **EXT5001** \$120 ea Heavy Duty steering damper 35mm Bore 6 Cylinder SS5001-P/S \$165 ea RTC Steering stabilizer Power Steer SV5001 \$200 ea Adjustable steering stabilizer 35mm Bore **STEERING STABILIZERS EXT5004** \$120 ea Heavy Duty steering damper 35mm Bore **V8** SS5004-P/S \$165 ea RTC Steering stabilizer Power Steer SV5004 \$200 ea Adjustable steering stabilizer 35mm Bore **URETHANE** Coil Spring Spacer TDUK-1961/30 \$40 ea 30mm 78/79 Series **OFFSET TAK-8005** 0.5 degree \$280 ea 1 only required All models KING PINS 0.75 degree **TAK-8075** All models 1 only required **TAK-8001** 1.0 degree 1 only required All models **FITS TO TOP OF KNUCKLE** Fit only to 6 Cylinder **TDPR-079** \$240 ea All Models **PANHARD RODS** vehicles with **V8 TDPR-015** \$230 ea All models more than a **TDPR-019** LHD-6 Cylinder \$250 ea 50mm lift **Leaf Spring Rear Suspension** 41mm Foam cell FC41377 \$160 ea OE & 50mm Twin tube / 60mm casing **SHOCK** 40mm Adjustable BM401377 \$200 ea Twin tube / 60mm casing OE &50mm **ABSORBERS** 53mm Ralph **TDR1377** \$275 ea Twin tube / 70mm casing OE & 50mm **BMX1377/2** 45mm Adjustable \$275 ea Twin tube / 70mm casing 50mm only **BP-019** \$400 ea Carries up to 300kg 50mm lift LEAF **FS781** \$420 ea Constant Load of 300kg to GVM 50mm lift **SPRINGS FS781HM** \$480 ea 50mm lift Constant Load of 500kg to GMV **URETHANE** TDUK-048/14 With OE Pins & shackles \$140 kit 1 kit required 79 Series Ute & Trayback **TDUK-048** With greasable pins & shackles \$85 kit 1 kit required 79 Series Before 06/09 TDUK-048/18 **URETHANE** With OE Pins & shackles \$135 kit 1 kit required 78 Series **TDUK-048** \$85 kit 78 Series Nith greasable pins & shackles 1 kit required Troop Carrier before 06/09 URETHANE **TDUK-048** \$85 kit Vehicles fitted with OE airbags 1 kit required All models V8 Ute, Trayback, T/carrier **URETHANE** Coil Spring Spacer TDUK-1961/30 \$40 ea 30mm 78/79 Series U Bolts must be tightened at **U BOLTS TDUB-024** \$30 kit 2 kits required 500km service All Models **GREASABLE Shackles** TDGS-387/18 \$110 kit 1 kit required All models PINS &

**TDGP-388** 

\$70 kit

1 kit required

All models

Pins

SHACKLES

## **TOYOTA:** Landcruiser - 78,79 Series inc V8

| 10/99 on: FZJ, HZJ<br>11/01 On: HDJ      | PRODUCT   | PART No                          | RRP                                  | PRODUCT<br>INFORMATION   | TYPE  |  |
|--|---|----------------------------------|--------------------------------------|--|-------|--|
| REPLACEMENT                              | Top & bottom pin mount  | TW957                            | \$4 ea                               | Four bushes per shock  | Front |  |
| SHOCK<br>BUSHING                         | Top & bottom eyering mount  | ADJ00191                         | \$3 ea                               | Two bushes per shock   | Rear  |  |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit 40mm Adjustable kit 45mm bore Adjustable kit 53mm Ralph | (F) Any coil<br>&<br>(R) BP-019  | \$1740<br>\$1900<br>\$2200<br>\$2200 | <u>Kit includes:</u><br>4 x shock absorbers  |       |  |
|  | Foam cell kit 40mm Adjustable kit 45mm bore Adjustable kit 53mm Ralph | (F) Any coil<br>&<br>(R) FS781   | \$1780<br>\$1940<br>\$2240<br>\$2240 | 2 x coil springs 2 x leaf springs 2 x ubolt kits  Please note: Shackle bushes have not bee included in the kit prices. |       |  |
|  | Foam cell kit 40mm Adjustable kit 45mm bore Adjustable kit 53mm Ralph | (F) Any coil<br>&<br>(R) FS781HM | \$1900<br>\$2060<br>\$2360<br>\$2360 | included in the kit prices Check which bush kit is requ  |       |  |

**TOYOTA:** Landcruiser - 79 Double Cab

1 of 1

2012 On VDJ79R-all Models

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

**TYPE** 

| SHOCK<br>ABSORBERS                      | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable | FC41050<br>BM401050<br>TDR1050B<br>BMX1050/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing   | OE & 50mm<br>OE &50mm<br>OE & 50mm<br>50mm only |
|---|--|--|--|---|---|
| COIL<br>SPRINGS                         |  | TDC950L<br>TDC950HL                          | \$120 ea                                     | Petrol/Diesel/Bar<br>Petrol/Diesel/Bar/Winch  | 40mmm lift<br>40mmm lift                        |
| STEERING<br>STABILIZERS                 |  | EXT5004<br>SS5004-P/S<br>SV5004              | \$120 ea<br>\$165 ea<br>\$200 ea             | Heavy Duty steering damper<br>RTC Steering stabilizer<br>Adjustable steering stabilizer   | 35mm Bore<br>Power Steer<br>35mm Bore           |
| URETHANE                                | Coil Spring Spacer   | TDUK-1961/30                                 | \$40 ea                                      | 30mm  | 78/79 Series                                    |
| OFFSET KING PINS FITS TO TOP OF KNUCKLE | 0.5 degree<br>0.75 degree<br>1.0 degree                            | TAK-8005<br>TAK-8075<br>TAK-8001             | \$280 ea                                     | 1 only required 1 only required 1 only required   | All models<br>All models<br>All models          |
| PANHARD RODS                            | RHD<br>LHD   | TDPR-015<br>TDPR-019                         | \$230 ea<br>\$250 ea                         | Fit only to vehicles with more than a strict only to vehicle only the strict only the strict only to vehicles with more than a strict only the |   |

#### Leaf Spring Rear Suspension

| Leaf Spring Re                           | ar Suspensio   | n                                |                                      |  |               |
|--|--|----------------------------------|--------------------------------------|--|---------------|
|  | 41mm Foam cell   | FC41377                          | \$160 ea                             | Twin tube / 60mm casing  | OE & 50mm     |
| SHOCK                                    | 40mm Adjustable  | BM401377                         | \$200 ea                             | Twin tube / 60mm casing  | OE &50mm      |
| ABSORBERS                                | 53mm Ralph   | TDR1377                          | \$275 ea                             | Twin tube / 70mm casing  | OE & 50mm     |
|  | 45mm Adjustable  | BMX1377/2                        | \$275 ea                             | Twin tube / 70mm casing  | 50mm only     |
| LEAF                                     |  | FS781                            | \$420 ea                             | Carries up to 300kg  | 50mm lift     |
| SPRINGS                                  |  | FS781HM                          | \$480 ea                             | Constant Load of 300kg to GMV  | 50mm lift     |
| URETHANE                                 | W/O.E shackles, pins or greasable shackles,pins                                | TDUK-048                         | \$85 kit                             | 1 kit required   |               |
| U BOLTS                                  | U Bolts must be tightened at<br>500km service                                  | TDUB-024                         | \$30 kit                             | 2 kits required  | All Models    |
| GREASABLE<br>PINS &                      | Shackles   | TDGS-387/18                      | \$110 kit                            | 1 kit required   | All models    |
| SHACKLES                                 | Pins   | TDGP-388                         | \$70 kit                             | 1 kit required   | All models    |
| REPLACEMENT<br>SHOCK BUSHING             | Top & bottom pin mount Top & bottom eyering mount                              | TW957<br>ADJ00191                | \$4 ea<br>\$3 ea                     | Four bushes per shock<br>Two bushes per shock  | Front<br>Rear |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>40mm Adjustable kit<br>45mm bore Adjustable kit<br>53mm Ralph | (F) Any coil<br>&<br>(R) FS781   | \$1865<br>\$2025<br>\$2325<br>\$2325 | Kit includes: 4 x shock absorbers 2 x coil springs 2 x leaf springs 2 x Ubolt kits 1 x shackle bush kits |               |
|  | Foam cell kit<br>40mm Adjustable kit<br>45mm bore Adjustable kit<br>53mm Ralph | (F) Any coil<br>&<br>(R) FS781HM | \$1985<br>\$2145<br>\$2445<br>\$2445 |  |               |

## **TOYOTA:** Landcruiser - 80 & 100 Series

1 of 2

1/90-07 80, 100 Series

**PRODUCT** 

PART No Rec Retail PRODUCT INFORMATION

TYPE

#### **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS                                  | 41mm Foam Cell         | FC41002      | \$160 ea            | Twin tube / 60mm casing              | 4- 50      |
|---|------------------------|--------------|---------------------|--------------------------------------|------------|
|   |                        |              | φ.σσ.σα             | 1 will tabe / dollill dasing         | up to 50mi |
| ABSURBERS   | 40mm Adjustable        | BM401002     | \$200 ea            | Twin tube / 60mm casing              | up to 50m  |
|   | 53mm Ralph             | TDR1002B     | \$275 ea            | Twin tube / 70mm casing              | up to 50m  |
|   | 45mm Adjustable        | BMX1002/2    | \$275 ea            | Twin tube / 70mm casing              | up to 50m  |
| 80 Series   | 411 / 0.5              | TDC943S      | \$120 ea            | Petrol/Alloy Bar                     | 25mm lift  |
| 3/90-8/91   | 1" / 25mm<br>Raised    | TDC948L      | ψ120 <del>c</del> a | •                                    | 25mm lift  |
| COIL<br>SPRINGS                                     | Coils                  | TDC948HL     |                     | Diesel/Steel or Alloy Bar            |            |
|   |                        | TDC946IIL    |                     | Petrol/Diesel/Bar/Winch              | 25mm lift  |
| Please Note:<br>Vehicles manufactured prior to 8/91 | 2" / 50mm              | TDC943       | \$120 ea            | Petrol/Diesel/Steel or Alloy Bar     | 50mm lift  |
| sat 30mm higher ex factory<br>compared to later     | Raised                 | TDC943H      | φ120 ea             | Petrol/Diesel/Bar/Winch              | 50mm lif   |
| models.   | Coils                  | 10094311     |                     | Petrol/Diesel/Bai/Willich            | 50mm III   |
|   | 1" / 25mm              | TDC948SL     | \$120 ea            | Petrol/Alloy Bar                     | 25mm lift  |
| COIL  | Raised                 | TDC948HSL    |                     | Petrol/Diesel/Bar/Winch              | 25mm lift  |
| SPRINGS   | Coils                  | TDC948L      |                     | Petrol/Diesel/Bar/Winch/Dual Battery | 25mm lift  |
| 80 Series   |                        | TDC943S      | \$120 ea            | Petrol/80 Series Only/no bar         | 50mm lift  |
| 9/91-98   | 2" / 50mm              | TDC948L      | ψ120 σα             | Petrol/Diesel/Bar                    | 50mm lift  |
| &<br><u>100 Series</u>                              | Raised                 | TDC948HL     |                     | Petrol/Diesel/Bar/Winch              | 50mm lift  |
| 3/98-07   | Coils                  | TDC943H      |                     | Diesel/Steel Bar/Winch/Dual Battery  | 50mm lift  |
|   |                        |              |                     |                                      |            |
| STEERING<br>DAMPERS &                               |                        | EXT5001      | \$120 ea            | Heavy Duty S/Damper                  | 35mm Bo    |
| STABILIZERS   |                        | SS5001-P/S   | \$165 ea            | RTC Steering Stabilizer              | Power ste  |
|   |                        | SV5001       | \$200 ea            | Adjustable Steering Stabilizer       | 35mm Bo    |
|   | Radius rod to chassis  | TDUK-044     | \$95 kit            | 1 kit required                       | All models |
|   | Radius rod to diff     | TDUK-050     | \$200 kit           | 1 kit required                       | All models |
| URETHANE  | Panhard rod bush kit   | TDUK-043     | \$50 kit            | 1 kit of each required               | All models |
|   | 2 deg. Castor bushes   | TDUK-054/2   | \$200 kit           | 1 kit required                       | 2 deg adj  |
|   | Spring Spacer - 20mm   | TDUK-1725/20 | \$35 ea             | Qty as required                      | All model  |
|   | Spring Spacer - 30mm   | TDUK-1725/30 | \$40 ea             | Qty as required                      | All model  |
| OFFSET  | 0.5 degree             | TAK-8005     | \$280 ea            | 1 only required                      | All model: |
| KING PINS   | 0.75 degree            | TAK-8075     | <del>+</del>        | 1 only required                      | All model  |
|   | 1.0 degree             | TAK-8001     |                     | 1 only required                      | All model  |
| FITS TO TOP OF KNUCKLE                              | 409.00                 |              |                     | ,                                    | , model    |
| REPLACEMENT   | Top & bottom pin mount | TW957        | \$4 ea              | Four bushes per shock                | Front      |
| SHOCK   | Top pin mount          | TW957        | \$4 ea              | Two bushes per shock                 | Rear       |
| BUSHING   | Bottom eyering mount   | 415024       | \$4 ea              | Two bushes per shock                 | Rear       |

2 of 2

1/90-07 80, 100 Series

**PRODUCT** 

Rec Retail

**RRP** 

PRODUCT INFORMATION

**TYPE** 

|  | ar Suspensio  |                                  |                                      |   |            |
|--|---|----------------------------------|--------------------------------------|---|------------|
|  | 41mm Foam cell  | FC41111                          | \$160 ea                             | Twin tube / 60mm casing   | up to 50mm |
| SHOCK  | 40mm Adjustable   | BM401111                         | \$200 ea                             | Twin tube / 60mm casing   | up to 50mm |
| ABSORBERS  | 53mm Ralph  | TDR1111                          | \$275 ea                             | Twin tube / 70mm casing   | up to 50mm |
|  | 45mm Adjustable   | BMX1111/2                        | \$275 ea                             | Twin tube / 70mm casing   | up to 50mm |
| 80 Series<br>3/90-8/91                                     | 1" / 25mm   | TDC945S                          | \$120 ea                             | Carries up to 300kg   | 25mm lift  |
| 3/90-6/91  | Raised  | TDC949L                          | \$120 ea                             | Constant load of 300kg to GVM                                   | 25mm lift  |
| COIL<br>SPRINGS  | Coils   | TDC949HL                         | \$150 ea                             | Constant Load of 500kg to GVM                                   | 25mm lift  |
| Please Note:<br>Vehicles manufactured prior to 8/91        | 2" / 50mm<br>Raised   | TDC945                           | \$150 ea                             | Carries up to 300kg   | 50mm lift  |
| sat 30mm higher ex factory<br>compared to later<br>models. | Coils   | TDC945H                          | \$160 ea                             | Constant Load of 300kg to GVM                                   | 50mm lift  |
|  | 4" / 05   | TDC949SL                         | \$120 ea                             | Carries up to 300kg   | 25mm lift  |
| COIL   | 1" / 25mm<br>Raised   | TDC949HSL                        |                                      | Constant Load of 300kg to GVM                                   | 25mm lift  |
| SPRINGS  | Coils   | TDC949L                          |                                      | Constant Load of 500kg to GVM                                   | 25mm lift  |
| 80 Series<br>9/91-98                                       |   | TDC945S                          | \$120 ea                             | Comfort spring: No load.  | 50mm lift  |
| %<br>&   | 2" / 50mm   | TDC949L                          | \$120 ea                             | Carries up to 300kg   | 50mm lift  |
| 100 Series   | Raised  | TDC949HL                         | \$150 ea                             | Constant Load of 300kg to GVM                                   | 50mm lift  |
| 3/98-07  | Coils   | TDC945H                          | \$160 ea                             | Constant Load of 500kg to GVM                                   | 50mm lift  |
|  |   | TDC949AV                         | \$160 ea                             | For Armoured Vehicles   | 50mm lift  |
|  | Panhard rod bush kit  | TDUK-047                         | \$50 kit                             | 1 kit required  | All models |
|  | Trailing arm bush kit   | TDUK-045                         | \$135 kit                            | 1 kit required  | Upper      |
| URETHANE   | Trailing arm bush kit   | TDUK-046                         | \$135 kit                            | 1 kit required  | Lower      |
|  | Spring Spacer - 15mm  | TDUK-1724/15                     | \$35 ea                              | Qty as required   | All models |
|  | Spring Spacer - 30mm  | TDUK-1724/30                     | \$40 ea                              | Qty as required   | All models |
|  | Foam cell kit<br>40mm Adjustable kit<br>45mm bore Adjustable kit<br>Ralph Kit | (F) Any coil<br>(R) \$120 coil   | \$1120<br>\$1280<br>\$1580<br>\$1580 |   |            |
| Complete<br>Suspension<br>Kit<br>Pricing                   | Foam cell kit<br>40mm Adjustable kit<br>45mm bore Adjustable kit<br>Ralph Kit | (F) Any coil<br>(R) \$150 coil   | \$1180<br>\$1340<br>\$1640<br>\$1640 | <u>Kit includes:</u><br>4 x shock absorbers<br>4 x coil springs |            |
|  | Foam cell kit<br>Adjustable kit<br>45mm bore Adjustable kit<br>Ralph Kit      | (F) Any coil<br>(R) \$160 coil   | \$1200<br>\$1360<br>\$1660<br>\$1660 |   |            |
|  | Foam cell kit<br>Adjustable kit<br>45mm bore Adjustable kit<br>Ralph Kit      | (F) \$160 coil<br>(R) \$160 coil | \$1280<br>\$1440<br>\$1740<br>\$1740 |   |            |

## **TOYOTA:** Landcruiser - 80 & 100 Series

1 of 4

1/90-07 3, 4, 5, 6" Lift

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

NOTE: Please refer to "Disclaimer" re 100, 125, 150mm lifts in the Companies "Terms, Conditions & Warranty Policy" in the front of this publication.

#### **Coil Spring Front Suspension**

| Please Note: When a constant load of   |                                       | FC41002              | \$160 ea  | 41mm Foam cell / 60mm casing           | 75mm lift   |
|--|---------------------------------------|----------------------|-----------|--|-------------|
| 500kg or more is carried, airbags that fit inside the coils should also be fitted. | SHOCK ABSORBERS                       | BM401002             | \$200 ea  | 40mm Adjustable / 60mm casing          | 75mm lift   |
|  |                                       | TDR1002B             | \$275 ea  | 53mm Ralph / 70mm casing               | 75mm lift   |
| 3"/75mm  |                                       | BMX1002/2            | \$275 ea  | 45mm Adjustable / 70mm casing          | 75mm lift   |
| Lift   |                                       |                      |           |  |             |
| LIIL   |                                       | TDC943               | \$120 ea  | Petrol no bar                          | 75 mm lif   |
|  | COIL SPRINGS                          | TDC948/3             | \$160 ea  | Diesel / Bar                           | 75mm lift   |
|  |                                       | TDC943H              | \$120 ea  | Petrol/Diesel/Bar/Winch                | 75 mm lift  |
|  |                                       | FC41002/4            | \$160 ea  | 41mm Foam cell / 60mm casing           | 100mm lii   |
| 4"/100mm   | SHOCK ABSORBERS                       | BMX1002/4            | \$275 ea  | 45mm Adjustable / 70mm casing          | 100mm li    |
| Lift   |                                       |                      |           |  |             |
|  | COIL SPRINGS                          | TDC948/4             | \$160 ea  | Petrol/Diesel/Bar                      | 100mm li    |
|  | COIL SPRINGS                          | TDC948/4H            |           | Petrol/Diesel/Bar/Winch                | 100mm li    |
| 5"/125mm   | SHOCK ABSORBERS                       | BMX1002/6            | \$275 ea  | 45mm Adjustable / 70mm casing          | 125mm lii   |
| Lift   |                                       | TDC948/5             | \$160 ea  | Petrol/Diesel/Bar                      | 125mm li    |
|  | COIL SPRINGS                          | TDC948/5H            |           | Petrol/Diesel/Bar/Winch                | 125mm li    |
| 6"/150mm   | SHOCK ABSORBERS                       | BMX1002/6            | \$275 ea  | 45mm Adjustable / 70mm casing          | 150mm li    |
| Lift   |                                       | TDC948/6             | \$160 ea  | Petrol/Diesel/Bar                      | 150mm li    |
|  | COIL SPRINGS                          | TDC948/6H            |           | Petrol/Diesel/Bar/Winch                | 150mm lit   |
|  |                                       | EXT5001              | \$120 ea  | Heavy Duty S/Damper                    | 35mm Bo     |
|  | 80/100 Series with 3 inch / 75mm lift | SS5001-P/S           | \$165 ea  | RTC Steering Stabilizer                | Power ste   |
|  |                                       | SV5001               | \$200 ea  | Adjustable Steering Stabilizer         | 35mm Bo     |
| STEERING   |                                       | SS5001-XHD           | \$300 ea  | RTC Steering Stabilizer                | 35mm boi    |
| STABILIZERS  | 80/100 Series with                    | SS5002-XHD           | ψοσο σα   | LHD-RTC Steering Stabilizer            | 35mm boi    |
|  | 4 inch / 100mm<br>and above lift      | SV5001/4             |           | Adjustable Steering Stabilizer         | 35mm Bo     |
|  | and above mit                         | SV5001/4<br>SV5002/4 |           | LHD-Adjustable Steering Stabilizer     | 35mm Bo     |
|  |                                       | 01000217             |           | Li 12-Aujustable oteetiilig StabillZel | 3311111 130 |
| CASTOR PLATES  | All Models                            | TDCP-006             | \$240 kit | 5 deg adjustment - 5" & Above lift     | All models  |
|  | Adjustable RHD                        | TDPR-006             | \$240 ea  | Adjustable                             | RHD mode    |
| PANHARD RODS   | Adjustable LHD                        | TDPR-001             | \$250 ea  | Rear Panhard is same as RHD            | LHD mod     |

## TOYOTA: Landcruiser - 80 & 100 Series 2 of 4

1/90-07

3, 4, 5, 6" lift

**PRODUCT** 

**PART No** 

RRP

PRODUCT INFORMATION

TYPE

NOTE: Please refer to "Disclaimer" re 100, 125, 150mm lifts in the Companies "Terms, Conditions & Warranty Policy" in the front of this publication.

#### **Coil Spring Front Suspension**

|                        | Radius rod to chassis | TDUK-044     | \$95 kit  | 1 kit required                   | All models |
|------------------------|-----------------------|--------------|-----------|----------------------------------|------------|
|                        | Radius rod to diff    | TDUK-050     | \$200 kit | 1 kit required                   | All models |
| UDETUANE               | Panhard rod bush kit  | TDUK-043     | \$50 kit  | 1 kit of each required           | All models |
| URETHANE               | 3 deg. Castor bushes  | TDUK-054/3   | \$260 kit | 1 kit required                   | 3 deg adj  |
|                        | Spring Spacer - 20mm  | TDUK-1725/20 | \$35 ea   | Qty as required                  | All models |
|                        | Spring Spacer - 30mm  | TDUK-1725/30 | \$40 ea   | Qty as required                  | All models |
| OFFSET                 |                       |              |           |                                  |            |
| KING PINS              | 0.5 degree            | TAK-8005     | \$280 ea  | 1 only required                  | All models |
| Kinto I into           | 0.75 degree           | TAK-8075     |           | 1 only required                  | All models |
| FITS TO TOP OF KNUCKLE | 1.0 degree            | TAK-8001     |           | 1 only required                  | All models |
|                        |                       |              |           |                                  |            |
|                        | 80 & 100              | TDBH-003     | \$120 kit | Rubber- 2 Hoses in vehicle kit   | Non ABS    |
|                        | Series                | TDBH-197     | \$250 kit | Braided - 2 Hoses in vehicle kit | Non ABS    |
| BRAKE                  |                       |              |           |                                  |            |
| HOSES                  |                       | TDBH-300     | \$185 kit | Rubber- 3 Hoses in vehicle kit   | with ABS   |
|                        | 80 Series             | TDBH-200     | \$350 kit | Braided - 3 Hoses in vehicle kit | with ABS   |
|                        |                       |              |           |                                  |            |
|                        |                       | TDBH-398     | \$165 kit | Rubber- 3 hoses in vehicle kit   | with ABS   |
|                        | 100 Series            | TDBH-198     | \$330 kit | Braided-3 hoses in vehicle kit   | with ABS   |

| Please Note: When a constant load of   |                 | FC41111   | \$160 ea | 41mm Foam cell / 60mm casing  | 75mm lift  |
|--|-----------------|-----------|----------|-------------------------------|------------|
| 500kg or more is carried, airbags that fit inside the coils should also be fitted. | SHOCK ABSORBERS | BM401111  | \$200 ea | 40mm Adjustable / 60mm casing | 75mm lift  |
| _  | ONOOK ADOOKDERO | TDR1111   | \$275 ea | 53mm Ralph / 70mm casing      | 75mm lift  |
| 3"/75mm  |                 | BMX1111/2 | \$275 ea | 45mm Adjustable / 70mm casing | 75mm lift  |
| Lift   |                 |           |          |                               |            |
|  |                 | TDC949/3  | \$160    | Carries up to 300kg           | 75 mm lift |
|  | COIL SPRINGS    | TDC945    |          | Constant Load of 300kg to GVM | 75 mm lift |
|  |                 | TDC945H   |          | Constant load of 500kg to GVM | 75mm lift  |
|  |                 |           |          |                               |            |
|  | SHOCK ABSORBERS | FC41111/4 | \$160 ea | 41mm Foam cell / 60mm casing  | 100mm lift |
| 4"/100mm   |                 | BMX1111/4 | \$275 ea | 45mm Adjustable / 70mm casing | 100mm lift |
| Lift   |                 | TDC949/4  | \$160    | Carries up to 300kg           | 100mm lift |
|  | COIL SPRINGS    | TDC949/4H |          | Constant Load of 300kg to GVM | 100mm lift |
|  | SHOCK ABSORBERS | BMX1111/6 | \$275 ea | 45mm Adjustable / 70mm casing | 125mm lift |
| 5"/125mm<br>Lift   | COIL SPRINGS    | TDC949/5  | \$160    | Carries up to 300kg           | 125mm lift |
| LIIL   | COIL SPRINGS    | TDC949/5H |          | Constant Load of 300kg to GVM | 125mm lift |
|  |                 |           |          |                               |            |

### **TOYOTA:** Landcruiser - 80 & 100 Series

3 of 4

1/90-07

3, 4, 5, 6" Lift

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

NOTE: Please refer to "Disclaimer" re 100, 125, 150mm lifts in the Companies "Terms, Conditions & Warranty Policy" in the front of this publication.

#### **Coil Spring Rear Suspension**

| 6"/450mm                                   | SHOCK ABSORBERS  | BMX1111/6  | \$275 ea   | 45mm Adjustable / 70mm casing  | 125mm lift                                   |
|--|--|--|--|--|--|
| 6"/150mm<br>Lift                           | COIL SPRINGS   | TDC949/6<br>TDC949/6H  | \$160  | Carries up to 300kg Constant Load of 300kg to GVM  | 150mm lift<br>150mm lift                     |
| URETHANE<br>PRODUCTS<br>PANHARD            | Panhard rod bush kit Trailing arm bush kit Trailing arm bush kit Spring Spacer - 15mm Spring Spacer - 30mm  All models | TDUK-047<br>TDUK-045<br>TDUK-046<br>TDUK-1724/15<br>TDUK-1724/30 | \$50 kit<br>\$135 kit<br>\$135 kit<br>\$35 ea<br>\$40 ea | 1 kit required 1 kit required 1 kit required Qty as required Qty as required Adjustable                  | All models Upper Lower All models All models |
| RODS                                       |  |  | ,  |  |  |
| These parts required for 3" lift kit       | Shock Absorbers Coil Springs Panhard Rods Castor Bushes Brake Hose kit Steering Stabilizer                             | 4<br>4<br>2<br>1<br>1  |  | 41mm bore foam cell or 45mm Adjust<br>Front & rear<br>2 degree<br>Rubber or Braided<br>RTC or Adjustable | able   |
| These parts<br>required for<br>4" lift kit | Shock Absorbers Coil Springs Panhard Rods Castor Bushes Brake Hose kit Steering Stabilizer                             | 4<br>4<br>2<br>1<br>1  |  | 41mm bore foam cell or 45mm Adjust<br>Front & rear<br>3 degree<br>Rubber or Braided<br>RTC or Adjustable | able   |
| These parts required for 5" lift kit       | Shock Absorbers Coil Springs Panhard Rods Castor Plates Brake Hose kit Steering Stabilizer                             | 4<br>4<br>2<br>1<br>1  |  | 45mm Adjustable Front & rear 5 degree Rubber or Braided RTC or Adjustable                                |  |
| These parts required for 6" lift kit       | Shock Absorbers Coil Springs Panhard Rods Castor Plates Brake Hose kit Steering Stabilizer                             | 4<br>4<br>2<br>1<br>1  |  | 45mm Adjustable Front & rear 5 degree Rubber or Braided RTC or Adjustable                                |  |

<u>Please Note:</u> 100, 125, 150mm (4", 5", 6") springs are intended for offroad use ONLY. If the vehicle is intended to be driven on road, certification by a certified engineer is required.

**TOYOTA:** Landcruiser - 80 & 100 Series

| 1/90-07<br>3, 4, 5, 6" Lift                  | PRODUCT  | PART No  | RRP                                  | PRODUCT<br>INFORMATION  | ТҮРЕ            |
|--|--|--|--------------------------------------|---|-----------------|
| REPLACEMENT                                  | Top & bottom pin mount   | TW957  | \$4 ea                               | Four bushes per shock   | Front           |
| SHOCK<br>BUSHING                             | Top pin mount<br>Bottom Eyering mount                                      | TW957<br>ADJ00191                                  | \$4 ea<br>\$3 ea                     | Two bushes per shock One bonded bush per shock  | Rear<br>Rear    |
| 40mm 45mm bot 53r Foa 40mm 45mm bot 45mm bot | Foam cell kit<br>40mm Adjustable<br>45mm bore Adjustable kit<br>53mm Ralph | (F)\$120 coils<br>(R)\$160 coils<br><b>3" lift</b> | \$1990<br>\$2150<br>\$2450<br>\$2450 | <u>Kit includes:</u><br>4 x shock absork<br>4 x coils spring<br>2 x panhard ro                              | gs              |
|  | Foam cell kit 40mm Adjustable 45mm bore Adjustable kit 53mm Ralph          | (F)\$160 coils<br>(R)\$160 coils<br><b>3" lift</b> | \$2070<br>\$2230<br>\$2530<br>\$2530 | 1 x castor bush<br>1 x brake hose   | kit             |
| Kit<br>Pricing                               | Foam cell kit 45mm bore Adjustable kit                                     | Any coil  4" lift                                  | \$2130<br>\$2590                     | Kit includes: 4 x shock absorbe 4 x coils springs 2 x panhard rods 1 x castor bush ki 1 x brake hose ki     | gs<br>ds<br>kit |
|  | 45mm bore Adjustable kit   | Any coil 5 & 6" lift                               | \$2570                               | Kit includes: 4 x shock absorbers 4 x coils springs 2 x panhard rods 1 x castor platekit 1 x brake hose kit |                 |

#### **TOYOTA:** Landcruiser - 100 Series with IFS

1 of 2

10/00: OnHDJ Turbo 3/98 On: VZJ V8

PRODUCT

PART No

RRP

PRODUCT INFORMATION

TYPE

#### **Torsion Bar Front Suspension**

|                    | •  |  |                        |   |            |
|--------------------|--|--|------------------------|---|------------|
| SHOCK<br>ABSORBERS | 41mm Foam cell<br>53mm Ralph                     | FC41103<br>TDR1103                     | \$160 ea<br>\$275 ea   | Twin tube / 60mm casing Twin tube / 70mm casing           | All<br>All |
| TORSION<br>BARS    | A minimum droop of<br>60mm must be<br>maintained | 4WTB-1600<br>4WTB-1610<br>4WTB-1610BKT | \$380 pair<br>\$50 kit | 1160mm / 32mm (Petrol) 1210mm / 32mm (Diesel) Bracket Kit |            |

Remember to adjust Torsion Bars after fitting Shocks

Wheel rim to guard measurement. (bottom of rim to wheel arch)
16" rim=740mm,
17" rim=753mm

Torsion Bars must only be adjusted so the rim to guard measurement is no more than the measurements stated above. Any deviation may promote failure of front end components. It should also be noted that this vehicle does not come equipped with upper bump stops

#### **Coil Spring Rear Suspension**

| SHOCK<br>ABSORBERS | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable | FC41114<br>BM401114<br>TDR1114<br>BMX11114/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing | OE & 25mm OE &25mm OE & 25mm OE & 25mm |
|--------------------|--|--|--|---|--|
| COIL<br>SPRINGS    |  | TDC949HSL<br>TDC949L<br>TDC949HL             | \$120 ea<br>\$120 ea<br>\$150 ea             | Carries up to 300kg Carries up to 300kg  Constant Load of 300kg to GVM                          | OE Height<br>25mm lift<br>25mm lift    |

25mm raised coils only are recommended for this vehicle. 45-50mm raised coils will give the vehiclea "tail up" attitude. It is not recommended that the front Torsion Bars be wound up to compensate for this "tail up" attitude due to the length of the fronts shocks. When a heavy load is carried, it is recommended that Air Bags, that fit inside the rear coils, be fitted.

|              | Trailing area hugh kit                      | TDUK 045             | <b>#</b> 405 Lit |                 |            |
|--------------|---|----------------------|------------------|-----------------|------------|
| URETHANE     | Trailing arm bush kit Trailing arm bush kit | TDUK-045<br>TDUK-046 | \$135 kit        | 1 kit required  | Upper      |
| PRODUCTS     | ĭ   |                      | \$135 kit        | 1 kit required  | Lower      |
| 1 11323313   | Spring Spacer - 15mm                        |                      |                  | Qty as required | All models |
|              | Spring Spacer - 30mm                        | TDUK-1724/30         | \$30 ea          | Qty as required | All models |
| PANHARD RODS | Adjustable                                  | TDPR-003             | \$230 ea         | Adjustable      | All models |

**TOYOTA:** Landcruiser - 100 Series with IFS

| 10/00: OnHDJ Turbo<br>3/98 On: VZJ V8 | PRODUCT  | PART No                      | RRP                                 | PRODUCT<br>INFORMATION  | TYPE                 |
|---------------------------------------|--|------------------------------|-------------------------------------|---|----------------------|
| REPLACEMENT<br>SHOCK<br>BUSHING       | Top pin mount Bottom eyering mount   | 404454B<br>ADJ00300/40       | \$4 ea<br>\$6 ea                    | Two bushes per shock One bush per shock(TDR1103 only)         | Front<br>Front       |
|                                       | Top Pin mount-Outer Top Pin mount-Inner Bottom eyering mount                       | 404454B<br>404454A<br>415024 | \$4 ea<br>\$4 ea<br>\$4 ea          | One bush per shock One bush per shock One bush per shock      | Rear<br>Rear<br>Rear |
| Complete<br>Suspension                | Foam cell kit<br>Foam cell/Adjustable kit<br>45mm bore Adjustable kit<br>Ralph Kit | \$120 coil<br>(F) Ralph      | \$930<br>\$1010<br>\$1390<br>\$1390 | <u>Kit includes:</u><br>4 x shock absorbe<br>2 x coil springs | rs                   |
| Kit<br>Pricing                        | Foam cell kit Foam cell/Adjustable kit 45mm bore Adjustable kit Ralph Kit          | \$150 coil<br>(F) Ralph      | \$990<br>\$1070<br>\$1450<br>\$1450 | 1 x torsion bar brack   | et kit               |

## **TOYOTA:** Landcruiser - 200 Series

1 of 2

11/07 On **UZJ200,VDJ200** 

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

#### **Coil Spring Front Suspension**

| SHOCK<br>ABSORBERS                        | 41mm Foam cell                        | FC404900                      | \$200 ea                         | Twin tube / 60mm casing / strut                      | All           |
|---|---------------------------------------|-------------------------------|----------------------------------|--|---------------|
| ABSURBERS                                 | 40mm Adjustable strut                 | BM404900                      | \$300 ea                         | Twin tube / 60mm casing / strut                      | All           |
|   |                                       | TDC930SL                      | \$120 ea                         | Petrol/Diesel/Bar                                    | OEM Height    |
| COIL                                      | All Models exc                        | TDC930L                       | \$120 ea                         | Petrol/Diesel/Bar                                    | 40mm lift     |
| SPRINGS                                   | Sahara                                | TDC930HL                      |                                  | Petrol/Diesel/Bar/Winch                              | 40mm lift     |
|   |                                       |                               |                                  |  |               |
| TDC930 coil to be used with 40mm bore     |                                       | TDC930L                       | \$120 ea                         | Petrol/Diesel/Bar                                    | OE Height     |
| Foam cell & Adjustable                    | Sahara                                | TDC930HL                      | \$120 ea                         | Petrol/Diesel/Bar                                    | 40mm lift     |
| shock                                     |                                       | TDC930HL                      |                                  | Petrol/Diesel/Bar/Winch                              | 40mm lift     |
|   |                                       | TOY-200/4                     | \$400 ea                         | Petrol/Diesel/Bar                                    | 40mm lift     |
|   |                                       | FC404900<br>TDC930L           |                                  | 40mm Foam cell shock                                 |               |
|   | 41mm Bore<br>Foam Cell shocks         | TOY-1020                      |                                  | Coil Spring<br>Strut Top                             |               |
|   | used in this assem-<br>bly            | TOY-200/5                     | \$400 ea                         | Petrol/Diesel/Bar/Dual Battery                       | 40mm lift     |
|   | Bly                                   | FC404900                      | ψ <del>4</del> 00 <del>C</del> a | 40mm Foam cell shock                                 | 40111111 1111 |
|   |                                       | TDC930HL<br>TOY-1020          |                                  | Coil Spring<br>Strut Top                             |               |
| COMPLETE<br>STRUT                         |                                       |                               |                                  | Strut 10p  |               |
| Assembly                                  |                                       | <b>TOY-200/1</b><br>BM404900  | \$500 ea                         | Petrol/Diesel/Bar<br>40mm Adjustable shock           | 40mm lift     |
|   | 40mm Bore                             | TDC930L                       |                                  | Coil Spring  |               |
|   | 9 Stage<br>Adjustable shocks          | TOY-1020                      |                                  | Strut Top  |               |
|   | used in this assem-                   | TOY-200/2                     | \$500 ea                         | Petrol/Diesel/Bar/Dual Battery                       | 40mm lift     |
|   | bly                                   | BM404900<br>TDC930HL          |                                  | 40mm Adjustable shock Coil Spring                    |               |
|   |                                       | TOY-1020                      |                                  | Strut Top  |               |
| SHOCK                                     |                                       |                               |                                  |  |               |
| ABSORBERS                                 | 45mm Adjustable strut                 | BMX454900                     | \$350 ea                         | Twin tube / 70mm casing                              | All           |
|   | All Models exc                        | TDC932L                       | \$120 ea                         | Petrol/Diesel/Bar                                    | OE Height     |
| COIL                                      | Sahara                                | TDC932HL                      | ψ120 Cα                          | Petrol/Diesel/Bar/Winch                              | 40mm lift     |
| SPRINGS                                   |                                       |                               |                                  |  |               |
| TDC022 acil to be word will               |                                       | TDC932L                       | \$120 ea                         | Petrol/Diesel/Bar                                    | OE Height     |
| TDC932 coil to be used with 45mm bore BMX | Sahara                                | TDC932HL                      | \$120 ea                         | Petrol/Diesel/Bar                                    | 40mm lift     |
| Adjustable shock                          |                                       | TDC932HL                      | \$120 ea                         | Petrol/Diesel/Bar/Winch                              | 40mm lift     |
|   |                                       | TOY-200/7                     | \$550 ea                         | Petrol/Diesel/Bar                                    | 40mm lift     |
|   |                                       | BMX454900                     |                                  | 45mm Adjustable shock                                |               |
| COMPLETE                                  | 45mm Bore<br>9 Stage                  | TDC932L<br>TOY-1020           |                                  | Coil Spring<br>Strut Top                             |               |
| STRUT                                     | Adjustable shocks used in this assem- |                               | 0                                | <u> </u>   |               |
| Assembly                                  | bly                                   | <b>TOY-200/8</b><br>BMX454900 | \$550 ea                         | Petrol/Diesel/Bar/Dual Battery 45mm Adjustable shock | 40mm lift     |
|   |                                       | TDC932HL                      |                                  | Coil Spring  |               |
|   |                                       | TOY-1020                      |                                  | Strut Top  |               |
| STRUT TOP                                 | Strut top only                        | TOY-1020                      | \$80 ea                          | 1 only required per side                             |               |
|   |                                       |                               |                                  |  |               |
|   | I                                     |                               |                                  | <u> </u>   |               |

## **TOYOTA:** Landcruiser - 200 Series

2 of 2

11/07 On UZJ200,VDJ200

**PRODUCT** 

PART No

RRP

PRODUCT INFORMATION

TYPE

#### **Coil Spring Rear Suspension**

| SHOCK<br>ABSORBERS | 41mm Foam cell<br>40mm Adjustable<br>53mm Ralph<br>45mm Adjustable | FC41114<br>BM401114<br>TDR1114<br>BMX1114/2 | \$160 ea<br>\$200 ea<br>\$275 ea<br>\$275 ea | Twin tube / 60mm casing Twin tube / 60mm casing Twin tube / 70mm casing Twin tube / 70mm casing | Rear-20mm<br>Rear-20mm<br>Rear -20mm<br>Rear-20mm |
|--------------------|--|---|--|---|---|
| COIL<br>SPRINGS    | All models   | TDC931L<br>TDC931HL<br>TDC931VHL            | \$120 ea<br>\$150 ea<br>\$160 ea             | Carries up to 300kg  Constant Load of 300kg to GVM  Constant Load of 500kg to GVM               | 20mm lift<br>20mm lift<br>20mm lift               |
| PANHARD<br>ROD     | Adjustable   | TDPR-200                                    | \$230 ea                                     | All Models  |   |

#### **PLEASE NOTE:**

Due to the front to rear rake of this vehicle, the rear can <u>ONLY</u> be lifted 20mm.

The front will come up 40mm to level the vehicle out.

| REPLACEMENT<br>SHOCK<br>BUSHING | Bottom eyering mount Top Pin mount-Outer Top Pin mount-Inner Bottom eyering mount | 60004<br>404454B<br>404454A<br>415024 | \$10 ea<br>\$4 ea<br>\$4 ea<br>\$4 ea | One bush per shock One bush per shock One bush per shock One bush per shock                          | Front<br>Rear<br>Rear<br>Rear |
|---------------------------------|---|---------------------------------------|---------------------------------------|--|-------------------------------|
|                                 | Foam cell kit Adjustable kit 45mm bore Adjustable kit (F)45mm/(R)Ralph Kit        | (R)\$120 coil                         | \$1200<br>\$1400<br>\$1730<br>\$1730  | Front struts Require Assembly  Kit includes: 2 x Front Struts 2 x rear shock absorb 4 x coil springs |                               |
|                                 | Foam cell kit Adjustable kit 45mm bore Adjustable kit (F)45mm/(R)Ralph Kit        | (R)\$150 coil                         | \$1260<br>\$1460<br>\$1790<br>\$1790  |  | bers                          |
| Complete<br>Suspension          | Foam cell kit Adjustable kit 45mm bore Adjustable kit (F)45mm/(R)Ralph Kit        | (R)\$160 coil                         | \$1280<br>\$1480<br>\$1810<br>\$1810  |  |                               |
| Kit<br>Pricing                  | Foam cell kit Adjustable kit 45mm bore Adjustable kit (F)45mm/(R)Ralph Kit        | (R)\$120 coil                         | \$1360<br>\$1560<br>\$1890<br>\$1890  | Front struts Assem<br>and<br>ready to fit  | nbled                         |
|                                 | Foam cell kit Adjustable kit 45mm bore Adjustable kit (F)45mm/(R)Ralph Kit        | (R)\$150 coil                         | \$1420<br>\$1620<br>\$1950<br>\$1950  | <u>Kit includes:</u><br>2 x Assembled Front S<br>2 x rear shock absor<br>2 x rear coil sprin         | bers                          |
|                                 | Foam cell kit Adjustable kit 45mm bore Adjustable kit (F)45mm/(R)Ralph Kit        | (R)\$160 coil                         | \$1440<br>\$1640<br>\$1970<br>\$1970  | 2 x rear coil springs  |                               |

**TOYOTA:** Prado -95 Series LWB

| 7/96-03: RZJ, VZJ95<br>3/00-03: KZJ95 | PRODUCT                               | PART No  | RRP                  | PRODUCT<br>INFORMATION  | ТҮРЕ                                |
|---------------------------------------|---------------------------------------|--|----------------------|---|-------------------------------------|
| SHOCK ABSORBERS                       | 41mm Foam cell                        | FC404100   | \$200 ea             | Twin tube / 60mm casing / strut   | All                                 |
| 41mm Bore<br>Foam Cell                | FC404100<br>can be used for           | TOY-095/3<br>FC404100<br>TDC971<br>TOY-1081      | \$390 ea             | Petrol/Diesel/Bar 40mm Foam cell shock Coil Spring Strut Top                        | 40mm lift                           |
| COMPLETE<br>STRUT<br>Assembly         | OE & Raised applications              | TOY-095/4<br>FC404100<br>TDC971H<br>TOY-1081     | \$390 ea             | Petrol/Diesel/Bar/Dual Battery 40mm Foam cell shock Coil Spring Strut Top           | 40mm lift                           |
| SHOCK ABSORBERS                       | 40mm Adjustable                       | BM404100   | \$300 ea             | Twin tube / 60mm casing / strut   | All                                 |
| 40mm Bore<br>9 Stage                  | BM404100<br>can be used for           | TOY-095/1<br>BM404100<br>TDC971<br>TOY-1081      | \$490 ea             | Petrol/Diesel/Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top              | 40mm lift                           |
| COMPLETE<br>STRUT<br>Assembly         | OE & Raised applications              | TOY-095/2<br>BM404100<br>TDC971H<br>TOY-1081     | \$490 ea             | Petrol/Diesel/Bar/Dual Battery<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 40mm lift                           |
| COIL<br>SPRINGS                       | 25mm Lift<br>40mm Lift<br>40mm Lift   | TDC971S<br>TDC971<br>TDC971H                     | \$120 ea<br>\$120 ea | Petrol/Diesel<br>Petrol/Diesel/Bar<br>All models / Bar/Winch                        | 25mm lift<br>40mm lift<br>40mm lift |
| STRUT TOP                             | Strut top only                        | TOY-1081   | \$70 ea              | 1 only required per side  |                                     |
| Coil Spring Rea                       | ır Suspensio                          | n  |                      |   | •                                   |
| SHOCK                                 | 41mm Foam cell<br>40mm Adjustable     | FC41108<br>BM401108                              | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing                                     | OE Height<br>OE Height              |
| ABSORBERS                             | 41mm Foam cell<br>40mm Adjustable     | FC41113<br>BM401113                              | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing                                     | Front-40mm<br>Front -40mm           |
| COIL<br>SPRINGS                       | 25mm Lift<br>40mm Lift<br>40mm Lift   | TDC973S<br>TDC973<br>TDC973H                     | \$120 ea<br>\$120 ea | Carries up to 300kg Carries up to 300kg Constant Load of 300kg to GVM               | 25mm lift<br>40mm lift<br>40mm lift |
| REPLACEMENT<br>SHOCK                  | Top pin mount<br>Bottom Pin mount     | TOY-1081<br>ADJ00300/40                          | \$70 ea<br>\$6 ea    | A new strut top needs to<br>chased when replacing w<br>bushes                       |                                     |
| BUSHING                               | Top Pin mount<br>Bottom Eyering mount | TW959<br>ADJ00191                                | \$2.50 ea<br>\$3 ea  | Two bushes per shock One bonded bush per shock                                      | Rear<br>Rear                        |
| Complete<br>Suspension                | Foam cell kit<br>40mm Adjustable kit  | Front struts<br>require<br>assembly              | \$1200<br>\$1480     | <u>Kit includes:</u><br>2 x struts (F)+ 2 xshock ab<br>4 x coil springs             | sorbers(R)                          |
| Kit<br>Pricing                        | Foam cell kit<br>40mm Adjustable kit  | Front struts<br>Assembled<br>and<br>ready to fit | \$1340<br>\$1620     | Kit includes: 2 x assembled strut 2 x shock absorbers 2 x coil springs              |                                     |

**TOYOTA:** Prado- 120 Series LWB

1 of 1

2/03 On: RZJ, GRJ120

2/03 On: KZJ120 PRODUCT PART No RRP PRODUCT TYPE

#### **Coil Spring Front Suspension**

| SHOCK ABSORBERS                    | 41mm Foam cell   | FC404400                                     | \$200 ea | Twin tube / 60mm casing / strut   | All                    |
|------------------------------------|--|--|----------|---|------------------------|
| 41mm Bore<br>Foam Cell<br>COMPLETE | FC404400<br>can be used for<br>OE & Raised<br>applications | TOY-120/3<br>FC404400<br>TDC974<br>TOY-1084  | \$390 ea | Petrol/Diesel/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top               | 40mm lift              |
| STRUT<br>Assembly                  |  | TOY-120/4<br>FC404400<br>TDC974H<br>TOY-1084 | \$390 ea | Petrol/Diesel/Bar/Dual Battery<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top  | 40mm lift              |
| SHOCK ABSORBERS                    | 40mm Adjustable  | BM404400                                     | \$300 ea | Twin tube / 60mm casing / strut   | All                    |
| 40mm Bore<br>9 Stage<br>Adjustable | BM404400<br>can be used for                                | TOY-120/1<br>BM404400<br>TDC974<br>TOY-1084  | \$490 ea | Petrol/Diesel/Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top              | 40mm lift              |
| COMPLETE<br>STRUT<br>Assembly      | OE & Raised applications                                   | TOY-120/2<br>BM404400<br>TDC974H<br>TOY-1084 | \$490 ea | Petrol/Diesel/Bar/Dual Battery<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top | 40mm lift              |
| COIL<br>SPRINGS                    |  | TDC974<br>TDC974H                            | \$120 ea | Petrol/Diesel/Bar<br>All models/Bar/Winch   | 40mm lift<br>40mm lift |
| STRUT TOP                          | Strut top only   | TOY-1084                                     | \$70 ea  | 1 only required per side  |                        |

| oon opinig nee         | ar Guoponoio                          | · ·  |                  |   |                        |
|------------------------|---------------------------------------|--|------------------|---|------------------------|
| SHOCK                  | 41mm Foam cell                        | FC41116  | \$160 ea         | Twin tube / 60mm casing   | OE & 40mm              |
| ABSORBERS              | 40mm Adjustable                       | BM401116   | \$200 ea         | Twin tube / 60mm casing   | OE & 40mm              |
| COIL<br>SPRINGS        |                                       | TDC975<br>TDC975H                                | \$120 ea         | Carries up to 300kg  Constant Load of 300kg to GVM                                | 40mm lift<br>40mm lift |
| REPLACEMENT            | Top Pin mount                         | TOY-1084   | \$70 ea          | A new strut top needs to<br>chased when replacing wo<br>bushes                    |                        |
| SHOCK                  | Bottom eyring mount                   | ADJ00300/40                                      | \$6 ea           | One bush per shock  | Front                  |
| BUSHING                | Top Pin mount<br>Bottom Eyering mount | TW967<br>415024                                  | \$3 ea<br>\$4 ea | Two bushes per shock One bonded bush per shock                                    | Rear<br>Rear           |
| Complete<br>Suspension | Foam cell kit<br>40mm Adjustable kit  | Front struts<br>require<br>assembly              | \$1200<br>\$1480 | <u>Kit includes:</u><br>2 x struts (F)<br>2 x shock absorbers<br>4 x coil springs | (R)                    |
| Kit<br>Pricing         | Foam cell kit<br>40mm Adjustable kit  | Front struts<br>Assembled<br>and<br>ready to fit | \$1340<br>\$1620 | Kit includes: 2 x assembled struts (F) 2 x shock absorbers (R) 2 x coil springs   |                        |

#### **TOYOTA:** Prado- 120 Series SWB

1 of 1

2/03 On: RZJ, GRJ120

PRODUCT INFORMATION PART No 2/03 On: KZJ120 **PRODUCT** TYPE RRP

#### **Coil Spring Front Suspension**

| SHOCK ABSORBERS                    | 41mm Foam cell   | FC404400                                     | \$200 ea | Twin tube / 60mm casing / strut  | All                    |
|------------------------------------|--|--|----------|--|------------------------|
| 41mm Bore<br>Foam Cell             | FC404400<br>can be used for<br>OE & Raised<br>applications | TOY-120/3<br>FC404400<br>TDC974<br>TOY-1084  | \$390 ea | Petrol/Diesel/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top      | 40mm lift              |
| COMPLETE<br>STRUT<br>Assembly      |  | TOY-120/4<br>FC404400<br>TDC974H<br>TOY-1084 | \$390 ea | Petrol/Diesel/Bar/Dual Battery 40mm Foam cell shock Coil Spring Strut Top  | 40mm lift              |
| SHOCK ABSORBERS                    | 40mm Adjustable  | BM404400                                     | \$300 ea | Twin tube / 60mm casing / strut  | All                    |
| 40mm Bore<br>9 Stage<br>Adjustable | BM404400<br>can be used for                                | TOY-120/1<br>BM404400<br>TDC974<br>TOY-1084  | \$490 ea | Petrol/Diesel/Bar 40mm Adjustable shock Coil Spring Strut Top              | 40mm lift              |
| COMPLETE<br>STRUT<br>Assembly      | OE & Raised<br>applications                                | TOY-120/2<br>BM404400<br>TDC974H<br>TOY-1084 | \$490 ea | Petrol/Diesel/Bar/Dual Battery 40mm Adjustable shock Coil Spring Strut Top | 40mm lift              |
| COIL<br>SPRINGS                    |  | TDC974<br>TDC974H                            | \$120 ea | Petrol/Diesel/Bar<br>All models/Bar/Winch                                  | 40mm lift<br>40mm lift |
| STRUT TOP                          | Strut top only   | TOY-1084                                     | \$70 ea  | 1 only required per side   |                        |

|   | -  |                                     |   |   |                        |
|---|--|-------------------------------------|---|---|------------------------|
| SHOCK   | 41mm Foam cell                                   | FC41116                             | \$160 ea  | Twin tube / 60mm casing   | All                    |
| ABSORBERS                                     | 40mm Adjustable                                  | BM401116                            | \$200 ea  | Twin tube / 60mm casing   | All                    |
| COIL<br>SPRINGS                               |  | TDC975S<br>TDC975                   | \$120 ea  | Carries up to 300kg Constant load of300kg   | 40mm lift<br>40mm lift |
|   | Top Pin mount                                    | TOY-1084                            | \$70 ea   | A new strut top needs to chased when replacing wo                                 |                        |
| REPLACEMENT<br>SHOCK                          | Bottom eyring mount                              | ADJ00300/40                         | \$6 ea  | bushes<br>One bush per shock  | Front                  |
| BUSHING                                       | Top Pin mount<br>Bottom Eyering mount            | TW967<br>415024                     | \$3 ea<br>\$4 ea  | Two bushes per shock<br>One bonded bush per shock                                 | Rear<br>Rear           |
| Complete<br>Suspension                        | Foam cell kit<br>40mm Adjustable kit             | Front struts<br>require<br>assembly | \$1200<br>\$1480  | <u>Kit includes:</u><br>2 x struts (F)<br>2 x shock absorbers<br>4 x coil springs | (R)                    |
| Kit Pricing Foam cell kit 40mm Adjustable kit | Front struts<br>Assembled<br>and<br>ready to fit | \$1340<br>\$1620                    | <u>Kit includes:</u><br>2 x assembled struts (F)<br>2 x shock absorbers (R)<br>2 x coil springs |   |                        |

**TOYOTA:** Prado-150 Series LWB

1 of 1

2010 On 150 Series GX,GXL

**PRODUCT** 

**PART No** 

**RRP** 

PRODUCT INFORMATION

TYPE

#### **Coil Spring Front Suspension**

Please go to NOTES: page 151 for proceedure on vehicles fitted with KDSS

| Coil Spring Front Suspension       |                             |   | on vehicles fitted with KDSS |  |                        |
|------------------------------------|-----------------------------|---|------------------------------|--|------------------------|
| SHOCK ABSORBERS                    | 41mm Foam cell              | FC404400                                      | \$200 ea                     | Twin tube / 60mm casing / strut  | All                    |
| 41mm Bore<br>Foam Cell             | FC404400<br>can be used for | TOY-120/4<br>FC404400<br>TDC974H<br>TOY-1084  | \$390 ea                     | Petrol/Diesel/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top      | 40mm lift              |
| COMPLETE<br>STRUT<br>Assembly      | OE & Raised applications    | TOY-120/6<br>FC404400<br>TDC974HH<br>TOY-1084 | \$390 ea                     | Petrol/Diesel/Bar/Dual Battery 40mm Foam cell shock Coil Spring Strut Top  | 40mm lift              |
| SHOCK ABSORBERS                    | 40mm Adjustable             | BM404400                                      | \$300 ea                     | Twin tube / 60mm casing / strut  | All                    |
| 40mm Bore<br>9 Stage<br>Adjustable | BM404400<br>can be used for | TOY-120/2<br>BM404400<br>TDC974H<br>TOY-1084  | \$490 ea                     | Petrol/Diesel/Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top     | 40mm lift              |
| COMPLETE<br>STRUT<br>Assembly      | OE & Raised<br>applications | TOY-120/5<br>BM404400<br>TDC974HH<br>TOY-1084 | \$490 ea                     | Petrol/Diesel/Bar/Dual Battery 40mm Adjustable shock Coil Spring Strut Top | 40mm lift              |
| COIL<br>SPRINGS                    |                             | TDC974H<br>TDC974HH                           | \$120 ea                     | Petrol/Diesel/Bar<br>All models/Bar/Winch                                  | 40mm lift<br>40mm lift |
| STRUT TOP                          | Strut top only              | TOY-1084                                      | \$70 ea                      | 1 only required per side   |                        |

|                        | 41mm Foam cell                        | FC41118  | \$160 ea         | Tuin take / 00mm and a  | All                    |
|------------------------|---------------------------------------|--|------------------|---|------------------------|
| SHOCK                  | 4 mini roam cell                      | FC41110  | фто0 ea          | Twin tube / 60mm casing   | All                    |
| ABSORBERS              | 40mm Adjustable                       | BM401118   | \$200 ea         | Twin tube / 60mm casing   | All                    |
| COIL<br>SPRINGS        |                                       | TDC975<br>TDC975H                                | \$120 ea         | Carries up to 300kg<br><u>Constant Load</u> of 300kg to GVM                               | 40mm lift<br>40mm lift |
| REPLACEMENT            | Top Pin mount                         | TOY-1084   | \$70 ea          | A new strut top needs to chased when replacing wo   |                        |
| SHOCK                  | Bottom eyring mount                   | ADJ00300/40                                      | \$6 ea           | <b>bushes</b><br>One bush per shock   | Front                  |
| BUSHING                | Top Pin mount<br>Bottom Eyering mount | TW967<br>415024                                  | \$3 ea<br>\$4 ea | Two bushes per shock One bonded bush per shock  | Rear<br>Rear           |
| Complete<br>Suspension | Foam cell kit<br>40mm Adjustable kit  | Front struts<br>require<br>assembly              | \$1200<br>\$1480 | <u>Kit includes:</u><br>2 x struts (F)<br>2 x shock absorbers (<br>4 x coil springs       | (R)                    |
| Kit<br>Pricing         | Foam cell kit<br>40mm Adjustable kit  | Front struts<br>Assembled<br>and<br>ready to fit | \$1340<br>\$1620 | <u>Kit includes:</u><br>2 x assembled struts<br>2 x shock absorbers (<br>2 x coil springs | ` '                    |

1 of 1

2010 On 150 Series GX,GXL

**PRODUCT** 

PART No

**RRP** 

PRODUCT INFORMATION

TYPE

#### **Coil Spring Front Suspension**

Please go to NOTES: page 151 for proceedure on vehicles fitted with KDSS

| Con Opining Front Guspension       |   |  | on vehicles fitted with KDSS |  |                        |
|------------------------------------|---|--|------------------------------|--|------------------------|
| SHOCK ABSORBERS                    | 41mm Foam cell                                    | FC404400                                     | \$200 ea                     | Twin tube / 60mm casing / strut  | All                    |
| 41mm Bore<br>Foam Cell             | FC404400 can be used for OE & Raised FRUT am Cell | TOY-120/7<br>FC404400<br>TDC974S<br>TOY-1084 | \$390 ea                     | Petrol/Diesel/Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top      | 40mm lift              |
| STRUT<br>Assembly                  |   | TOY-120/3<br>FC404400<br>TDC974<br>TOY-1084  | \$390 ea                     | Petrol/Diesel/Bar/Dual Battery 40mm Foam cell shock Coil Spring Strut Top  | 40mm lift              |
| SHOCK ABSORBERS                    | 40mm Adjustable                                   | BM404400                                     | \$300 ea                     | Twin tube / 60mm casing / strut  | All                    |
| 40mm Bore<br>9 Stage<br>Adjustable | BM404400<br>can be used for                       | TOY-120/8<br>BM404400<br>TDC974S<br>TOY-1084 | \$490 ea                     | Petrol/Diesel/Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top     | 40mm lift              |
| COMPLETE<br>STRUT<br>Assembly      | OE & Raised applications                          | TOY-120/1<br>BM404400<br>TDC974<br>TOY-1084  | \$490 ea                     | Petrol/Diesel/Bar/Dual Battery 40mm Adjustable shock Coil Spring Strut Top | 40mm lift              |
| COIL<br>SPRINGS                    |   | TDC974S<br>TDC974                            | \$120 ea                     | Petrol/Diesel/Bar<br>All models/Bar/Winch                                  | 40mm lift<br>40mm lift |
| STRUT TOP                          | Strut top only                                    | TOY-1084                                     | \$70 ea                      | 1 only required per side   |                        |

| . ,                    | <u> </u>                              |  |                  |   |              |
|------------------------|---------------------------------------|--|------------------|---|--------------|
| SHOCK                  | 41mm Foam cell                        | FC41118  | \$160 ea         | Twin tube / 60mm casing   | All          |
| ABSORBERS              | 40mm Adjustable                       | BM401118   | \$200 ea         | Twin tube / 60mm casing   | All          |
| COIL<br>SPRINGS        |                                       | TDC975S<br>TDC975                                | \$120 ea         | Carries up to 300kg Constant load of 300kg to GVM                                 | 40mm lift    |
|                        | Top Pin mount                         | TOY-1084   | \$70 ea          | A new strut top needs purchased when replaci                                      |              |
| REPLACEMENT<br>SHOCK   | Bottom eyring mount                   | ADJ00300/40                                      | \$6 ea           | rubber bushes<br>One bush per shock   | Front        |
| BUSHING                | Top Pin mount<br>Bottom Eyering mount | TW967<br>415024                                  | \$3 ea<br>\$4 ea | Two bushes per shock<br>One bonded bush per shock                                 | Rear<br>Rear |
| Complete<br>Suspension | Foam cell kit<br>40mm Adjustable kit  | Front struts<br>require<br>assembly              | \$1200<br>\$1480 | <u>Kit includes:</u><br>2 x struts (F)<br>2 x shock absorbers<br>4 x coil springs | (R)          |
| Kit<br>Pricing         | Foam cell kit<br>40mm Adjustable kit  | Front struts<br>Assembled<br>and<br>ready to fit | \$1340<br>\$1620 | <u>Kit includes:</u> 2 x assembled struts 2 x shock absorbers 2 x coil springs    | ` '          |

**TOYOTA**: FJ Cruiser

| 2006 On<br>All Models                    | PRODUCT                                  | PART No                                      | RRP                  | PRODUCT INFORMATION   | TYPE                   |  |  |
|--|--|--|----------------------|---|------------------------|--|--|
| Coil Spring Front Suspension             |  |  |                      |   |                        |  |  |
| SHOCK ABSORBERS                          | 41mm Foam cell                           | FC404400                                     | \$200 ea             | Twin tube / 60mm casing / strut   | All                    |  |  |
| COMPLETE                                 | FC404400<br>can be used for              | TOY-FJ/3<br>FC404400<br>TDC974H<br>TOY-1083  | \$390 ea             | Petrol/Any Bar<br>40mm Foam cell shock<br>Coil Spring<br>Strut Top              | 40mm lift              |  |  |
| STRUT<br>Assembly                        | OE & Raised applications                 | TOY-FJ/4<br>FC404400<br>TDC974HH<br>TOY-1083 | \$390 ea             | Petrol/Any Bar/Winch 40mm Foam cell shock Coil Spring Strut Top                 | 40mm lift              |  |  |
| SHOCK ABSORBERS                          | 40mm Adjustable                          | BM404400                                     | \$300 ea             | Twin tube / 60mm casing / strut   | All                    |  |  |
| COMPLETE<br>STRUT                        | BM404400<br>can be used for              | TOY-FJ/1<br>BM404400<br>TDC974H<br>TOY-1083  | \$490 ea             | Petrol/Any Bar<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top             | 40mm lift              |  |  |
| Assembly                                 | 0=0=1                                    | TOY-FJ/2<br>BM404400<br>TDC974HH<br>TOY-1083 | \$490 ea             | Petrol/Any Bar/Winch<br>40mm Adjustable shock<br>Coil Spring<br>Strut Top       | 40mm lift              |  |  |
| COIL<br>SPRINGS                          |  | TDC974H<br>TDC974HH                          | \$120 ea             | Petrol/ Any bar<br>Petrol/Any Bar/Winch   | 40mm lift<br>40mm lift |  |  |
| STRUT TOP                                | Strut top only                           | TOY-1083                                     | \$70 ea              | 1 only required per side  |                        |  |  |
| Coil Spring Rea                          | ar Suspensio                             | n  |                      |   | •                      |  |  |
| SHOCK<br>ABSORBERS                       | 41mm Foam cell<br>40mm Adjustable        | FC41116<br>BM401116                          | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing                                 | All<br>All             |  |  |
| COIL<br>SPRINGS                          |  | TDC975<br>TDC975H                            | \$120 ea             | Carries up to 300kg Constant Load of 300kg to GVM                               | 40mm lift<br>40mm lift |  |  |
| REPLACEMENT                              | Top pin mount                            | TOY-1083                                     | \$70 ea              | A new strut top needs t<br>chased when replacing w<br>bushes                    |                        |  |  |
| SHOCK<br>BUSHING                         | Bottom Eyering mount                     | ADJ00300/40                                  | \$6 ea               | One bush per shock  | Front                  |  |  |
| Booming                                  | Top pin mount Top & bottom eyering mount | TW967<br>415024                              | \$4 ea<br>\$4 ea     | One bonded bush per shock<br>Two bushes per shock                               | Rear<br>Rear           |  |  |
| Complete<br>Suspension<br>Kit<br>Pricing | Foam cell kit<br>40mm Adjustable kit     | Front struts<br>Require<br>Assembly          | \$1200<br>\$1480     | <u>Kit includes:</u><br>2 x struts (F)2 x shock abs<br>4 x coil springs         | orbers(R)              |  |  |
|  | Foam cell kit<br>40mm Adjustable kit     | Front struts<br>Assembled &<br>ready to fit  | \$1340<br>\$1620     | <u>Kit includes:</u><br>2 x assembled struts (F)2 x shock (<br>2 x coil springs |                        |  |  |

| TOYOTA: I         | Rav 4 |  |  |
|-------------------|-------|--|--|
| 5/04 00. SAV10 20 |       |  |  |

|  | Xu v T                                  |          |                  |  |           |
|--|---|----------|------------------|--|-----------|
| 5/94-00: SAX10, 20<br>7/95-00: SAX11, 21 | PRODUCT                                 | PART No  | RRP              | PRODUCT<br>INFORMATION   | TYPE      |
| Coil Spring Fro                          | ont Suspensio                           | on       |                  |  |           |
| SHOCK<br>ABSORBERS                       | Nitrogen gas strut insert               | BDS4001  | \$185 ea         | Twin tube  | OE Height |
| COIL                                     |   | TDC981S  | \$120 ea         | All Alloy Bar  | OE Height |
| SPRINGS                                  |   | TDC981   | \$120 ea         | All Bar  | 30mm lift |
| Coil Spring Rea                          | ar Suspensio                            | n        |                  |  |           |
| sноск                                    | 35mm Nitrogen gas                       | BD1106TB | \$125 ea         | Twin tube  | OE & 30mm |
| ABSORBERS                                | 35mm Nitrogen gas                       | BM401106 | \$200 ea         | Twin tube / 60mm casing  | OE & 30mm |
| COIL                                     |   | TDC982S  | \$120 ea         | Light Load: up to 300kg  | OE Height |
| SPRINGS                                  |   | TDC982   | \$120 ea         | Light Load: up to 300kg  | 30mm lift |
| Complete<br>Suspension<br>Kit<br>Pricing | Nitrogen gas kit<br>Gas Front /Adj Rear |          | \$1100<br>\$1250 | Kit includes:<br>2 x struts (F)<br>2 x shock absorbers<br>4 x coil springs | (R)       |

| Volkswagor             | 1: Amarok                         |                      |                      | 1  | of 1                   |
|------------------------|-----------------------------------|----------------------|----------------------|--|------------------------|
|                        | PRODUCT                           | PART No              | RRP                  | PRODUCT<br>INFORMATION   | TYPE                   |
| Coil Spring Fro        | ont Suspensi                      | on                   |                      | Estin  | nated Lift             |
| SHOCK<br>ABSORBERS     | 41mm Foam Cell<br>40mm Adjustable | FC404730<br>BM404730 | \$240 ea<br>\$340 ea | Twin tube / 60mm casing Twin tube / 60mm casing                                | up to 30mm             |
| COIL<br>SPRINGS        |                                   | TDC110L<br>TDC110HL  | \$120 ea<br>\$120 ea | All models-Alloy bar<br>Bar/Winch  | 30mm lift<br>30mm lift |
| Leaf Spring Re         | ear Suspensi                      | on                   |                      | Estin  | nated Lift             |
| SHOCK<br>ABSORBERS     | 41mm Foam cell<br>40mm Adjustable | FC41390<br>BM401390  | \$160 ea<br>\$200 ea | Twin tube / 60mm casing Twin tube / 60mm casing                                | 20mm lift<br>20mm lift |
| LEAF                   |                                   | FS710M               | \$290 ea             | Carries up to 400kg  | 20mm lift              |
| SPRINGS                |                                   | FS710HM              | \$350 ea             | Constant load of 400kg to GVM  | 20mm lift              |
| URTHANE                |                                   | TDUK-072             | \$130 kit            | 1 kit required   | All                    |
| UBOLTS                 |                                   | TDUB-005             | \$30 kit             | 2 kits required  | All                    |
| Complete<br>Suspension | Foam cell kit<br>Adjustable kit   | (R) FS710M           | \$1,810<br>\$2,170   | <u>Kit includes:</u><br>2 x struts (F)<br>2 x shock absorbe<br>2 x coil spring |                        |
| Kit<br>Pricing         | Foam cell kit                     | (R) FS710HM          | \$1,930<br>\$2,200   | 2 x con spring<br>2 x leaf spring<br>2 x ubolt kits                            | s                      |

Adjustable kit

\$2,290

1 x Shackle bush kit

Pricing



2a Bessemer Street, BLACKTOWN. NSW. 2148

PHONE: (02) 9672 8899

FAX: (02) 9672 8099

EMAIL: toughdog@4waysuspension.com.au

#### TOUGH DOG SUSPENSION FITMENT SHEET

| FITTED BY:  |                                  |   |
|---|----------------------------------|---|
| CUSTOMER NAME:ADDRESS:  | MODEL                            | SPEEDO:   |
| Passengers Side Front   | AFTERMARKET FITMENTS             | Drivers Side Front  |
| Original Equipment: mm  ToughDog Susp : mm  Shock Part No. : mm  Spring Part No. : mm  Bush Kit :  Comments: mm  ToughDog Susp : mm  ToughDog Susp : mm  Shock Part No. : mm  Spring Part No. : mm  Bush Kit :  Comments: | Bullbar:Yes   No   Alloy   Steel | Original Equipment: mm  ToughDog Susp : mm  500 km Service : mm  Shock Part No. : mm  Bush Kit :  Comments:  Drivers Side Rear  Original Equipment: mm  ToughDog Susp : mm  500 km Service : mm  Shock Part No. : mm  Shock Part No. : mm  Shock Part No. : mm  Spring Part No. : mm  Bush Kit :  Comments: |
|   | WHITHHIM                         |   |

#### PLEASE NOTE:

Measurements must be taken prior to the fitting of new suspension, immediately afterwards & at 500kms service. Measurements are to be taken from the wheel arch to the bottom of the wheel rim.

All measurements are to be in metric. In the case of warranty, failure to have these measurements may affect warranty.

\*\* REMEMBER to RE-TIGHTEN UBOLTS at the 500km SERVICE \*\*

# **4WAY SUSPENSION Warranty Claim Form**

1/1/2014

| RFC Number:     |         |                | Date Returned: |                |               |            |             |          |                      |               |
|-----------------|---------|----------------|----------------|----------------|---------------|------------|-------------|----------|----------------------|---------------|
| Name:           |         |                |                |                |               |            |             |          |                      |               |
| Addres          | ss:     |                |                |                |               |            |             |          |                      |               |
|                 |         |                |                |                |               | Post Code: |             |          |                      |               |
| Purcha          | ased f  | rom:           |                |                |               |            |             |          |                      |               |
| Date Purchased: |         |                |                |                |               | Invo       | Invoice No: |          |                      |               |
| If you a        | are a 4 | Way Sus        | spension T     | rade Customer  | , Please in   | clud       | e copy of   | Retail ( | Customers            | Invoice       |
|                 |         |                | $\mathbf{V}$ ] | EHICLI         | E <b>DE</b> ' | ТА         | ILS:        |          |                      |               |
| Year:           |         |                | Make:          |                |               |            | Model:      |          |                      |               |
| Front:          |         |                | Rear:          |                |               |            |             |          | Please no<br>what ac | tion          |
| Part<br>No      | R       | Qty<br>eturned |                | Reason fo      | or Return     | of It      | em          |          | Replace<br>Item      | Credit<br>A/C |
|                 |         |                |                |                |               |            |             |          |                      |               |
|                 |         |                |                |                |               |            |             |          |                      |               |
|                 |         |                |                |                |               |            |             |          |                      |               |
|                 |         |                |                |                |               |            |             |          |                      |               |
|                 |         |                |                |                |               |            |             |          |                      |               |
|                 |         |                |                |                |               |            |             |          |                      |               |
|                 |         | This           | form is to     | be completed a | nd sent wi    | th an      | y returne   | d goods. |                      |               |
|                 |         |                | 1              |                |               |            |             |          |                      |               |

## 4WD HI-LIFT DISCLAIMER

#### **4Way Suspension Products Pty Ltd**

2a Bessemer Street, Blacktown 2147 NSW

Phone: 9672 8899 Fax: 9672 8099

| MrMs:                         |                                |                              |   |
|-------------------------------|--------------------------------|------------------------------|---|
| Address:                      |                                |                              |   |
|                               | l                              | Post Code:                   |   |
| The following offroad prod    | uct fitted to:                 |                              | Reg No:                                   |
| are suitable for off road us  | e <u>ONLY</u> . If the vehicle | e, once fitted with the sa   | aid product/s, is driven on road prior to |
| certification by a qualified  | RTA nominated engir            | neer the owner does so       | at his/her own risk.                      |
| By signing this statement,    | l,                             |                              | acknowledge that I have been              |
| advised that the product/s    | are suitable for off ro        | ad use <u>ONLY</u> and the o | driving of the said vehicle on road prio  |
| to certification is done so a | at my risk.                    |                              |   |
|                               |                                |                              |   |
| Product/s fitted to this v    | ehicle:                        |                              |   |
|                               |                                |                              |   |
| Product:                      | Part No. Front                 | Part No. Rear                |   |
| 4, 5 or 6" lift Shocks        |                                |                              |   |
| 4, 5 or 6" lift Coil Springs  |                                |                              |   |
| Steering Stabilizer           |                                |                              |   |
| Panhard Rods                  |                                |                              |   |
| Castor Bushes                 |                                |                              |   |
| Castor Plates                 |                                |                              |   |
| Transmission Spacers          |                                |                              |   |
| Brake Hoses                   |                                |                              |   |
| Dated the                     | day o                          | of                           | 20  |

#### DISCLAIMER - For vehicles fitted with a Suspension Lift above 50mm

4Way markets a range of offroad products that may require certification from a qualified RTA engineer prior to driving on public roads. The fitment of these items, and the subsequent driving on public roads prior to certification may render your vehicle unroadworthy and may be deemed illegal in your state or territory. Any vehicle that has products fitted that contravene the ADR's revelevent to that vehicle may be in breach of the rules. Please check the requirement of the relevent authorities for your state or territory prior to fitting these items. Any vehicle fitting coils or leaf springs that lift the vehicle above 2" without certification may be in breach of the ADR's applicable in your state.

# Did You Know

Aftermarket springs (leaf & coils), even though they may be classified as HEAVY DUTY, are not designed to allow you to load your vehicle above the GVM of that vehicle.

If you fit the following items:

- 1. Bullbar
- 2. Winch
- 3. Long Range Fuel Tank
- 4. Water Tank
- 5. Draw System
- 6. Fridge
- 7. Rear Wheel Cover
- 8. Roof Basket
- 9. Recovery Gear

SAFTY FIRST DON'T OVERLOAD YOUR VEHICLE

And when you add food, passengers etc, there is a good chance that you are exceeding the GVM of the vehicle.

Check the weight of your vehicle to ensure that you are within the legal limit prior to leaving on your trip. If you exceed the legal GVM of your vehicle consideration should be given to either hiring or purchasing an offroad trailer.

Failure to observe the legal GVM and overloading the vehicle, apart from being irresponsible, can lead to legal ramifications if an accident occurs.

Overloading a vehicle above the GVM may also void the 4WAY suspension Warranty.

| Notes:         |  |  |  |  |  |  |
|----------------|--|--|--|--|--|--|
|                |  |  |  |  |  |  |
|                | Instruction guide to bleed Toyota Prado 150 with KDSS.   |  |  |  |  |  |
| PRADO 150 with | The location of the KDSS valve housing is located on the passenger side,(LH) chassis rail, in line with the front door. The valve housing is positioned under a cover plate which can be removed. The bleed valves are two hex head bolts similar to the 200 series Landcruiser. |  |  |  |  |  |
| KDSS           | Please use our KDSS Levelling Instructions for the 200 series with the only difference being the location of the valve housing and the type of bolts that need to be undone.   |  |  |  |  |  |
|                | Remember when opening the valve housing to only undo the two hex bolts, three full rotation  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |
|                |  |  |  |  |  |  |