

PARTS CATALOGUE EXPORT EDITION



JUNE 2023 VERSION 1

WWW.TOUGHDOG.COM.AU



TABLE OF CONTENTS 2	
LIMITED WARRANTY 6	
TERMS & CONDITIONS 6	
OUR HISTORY 8	
BUILD & BUY ONLINE9	
AIR ASSIST13	
AIR BAGS13	
AIR BAG COMPONENTS14	
GVM UPGRADES20	GR
COMPLETE23	
SUSPENSION23	
UPGRADES23	
ASIA MOTORS24	
ROCSTA24	
DAEWOO25	НО
MUSSO25	
DAIHATSU26	
F10, F20, F50, F60. INC. SCAT26	
F25, F55, F6527	
FEROZA28	
FEROZA II29	
ROCKY30	
F77, F87 PICK UP & TRAYBACK30	
F70, F75/F80, F85/F77,F8731	
F73, F78 (COIL SPRINGS)32	
FORD34	
EVEREST34	
UA34	
UAII36	
U704 EVEREST38	
EXPLORER 40	
BRONCO41	HY
F15042	
F250	

COURIER	45
RANGER	46
PJ & PK, 2.5L & 3.0L	46
PX - PXII	48
PXIII	50
GVM UPGRADE	52
PXIII RAPTOR	53
P703 RANGER	54
GVM UPGRADE	56
GREAT WALL	57
UTE	57
WINGLE, SAILOR	57
HOVER, SAFE, HAVAL	58
STEED	59
CANNON / P-SERIES	60
HOLDEN	62
FRONTERA	62
MB & MX	62
JACKAROO, ISUZU TROOPER	63
UBS13, 16, 52, 52I	63
UBS16, 17, 52, 55	64
JACKAROO, MONTEREY	65
UBS25, 26, 69, 73	65
RODEO	66
KB4, KBD4	66
TFS17, 54, 55, TFS25, 77	67
RODEO & COLORADO	68
RA-RC	68
COLORADO	70
RG	
- 06/2016-2023	
TRAILBLAZER	
HYUNDAI	
TERRACAN	
HP	75



ISUZU76	LDV
D-MAX76	T60
RA, RC MY09-MY1176	T60 M
RT MY1278	MAHINDRA
05/2012-04/2016 & 4/2016-8/202078 08/2020 ON80	THAR.
GVM UPGRADE82	MAZDA
MU-X84	B2500
MY2186	PC, I
JEEP88	BT-50
CHEROKEE88	B250
XJ LIMITED, SPORT88	UP, U
GRAND CHEROKEE89	TF
WG, WJ & ZG89	GVN
- 06/1999-2005 & 04/1996-199989	MERCEDES
WK290	X-CLAS
- 2011-201590 WRANGLER91	MITSUBISH
TJ91	CHALL
JK92	PA
JL (EX RUBICON)93	LEAI
JT94	PA II
	CHALL
LANDROVER95	L200 4
80, 88 SWB, 109 LWB95	MA,
SERIES I, II, IIA & III95	L300 4
DEFENDER96	sc, s
110 COUNTY96	PAJER
90 SERIES98	LEAI
110, 130 SERIES100	COIL
DISCOVERY	NM-
SERIES I	QE,
SERIES II & III104	TRITO
RANGE ROVER	ME-I
CLASSIC - NON AIR SUSPENSION105	ML-N
WITH AIR SUSPENSION106	MQ.
LADA107	MR.
	- •

-PY	100
T60	108
T60 MAX	110
MAHINDRA	112
THAR	112
MAZDA	113
B2500, B2600, B4000	113
PC, PD, PE, PG, PH	113
BT-50	114
B2500, B3000	114
UP, UR	116
TF	118
GVM UPGRADE	120
MERCEDES-BENZ	122
X-CLASS UTE	122
MITSUBISHI	124
CHALLENGER	124
PA	124
LEAF REAR	124
PA II (COIL REAR)	125
CHALLENGER/PAJERO SPORT	126
L200 4WD	128
MA, MB, MC, MD	128
L300 4WD	129
SC, SD, SE, SF, SG, SH	129
PAJERO/MONTERO	130
LEAF REAR	130
COIL REAR	131
NM-NX	132
QE, QF	134
TRITON	136
ME-MK	136
ML-MN	138
MQ	140
MR	142



NISSAN144	
NAVARA 144	
D21, D22144	
D40 - 2.5L, 4.0L146	
D40 - 3.0L STX-550 V6148	
NP300150	
- COIL REAR	
PATHFINDER156	
WNYD21, WHYD21156	
R50157	
R51 2.5L, 4.0L158	
R51 3.0L V6159	
PATROL160	
MQ, MK160	
GQ (Y60) 2" LIFT162	
GU (Y61) 2" LIFT WAGON164	
GVM UPGRADE166	
GQ, GU (Y60, Y61)168	
- 3" LIFT	
- 4", 5", 6" LIFT170 GQ/GU CAB CHASSIS172	
- (LEAF/LEAF)172	
- (COIL/COIL)174	
- (COIL/LEAF)176 Y62 (NON HYDRAULIC ONLY)178	
TERRANO II	
RAM182	
1500	
DS SERIES182 GVM UPGRADE 183	
DT SERIES - NON AIR SUSPENSION184 GVM UPGRADE185	
2500 SEDIES 186	

188
188
190
190
190
192
194
199
199
201
201
201
202
203
204
204
204
204 205
204 205
204 205 206
204205206206208
204 205 206 206 208
204205206206208
204205206206208208
204205206206208208210



LANDCRUISER218
40, 42 SERIES218
45, 47 SERIES220
60, 61, 62 SERIES222
70 SERIES BUNDERA224
71, 74 SERIES (HZJ71 & HZJ74)225
70, 73, 74 SERIES226
75 SERIES228
76 SERIES230
77 SERIES232
78 SERIES234
- (WITH COIL SPRING)234
78, 79 SERIES236
- (SINGLE CAB)236
- (DUAL CAB)238 GVM UPGRADE 240
80 & 105 SERIES244
- (2")
- (3")
- (4", 5", 6")248
100 SERIES250
- (IFS)
200 SERIES252
- GX, GXL, VX
GVM UPGRADE256
300 SERIES258
- VX, GXL, GX, SAHARA258
GVM UPGRADE260
PRADO262
95 SERIES262
120 SERIES264
150 SERIES266
FJ CRUISER268
RAV 4270
SXA, 10, 11270
TUNDRA271
UCK, UPK, USK 55, 56271

UAZ	272
UAZ, HUNTER, PATRIOT 27	2
VOLKSWAGEN	273
AMAROK	273
ROCK DOG	274
PROMOTIONAL ITEMS	276
PROMOTIONAL ITEMS FITTING SHEET	
	278
FITTING SHEET	278 279
FITTING SHEET CLAIM FORM	278 279 280

LIMITED WARRANTY

TERMS & CONDITIONS



THIS WARRANTY IS PROVIDED BY 4 WAY SUSPENSION PRODUCTS PTY LTD, OF 14 DARLING STREET MARSDEN PARK, NSW, 2765, AUSTRALIA THROUGH ITS DEALERS AND AGENTS IN THE RELEVANT TERRITORY.

TERMS & CONDITIONS

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The benefits under our limited warranty are in addition to other rights and remedies under applicable law in relation to the product. At 4 Way Suspension Products Pty Ltd, we want you to have complete confidence in each and every 4 Way product you own. That's why we back our products with a manufacturer's warranty.

ACCOUNTS

Account applications that are approved must comply with the following Term & Conditions.

- 1. All export orders must be prepaid before shipment.
- 2. Credit terms are 30 days from the end of the trading month.
- Credit will be suspended if payment is not made within the trading terms.
- 4. Unpaid accounts at 30 days will be placed on stop supply
- 5. If no credit arrangement exists, all goods must be prepaid before leaving 4 Way Suspension premises.
- If the applicant is a company, the Director's Guarantee must be completed by all relevant parties.

FREIGHT & INSURANCE

All prices are quoted Ex-Warehouse and do not include freight. Ownership of the goods passes to the buyer at the time they leave the 4 Way Suspension Premises, providing that payment has been made according to the applicable account terms. Unless specified otherwise, freight will be added to the total cost of goods using the Supplier's preferred freight company.

CREDIT & WARRANTY RETURNS

Goods for credit or exchange must be returned within fourteen (14) days of invoice date accompanied by a completed **Returns Form.** Goods returned for the purpose of warranty claim must also be accompanied by the returns form along with a copy of the customer invoice. Freight for returned goods can be arranged by the returning party or by 4 Way Suspension, but in both cases, the associated costs remain the responsibility of the returning party.

15% OF THE TOTAL VALUE OF THE RETURNED GOODS WILL
BE CHARGED IN THE EVENT THAT REPACKAGING IS REQUIRED

WARRANTY EXCLUSIONS

- 1. Parts that have been incorrectly installed.
- 2. Struts that have been assembled with the use of any tool other than hand tools (no rattle guns or impact tools)
- 3. Load bearing strut bushes that have been tightened while hanging. Strut bushes must be tightened while the vehicle is on the ground supporting its own weight.
- Interference between shock absorber and other suspension components.
- 5. Parts that have been involved in a motor vehicle accident or have been bent or have been physically damaged by impact of any kind.
- 6. Parts showing evidence of improper tightening of the mounting bolts causing parts to wear or bend.
- 7. Gripping tool marks (vice grips or multi grips) or any other tool made marks on the polished chrome section of the shock absorber shaft.
- 8. All parts subjected to abuse.
- All parts used in racing or competition events of any description
- Fair wear & tear components (including bushings warranted for 12 months from date of purchase as a component of the shock absorber)
- 11. Any special-order parts (in which case the warranty is limited to manufacturing defects)*
- 12. Parts fitted to vehicles weighing more than original GVM or the revised GVM specified by a Tough Dog GVM upgrade.

*Please Note: Any components built to a special order or specification outside the catalogue listings is covered by warranty limited to manufacturing defects. The manufacturer is unable to guarantee the suitability of components for an application for which has not been tested. Failure arising as a result of the application is excluded.

PROOF OF PURCHASE

A copy of proof of purchase by the retail customer must be attached to the claim including the kilometre reading at the time of fitment (if applicable). Each 4WD Suspension fitted must have a fitting sheet completed and kept on file by either the vehicle owner or the fitment centre performing the work. Failure to produce the fitting sheet may affect the warranty of the product. Warranty is limited to coverage of the original purchaser and is not transferrable with transfer of ownership of the vehicle.

LIMITED WARRANTY



TERMS & CONDITIONS

THIS WARRANTY IS PROVIDED BY 4 WAY SUSPENSION PRODUCTS PTY LTD, OF 14 DARLING STREET MARSDEN PARK, NSW, 2765, AUSTRALIA THROUGH ITS DEALERS AND AGENTS IN THE RELEVANT TERRITORY.

WARRANTY PERIODS

PRODUCT	RECREATIONAL WTY	COMMERCIAL WTY
50MM RALPH & 45MM ADJUSTABLE	4 Year/Unlimited KM	3 Year/Unlimited KM
35MM NITRO GAS SHOCKS	3 Year/Unlimited KM	Not Applicable
FOAM CELL & 40MM ADJUSTABLE	4 Year/Unlimited KM	3 Year/Unlimited KM
RTC/EXT/SV DAMPERS	4 Year/Unlimited KM	3 Year/Unlimited KM
LEAF SPRINGS	4 Year/Unlimited KM	3 Year/Unlimited KM
COIL SPRINGS (UP TO 2")	4 Year/Unlimited KM	3 Year/Unlimited KM
COIL SPRINGS (ABOVE 2")	3 Year/Unlimited KM	3 Year/Unlimited KM
UPPER CONTROL ARMS	4 Year/Unlimited KM	3 Year/Unlimited KM
AIR ASSIST PRODUCTS	4 Year/Unlimited KM	3 Year/Unlimited KM
WIRELESS AIR ASSIST	3 Year/Unlimited KM	2 Year/Unlimited KM
GVM UPGRADES	4 Year/Unlimited KM	3 Year/Unlimited KM
RECOVERY EQUIPMENT	3 Year material & manufacture	3 Year material & manufacture

SELF FIT (DIY) SUSPENSIONS

DIY suspension fitment does not affect the warranty application or term as long as the following conditions are adhered to:

- 1. A fitting sheet is completed prior to the suspension being fitted and filed for later reference.
- 2. The above fitment sheet accurately and clearly includes bottom of rim to wheel arch measurements for all four corners of the vehicle both before and after fitment, as well as at the 500km check service.
- U-Bolts must be replaced at the time of fitment.
 U-Bolts are a 'stretch fit' item, and should not be torqued to tightness twice. Re-using U-Bolts puts the vehicle and occupants at risk.

WARRANTY LIMITS

4 Way Suspension Products Pty Ltd provides this product warranty which is limited to the repair or replacement of defective or faulty parts and does not include any costs incurred in labour for the removal or re-fitment of parts or damage incurred as a result of the product's fitment.









MAKING TRACKS SINCE 1985

Tough Dog has been "making tracks across the world" since 1985, and have grown rapidly as a result of the excellent reputation their quality gear commands. Today, Tough Dog products are sought after the world over, and the distribution network spans 41 countries around the world. With some of the harshest conditions right here in Australia to test out products, the gear that makes it to the market is a cut above the rest.

In 2018, Tough Dog took up residence in the new Headquarters in Marsden Park. Featuring dedicated spaces for Research & Development, Design & Manufacture, and Bulk Production, the new home of Tough Dog marks the beginning of a new chapter in our international story. Our efforts in the export market were also recognised, with 3 runner-up positions and a win in the WSABE Excellence in Export category.



BUILD & BUY ONLINE



HOW TO USE KIT BUILDER

STEP 1

SELECT YOUR 4WD

Find the right Tough Dog suspension kit for any application has never been easier than with our Online kit builder. Head to **www.toughdog.com.au/Kit-Builder**

Just choose the vehicle, accessories, and shock choice that you need, and the suitable kits will be displayed! It could not be easier. If you're in Australia, you can even order your kit online, and collect it from your local authorised Tough Dog Dealer.

WHATS YOUR 4WD?

MAKE

TOYOTA

MODE

HILUX

SERIE!

GUN125R

YEAR

2021

FRONT SETUP

BULL BAR + WINCH



STEP 2

SELECT WHAT IS YOUR REAR LOAD



LIGHT LOAD



MEDIUM LOAD



HEAVY LOAD

STEP 3

SELECT YOUR SHOCK



FOAM CELL



BIG BORE RALPH



ADJUSTABLE



BIG BORE ADJUSTABLE

STEP 4

ADD OPTIONAL ACCESSORIES



UPPER CONTROL ARMS



AIR ASSIST - AIR BAGS

STEP 5

FIND YOUR NEAREST DEALER

ENTER YOUR POSTCODE

2765

Your complete kit will be delivered to your local dealer.

WWW.TOUGHDOG.COM.AU

BUILD & BUY NOW!



SHOCK ABSORBER



FOAM CELL SHOCK



SPECIFICATIONS

Bore Size: 40mm Rod Size: 18mm **Outer Casing:** 60mm

FEATURES

• Foam cell technology • Twin tube design • Hydraulic rebound stop • High temperature all weather oil • Reinforced welded mounting points • Multi stage velocity sensitive valving

ADJUSTABLE SHOCK



FEATURES

• 9 Stage adjustable settings • Twin tube design • Hydraulic rebound stop • High temperature all weather oil

• Reinforced welded mounting points • Adjustable internal bypass with foam cell sleeve

SHOCK ABSORBER



BIG BORE ADJUSTABLE SHOCK

BIG BORE RALPH SHOCK





Outer Casing: 70mm

FEATURES

• 9 Stage adjustable settings • Twin tube design • Hydraulic rebound stop • High temperature all weather oil • Reinforced welded mounting points · Adjustable internal bypass with foam cell sleeve



Rod Size: 20mm

Outer Casing: 70mm

FEATURES

• Foam cell technology • Twin tube design

• Hydraulic rebound stop

· High temperature all weather oil

• Reinforced welded mounting points • Multi stage velocity sensitive valving



YOU CAN COUNT ON!

COIL SPRINGS

Tough Dog Coil Springs are designed and manufactured in Australia to exacting standards to stand up to some of the harshest conditions found anywhere in the world.

Made from X5K spring steel, our coils are designed with less material while maintaining superior ride quality & load carrying characteristics. The spring retains its original memory even after heavy loading.

THE RESULT? A lighter, tougher coil that can handle just about anything you can throw at it.

- Shot Peened, Scragged and Load Tested for maximum durability
- Hot formed on precision mandrels to maintain spring memory
- Huge range of heights and load carrying options for most 4WD vehicles





LEAF SPRINGS

Designed in Australia, Tough Dog leaf springs offer a spring pack for just about any application you might require. Our springs are a proven performer in any situation.

Tough Dog leaf springs are a truly progressive rate leaf spring. Each leaf is set slightly higher than the leaf above so there is contact along the whole length of each leaf.

There are single stage and two stage springs available for different applications. Primary and secondary stage leaves ensure that the vehicle's ride remains uncompromised. As the spring is compressed under load, the heavier second stage leaves come into play to prevent excessive sag & remove high stresses from the primary stage.





VARYING LOAD? NO WORRIES!

Tough Dog airbags are designed to exacting standards to stand Up to some of the harshest conditions found anywhere in the world. If your load changes all the time, an 'Air Assist' suspension system could be for you. 'Air Assist' springs are specifically designed to level out and control the rear ride height of your vehicle.

- Eliminates Sway & Body Roll
- Guards Against Excessive Compression When Loaded
- Laser Cut & Powder Coated Brackets
- Zinc Plated Roll Plates Top & Bottom
- No Drill Fitting (most applications)
- 4 Year / Unlimited Kilometre Warranty





HEAVY DUTY RUBBER



5-100 PSI (Bellows) 5-60 PSI (Coil Insert)



NO DRILL FITTING



SUITS TOWING



SUITS HEAVY LOAD

BELLOW AIRBAGS

Tough Dog 'Air Assist' rubber bellow airbags are designed for leaf spring vehicles where the load constantly varies. Made from heavy duty rubber bellows with crimped end caps, these bellows will withstand the harshest environments found anywhere in the world.





COIL INSERT AIRBAGS

Tough Dog 'Air Assist' high density polyurethane airbags are designed for coil sprung vehicles to assist with varying loads and towing applications. The heavy duty polyurethane bags can handle up to 60psi of pressure.









PART NO	αTY	DESCRIPTION	RRP
		AIR ASSIST COMPONENTS	
TDAP-001	1	Bellow Hard Airline	
TDAP-002	1	Poly Kit Soft Airline (5m)	
TDAP-003	1	Split tubing for airline (5m)	
TDAP-004	1	Poly Kit Bag of Parts	
TDAP-005	1	Bellow Kit Bag of Parts	
TDAP-006	1	Bellow Push to Connect Elbows	
TDAP-007	1	Airline Mounting Bracket to Trailer Plug (Left)	
TDAP-008	1	Airline Mounting Bracket to Trailer Plug (Right)	
TDAP-009	1	Exhaust Heat Shield Kit	
TDAP-010	1	Upper Spacer 25mm Spacer for Prado, MU-X, FJ, etc.	
TDAP-011	1	GU, GQ Patrol / 80, 100, 200 Series LandCruiser / 50mm LS / Convert SH to Raised	
TDAP-012	1	79 Series LandCruiser - convert STD to raised (TDAA-121)	
TDAP-015	1	Replacement Bag For TDAA-001, 021, & 031 (Bag #46183)	
TDAP-016	1	Replacement Bag For TDAA-002 (Bag #46159)	
TDAP-017	1	Replacement Bag For TDAA-003 & 019 (Bag #48181)	
TDAP-018	1	Replacement Bag For TDAA-004, 008, 011, 014, & 017 (Bag #46176)	
TDAP-019	1	Replacement Bag For TDAA-005 (Bag #46185)	
TDAP-020	1	Replacement Bag For TDAA-006 (Bag #46186)	
TDAP-021	1	Replacement Bag For TDAA-007, 016, 022, 023 (Bag #46178)	
TDAP-022	1	Replacement Bag For TDAA-009 (Bag #46187)	
TDAP-023	1	Replacement Bag For TDAA-010 (Bag #46184)	
TDAP-024	1	Replacement Bag For TDAA-012 (Bag #46188)	
TDAP-025	1	Replacement Bag For TDAA-013 (Bag #46182)	
TDAP-026	1	Replacement Bag For TDAA-015 & 030 (Bag #46189)	
TDAP-027	1	Replacement Bag For TDAA-018 (Bag #46161)	
TDAP-028	1	Replacement Bag For TDAA-020 (Bag #46181)	
TDAP-029	1	Replacement Bag For TDAA-101-113, 126, & 131 (Bag #58437)	
TDAP-030	1	Replacement Bag For TDAA-114, 116, & 130 (Bag #58439)	
TDAP-031	1	Replacement Bag For TDAA-115 & 121 (Bag #58343)	
TDAP-032	1	Replacement Bag For TDAA-117, 118, 119, 120, 122, 123, 124, 125, & 134 (Bag #58407)	
TDAP-033	1	Airline Mounting Bracket to Trailer Plug (universal mount)	
TDAP-034	1	50mm upper Spacer - OD 104mm x ID20mm x L50mm	
TDAP-035	1	Replacement Bag For TDAA-024, 025 (Bag #48179)	
TDAP-036	1	Upper/Lower spacer to suit TDAA-025, 024, 023, 022, 014, & 004	
TDAP-037	1	Replacement Bag For TDAA-027, 028 (Bag #48178)	





TDAP-001Bellows Hard Airline



TDAP-002 5m Soft Airline Poly Kit



TDAP-003 5m Splittubing for Airline



TDAP-007Left Airline Mounting
Bracket to Trailer Plug



TDAP-033 Universal Airline Mounting Bracket to Trailer Plug



TDAP-008Right Airline Mounting
Bracket to Trailer Plug



TDAP-036 Spacer



TDAP-034 50mm Spacer



TDAP-011 Spacer



TDAP-009 Exhaust Shield



TDAP-012 Bracket for LC79 Convert STD to Raised (TDAA-121)



TDAP-031 Bellow Replacement Bag for TDAA-115 &121



TDAP-015 Coil Replacement Bag for TDAA-001 & 021

ACCESSORIES



TORSION BARS

Tough Dogs Performance 4WD Torsion Bars offer a spring rate that is aproximately 30% higher than OEM torison bars. Optimise your 4WD's ride and handling characteristics with quality torsion bars from Tough Dog.



PANHARD RODS

Adjustable panhard rods allow the axle to be re-centred under the vehicle after the height has been modified. Tough Dog panhard rods are bent from a single solid bar for strength, and are adjustable to cover a broad range of vehicle heights.



PINS & SHACKLES



Greasable pins and shackles help protect the bushes from premature wear because of the ingress of dirt and grit. Greasable components are particularly important to vehicles exposed to outback dust or high salt level environments like boat ramps and beach driving.

U-BOLT KITS





When U-bolts are tightened to secure the leaf pack in the vehicle from factory, the metal is stretched as a normal part of this process. It is important that U-bolts be replaced when a suspension system is changed, as a stretched U-bolt has lost its integral strength. Tough Dog U-bolts are manufactured using high tensile steel & are designed with the correct length of thread for larger, heavy duty leaf spring packs.

URETHANE BUSHES & SPACERS



Tough Dog urethane is stronger than rubber components and has greater longevity and resistance to deterioration from chemical exposure. Urethane bushes respond well to greasing during operation, and are created to retain flexibility for ride comfort.

Replacement urethane bushes are available for all Tough Dog leaf springs as well as for a range of other suspension bushing locations in vehicles.

ACCESSORIES





BRAKE HOSES

Extended brake lines become a requirement for larger lift vehicles to prevent damage from stretching the existing lines. Tough Dog offer a brake line solution in both a tradition rubber style as well as a steel braided line for improved brake pedal response and feel.

STRUT TOPS

Strut Tops are available separately for most modern vehicles. These units are suitable for use with Tough Dog product and with original manufacturers struts as well.



FITTING KITS

TDSP-008

Tough Dog pays close attention to the fit and finish of every complete solution. We have a range of fitting brackets and vehicle specific components. Check out our complete catalogue listing for components to suit your vehicle.



TDSK-021

TDSP-004-2

STEERING DAMPERS



Quality steering components go a huge way to alleviating driver fatigue. Rough and unforgiving road surfaces can transfer through the wheels and Up to the steering wheel.

If you're constantly fighting to keep the vehicle on track, eventually that effort will take its toll. Tough Dog Steering Dampers are on your side when it comes to taming steering shimmy and shake.



EXT

The Tough Dog EXT Steering Damper is our affordable, heavy duty replacement damper. Featuring a 35mm internal bore and our Foam Cell insert, this damper will give you control and feeling back in your steering set up.



RTC

The 'Return-to-Centre' damper is designed to re-centre your steering and help reduce shimmy and shake caused by rough road surfaces, reducing driver fatigue and increasing vehicle control.



XHD RTC

These dampers are designed for vehicles with greater than 100mm of lift running large diameter or aggressive tyres. These dampers come with all necessary brackets.



SV

The 'SV' damper offers users the ability to adjust the damping force to suite driving style and vehicle requirements. Available for most live axle vehicles, and Up to 150mm lift in some applications.






UPPER CONTROL ARMS

Tough Dog front upper control arms have been designed to restore OEM wheel alignment targets and cam-bolt settings for both camber and caster.

- Fixed length and position design guards against accidental misalignment during offroad use.
- Slimline tube design and ball joint housing to maximize clearance.
- Chromoly steel ball joint
- 1020 Grade Forged Bushing & Ball Joint Housings for high strength.
- Heavy Duty, High flex style bushing design requires no lubrication and maximizes bushing life.

- Factory brake line mounting locations included.
- Designed to accept OEM components as replacements if needed.





IMPROVED CLEARANCE



HEAVY DUTY
HIGH FLEX BUSHING



1020 GRADE FORGED HOUSING



CHROMOLY BALL JOINTS



CORRECTS CASTER & CAMBER

CASTOR CORRECTION

Castor is the angle to which the steering pivot axis is tilted forward or rearward from vertical, as viewed from the side. When a vehicle is lifted, the castor angle is adversely affected because of the change in the angles of the front radius arms.

Tough Dog provide a range of products to adjust camber from two degrees through to seven degrees to ensure a reliable straight steering feel is maintained at any lift height provided in the Tough Dog range.

OFFSET CAMBER PINS

Camber adjustment on live axle LandCruisers and Patrols can require an offset camber pin to be fitted. Available in 0.5, 0.75, and 1 degree of offset, these pins can help eliminate excessive and uneven tyre wear.





GVM UPGRADES



CARRY MORE - SAFELY & LEGALLY



The allowable payload on most modern 4WDs seems great on paper, but gets quickly eaten up when accessories, gear and passengers get loaded in.

Remaining under the vehicles Gross Vehicle Mass (GVM) can seem like an impossible feat.

Tough Dog Suspension is a recognised Second Stage Manufacturer (SSM) which allows us to develop and federally certify components to increase your vehicle's GVM. Maximise your allowable payload without risking your roadworthiness!

Each complete GVM kit has been extensively tested to ensure ADR compliance is maintained.



PRE-REGISTRATION

Certification of your GVM upgrade will occur on either a Federal or State level, depending on whether the vehicle has been registered or not.



When the GVM upgrade is completed prior to the first registration, the certification is done at a Federal level, and remains constant regardless of where in Australia the vehicle is registered. When you collect and drive your new vehicle for the first time - it will be recognised as a Tough Dog upgraded vehicle.

VS

POST-REGISTRATION

Both Pre-Registration and Post-Registration kits must be supplied and installed through an authorised Tough Dog GVM installer.



If your vehicle is already registered, you're still able to take advantage of our GVM upgrade kits - Post Registration kits contain the same components as their pre-registration brothers, but require an additional signoff by a state engineer. Your local Tough Dog GVM approved dealer can help with certification.



SAFETY & PERFORMANCE BY DESIGN

Federal approval for GVM upgrades requires rigorous testing to ensure that the vehicle performs as well or better than when it left the original manufacturer. You can be sure that your Tough Dog GVM will stop and handle well, even with the increased load on board. Depending on the vehicle, testing is required for:

- **1. Finite Element Analysis (FEA) testing:** A check of the maximum load carrying capacity of the vehicle's axles.
- 2. **Brake Testing:** Laden and Unladen brake testing as well as testing under partial system failure to comply with ADR35/06.
- **3. ESC Testing:** If required, this test ensures that the ESC system's response is the same or better than the original vehicle.









Every GVM kit comes complete with everything required, including necessary certification paperwork.

4 YEAR WARRANTY*

- Specially Appointed Installers
- Complete Peace of Mind

FIND YOUR NEAREST DEALER AT WWW.TOUGHDOG.COM.AU/DEALERLOCATOR

CONTACT OUR DEDICATED TEAM: ENQUIRY@4WAYSUSPENSION.COM.AU



GVM UPGRADES



GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER PORTAL

WHAT IS A GVM UPGRADE?

The GVM, or Gross Vehicle Mass of any vehicle is the weight in kg that the manufacturer has specified as being the maximum that the vehicle can weigh when fully loaded. Tough Dog GVM upgrades allow a vehicle to be certified to carry a greater amount than the original manufacturer, without breaching applicable ADRs or laws.

GVM upgrades for new vehicles are undertaken at the Second Stage of Manufacture (SSM) to the vehicle (after the First Stage of Manufacture) and are only certifiable by the Federal Government via the Department of Infrastructure, Transport, Regional Development and Communications.



VEHICLE & ACCESSORIES



CARGO



DRIVER & PASSENGERS



GROSS VEHICLE MASS

FEDERAL OR STATE APPROVAL

PRE OR POST REGISTRATION

You can upgrade the GVM of a vehicle using either Federal approval or state based approval, depending on whether the vehicle has been registered or not. If the vehicle has never been registered, Federal approval can be applied, the GVM kit comes complete with an additional compliance plate which will be fixed to the vehicle.

If the vehicle is already registered, the evidence used in Federal compliance is used in conjunction with a vehicle inspection by an authorised state engineer to certify the vehicle. Federal compliance cannot be achieved on a vehicle that has already been registered.

SAFETY FIRST NEVER OVERLOAD YOUR VEHICLE

YOU MUST NOT EXCEED THE MAXIMUM CERTIFIED GVM

ALWAYS BE AWARE OF:

Fitment of a GVM Kit MUST be carried out by an Authorised Tough Dog fitting facility.

DIY fitment or fitment by a non-authorised fitting station will result in the kit not achieving certification.

FRONT & REAR AXLE LOADS:

The maximum load applied to the individual axles must not be exceeded. Tough Dog GVM kits specify the maximum axle loading in both the front and rear acles, the owner or operator is responsible to ensure the vehicle so as not to exceed the maximum rating per axle.

TYRE LOAD RATINGS:

Tyres fitted to the vehicles MUST meet or exceed the original tyre load ratings to remain compliant. Compliance is the responsibily of the owner or operator.

MINIMUM PAYLOAD

Some Tough Dog GVM kits specify a minimum payload that the vehicle must achieve. This is a requirement of the kit. Compliance testing is carried out to a minimum (unladen) and maximum (laden) weights. The weight of the vehicle must fall within that window to remain compliant.





ASIA MOTORS

07/1993-2000 NO SPRING AVAILABLE



FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
NITROGEN GAS - SHOCK ABSORBER					
<u> </u>	OE Height	2	BD1102T	\$	Ea
	50mm Lift	2	BD1104T	\$	Ea
40MM ADJUSTABLE - SHOCK ABSORBER					
	OE Height	2	BM401102	\$	Ea
8	50mm Lift	2	BM401104	\$	Ea

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
NITROGEN GAS - SHOCK ABSORBER					
<u> </u>	OE Height	2	BD1364T	\$	Ea
	50mm Lift	2	BD1366T	\$	Ea
40MM ADJUSTABLE - SHOCK ABSORBER					
	OE Height	2	BM401364	\$	Ea
8	50mm Lift	2	BM401366	\$	Ea

STEERING DAMPER					
	Steering Damper	1	SD5700	\$	Ea

FRONT INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit	1	TDUK-001	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-001	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit	1	TDUK-001	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-001	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	2	TW959	\$	Ea			
	Fits bottom eyering	1	404702	\$	Ea			

REAR RE	PLACEMENT BU	SHE	ES (QTY PER S	HOCK)	
	Fits top & bottom eyering	2	404702	\$	Ea





07/1998-2002 EST. LIFT FRONT: 35MM | REAR: 35MM

FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP				
NI	TROGEN GAS - S	НО	CK ABSORBER						
	Up to 35mm Lift	2	BD2057T	\$	Ea				
BD20	BD2057T Is to be fitted to all applicationswhere a gas or adjustable shock is fitted to the rear								

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	R	RP				
NIT	ROGEN GAS - SI	HO	CK ABSORBER						
0	OE Height	2	BD1104T	\$	Ea				
	35mm Lift	2	BD1105T	\$	Ea				
	40MM ADJUST	ABI	E - SHOCK ABSO	RBI	≣R				
	OE Height	2	BM401104	\$	Ea				
8	35mm Lift	2	BM401105	\$	Ea				

TORSION BARS							
	=26mm/1040mm						
- Er	Adjust Torsion Bars ansure an minium of 60m	fter m c	fitting shocks roop is maintained.				

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC100	\$	Pr
	CONSTANT 300kg load	1	TDC100H	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	2	TW959	\$	Ea			
	Fits bottom eyering	1	412772	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	404702	\$	Ea		



DAIHATSUF10, F20, F50, F60. INC. SCAT

08/1975-1984 NO SPRING AVAILABLE



FRONT										
CONTENT	DESCRIPTION	QTY	PART NO	R	RP					
NI	NITROGEN GAS - SHOCK ABSORBER									
•	OE Height	2	BD1364T	\$	Ea					
	50mm Lift	2	BD1366T	\$	Ea					
	40MM ADJUST	ABI	E - SHOCK ABSO	RB	ER					
	OE Height	2	BM401364	\$	Ea					
8	50mm Lift	2	BM401366	\$	Ea					

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
a	OE Height	2	BD1366T	\$ Ea				
	50mm Lift	2	BD1382T	\$ Ea				
1	40MM ADJUST	ABI	E - SHOCK ABSO	RBER				
	OE Height	2	BM401366	\$ Ea				
8	50mm Lift	2	BM401382	\$ Ea				

FRONT INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit excluding F50	1	TDUK-019	\$	Kt		
	Urethane shackle bush kit -F50 only	1	TDUK-020	\$	Kt		
\bigcap	U-Bolt kit	2	TDUB-027	\$	Kt		

REAR INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit excluding F50	1	TDUK-019	\$	Kt		
	Urethane shackle bush kit - F50 only	1	TDUK-020	\$	Kt		
\bigcap	U-Bolt kit	2	TDUB-027	\$	Kt		

FRONT RI	EPLACEMENT BU	SH	ES (QTY PER SHO	CK)	
	FIts top & bottom eyering	2	404702	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	FIts top & bottom eyering	2	404702	\$	Ea		





FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	R	RP				
NI	NITROGEN GAS - SHOCK ABSORBER								
۵	OE Height	2	BD1366T	\$	Ea				
	50mm Lift	2	BD1382T	\$	Ea				
	40MM ADJUST	ABI	E - SHOCK ABSO	DRB	ER				
	OE Height	2	BM401366	\$	Ea				
8	50mm Lift	2	BM401382	\$	Ea				

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
a	OE Height	2	BD1400T	\$	Ea			
	50mm Lift	2	BD1441T	\$	Ea			
•	40MM ADJUST	ABI	E - SHOCK ABSO	RBI	ER			
	OE Height	2	BM401400	\$	Ea			
8	50mm Lift	2	BM401441	\$	Ea			

FRONT INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit	1	TDUK-002	\$	Kt	
\bigcap	U-Bolt kit	2	TDUB-027	\$	Kt	

REAR INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit	1	TDUK-023	\$	Kt		
\bigcap	U-Bolt kit	2	TDUB-027	\$	Kt		

FRONT RE	EPLACEMENT BU	JSH	ES (QTY PER SI	юск)
	Fits top & bottom evering	2	404702	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	404702	\$	Ea	
	Fits bottom pin	2	TW959	\$	Ea	





Shock Absorber

Leaf Spring

Urethane Bush kit


U-Bolt

2 Ea

2 Ea

2 Kt

Kt 1



8 8										
CONTENT	DESCRIPTION	QTY	PART NO	RR	RP					
NIT	NITROGEN GAS - SHOCK ABSORBER									
	40mm Lift	2	BD2057T	\$	Ea					
BD205	BD2057T Is to be fitted to all applicationswhere a gas or adjustable shock is fitted to the rear									

0 0					. .			
CONTENT	DESCRIPTION	QTY	PART NO	RRP	CONTENT	DESCRIPTION	QTY	
NIT	ROGEN GAS - S	HOCI	K ABSORBER		N	IITROGEN GAS - SI	100	CK
<u> </u>					<u> </u>	OE Height	2	
						40mm Lift	2	
	40mm Lift	2	BD2057T	\$ Ea	•	40MM ADJUSTA	ABL	E٠
						OE Height	2	
				1 1				

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
NITROGEN GAS - SHOCK ABSORBER						
a	OE Height	2	BD1102T	\$	Ea	
	40mm Lift	2	BD1104T	\$	Ea	
Ŧ	40MM ADJUSTA	ABI	E - SHOCK ABSC	RB	ER	
	OE Height	2	BM401102	\$	Ea	
8	40mm Lift	2	BM401104	\$	Fa	

REAR

REAR SUSPENSION CHECK LIST

You need to order the following items for the rear end of your vehicle.

TORSION BARS						
-	26mm/1093mm	1	4WTB-0197	\$	Pr	
Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.						

LEAF SPRINGS							
	0-300kg load	2	T67	\$	Ea		
Check width of leaf springs when ordering. T67 Leaf Springs have a width of 60mm							

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-003	\$	Kt		
\cap	U-Bolt kit	2	TDUB-027	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	404702	\$	Ea		



FRONT: 40MM | REAR: 40MM



2 Ea

1

2 Kt

RRP

Ea

Ea

Ea

Ea

\$


\$

\$

\$

Ea 2

Κt



0 0								
CONTENT	DESCRIPTION	QTY	PART NO	RR	Р			
NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm Lift	2	BD2057T	\$	Ea			
BD205	BD2057T Is to be fitted to all applicationswhere a gas or adjustable shock is fitted to the rear							

.			Shock Absorber Torsion Bar	1	Ea Pr				Shock Absorber Leaf Spring Urethane Bush kit U-Bolt
CONTENT	DESCRIPTION	QTY	PART NO	RRI	P	CONTENT	DESCRIPTION	QTY	PART NO
NITROGEN GAS - SHOCK ABSORBER				NI	TROGEN GAS - SH	100	CK ABSORBER		
۵						•	OE Height	2	BD1005T
							40mm Lift	2	BD1007T

TORSION BARS								
	26mm/1093mm	1	4WTB-0197	\$	Pr			
- En	Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.							

LEAF SPRINGS							
	0-300kg load	2	T76	\$	Ea		
Check width of leaf springs when ordering. T76 Leaf Springs have a width of 70mm							

OE Height

40mm Lift

40MM ADJUSTABLE - SHOCK ABSORBER

2

2

BM401005

BM401007

REAR

REAR SUSPENSION CHECK LIST

You need to order the following items for the rear end of your vehicle.

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-022	\$	Kt		
\bigcap	U-Bolt kit	2	TDUB-027	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW959	\$	Ea	



DAIHATSU ROCKY F77, F87 PICK UP & TRAYBACK 11/86-93 EST. LIFT FRONT: NO SPRING AVAILABLE



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
NITROGEN GAS - SHOCK ABSORBER						
0	OE Height	2	BD1102TB	\$	Ea	
	40mm Lift	2	BD1104TB	\$	Ea	
40MM ADJUSTABLE - SHOCK ABSORBER						
	OE Height	2	BM401102	\$	Ea	
8	40mm Lift	2	BM401104	\$	Ea	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
<u> </u>	OE Height	2	BD1400T	\$ Ea		
	40mm Lift	2	BD1441T	\$ Ea		
•	40MM ADJUST	ABI	LE - SHOCK ABSO	RBER		
	OE Height	2	BM401400	\$ Ea		
ŏ	40mm Lift	2	BM401441	\$ Ea		

FRONT INDIVIDUAL COMPONENTS					
	Urethane Shackle bush kit	1	TDUK-002	\$	Kt
Λ	U-Bolt kit D/S (1 kit req. exc F77, F87 - 2 kits req)	1	TDUB-002	\$	Kt

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle bush kit exc. F77, F87	1	TDUK-003	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	404702	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom pin	2	TW959	\$	Ea	
	Fits top eyering	1	404702	\$	Ea	




ROCKY F70, F75/F80, F85/F77,F87 06/1984-1993 - F70, F75 | 06/1984-1989 - F80, F85



FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



		.	
Shock Absorber	2	Ea	
Leaf spring	2	Ea	
Urethane Bush kit	1	Kt	
U-Bolt (Depending on Series)	2	Kt	

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
<u> </u>	OE Height	2	BD1102TB	\$ Ea			
	40mm Lift	2	BD1104TB	\$ Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER						
	OE Height	2	BM401102	\$ Ea			
8	40mm Lift	2	BM401104	\$ Ea			

	LEAF SPRIN	GS	(LWB)			
	40mm Lift	1	T65-LH	\$	Ea	
	- Except F77, F8 -LWB	1	T65-RH	\$	Ea	
Please note 1 left hand & right hand side leaf spring pack should be ordered						
	LEAF SPRIN	GS	(SWB)			
مر به	40mm Lift	1	T65C-LH	\$	Ea	
	- Except F77, F8 -SWB	1	T65C-RH	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-002	\$	Kt	
\cap	U-Bolt kit D/S (1 kit req. exc F77, F87 - 2 kits req)	1	TDUB-002	\$	Kt	
\cap	U-Bolt kit P/S (1 kit req, exc F77,F87 - Not req)	1	TDUB-027	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	404702	\$	Ea

REA	R						
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle	_				
	Shock Absorber	2	Ea				
	Leaf spring	2	Ea				
	Urethane Bush kit	1	Kt				
	U-Bolt	2	Kt				
88							

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
<u> </u>	OE Height	2	BD1400T	\$	Ea		
	40mm Lift	2	BD1104T	\$	Ea		
	40MM ADJUSTA	BL	E - SHOCK ABSC	RBE	R		
	OE Height	2	BM401400	\$	Ea		
8	40mm Lift	2	BM401104	\$	Ea		

LEAF SPRIN	GS	(LWB)	
0-300kg Loa - Except F77, F8 -LWB	2	T64	\$ Ea


LEAF SPRIN	GS	(SWB)	
0-300kg load - Except F77, F8 -SWB	2	T64M	\$ Ea

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle bush kit exc. F77, F87	1	TDUK-003	\$	Kt
\cap	U-Bolt kit	2	TDUB-027	\$	Kt

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom pin	2	TW959	\$	Ea	
	Fits top eyering	1	404702	\$	Ea	







REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
ŮŮ₹₹	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	OCK	ABSORBER		
	40mm Lift	2	FC42019B	\$!	Ea
Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
	40mm Lift	2	FC41184	\$ 6	Ea
	40MM ADJUSTABLE - SHOCK ABSORBER				
ŏ	40mm Lift	2	BM401184	\$ 6	Ea

TORSION BARS					
	26mm/1093mm	1	4WTB-0198	\$	Pr
Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

COIL SF	PRIN	igs	
0-300kg load	1	TDC066	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	2	4W-SPF420-02	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK







	REAR					
	REAR SUSPENSI	ON C	HECK LIST			
You need to or	rder the following iten	ns for	the rear end of your ve	hicle.		
	33		Shock Absorber	2	Ea	
			Coil Springs		Pr	
8 8	ಕಕ 	Coil	Insert Airbags (Optional)	1	Kt	
CONTENT	DESCRIPTION	QTY	PART NO	RRF)	

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	f: 1 x	strut, 1 x coil 1 x strut to	р				
	Lin to Ctool how	1	MAZ-007-LH	¢				
	Up to Steel bar	1	MAZ-007-RH	\$ Ea				
	NACHE Is an Oscillate	1	MAZ-008-LH	ф <u>Г</u>				
*	With bar & winch	1	MAZ-008-RH	\$ Ea				
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	TABLE				
•	Assembled struts are n	nade	up of: 1 x strut, 1 x coil 1	x strut top				
	I la ta Ota al la sa	1	MAZ-005-LH	ф <u>г</u>				
O .	Up to Steel bar	1	MAZ-005-RH	\$ Ea				
	NACH 1 0 : 1		MAZ-006-LH					
	With bar & winch		MAZ-006-RH	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
	Up to 40mm Lift	2	FC43013	\$ Ea			
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER			
8	Up to 40mm Lift	2	BM403013	\$ Ea			

STRUT - FOAM CELL					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404500	\$	Ea
I	STRUT -	40I	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404500	\$	Ea

COIL SPRINGS					
MILLAAA	Up to Steel bar	1	TDC452	\$	Pr
	With bar & winch	1	TDC452HL	\$	Pr

COIL SPRINGS					
MILLAAA	0-300kg load	1	TDC453	\$	Pr
	CONSTANT 300kg load	1	TDC453L	\$	Pr





TDAS-002

\$

Κt

FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRF	,		
UPPER CONTOL ARMS							
UU	Upper Control Arms	1	TDCA-003	\$ 645	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
	AIR ASSIST - COIL INSERT					
	Coil Insert Bag - OEM Height	1	TDAA-014	\$	Kt	
	Coil Insert Bag - 40mm Lift Height	1	TDAA-004	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

Wireless Air System

Suits Coil Insert Airbags

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea		
Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea		


FRONT INDIVIDUAL COMPONENTS					
Tro	Strut Top	2	MAZ-4051	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	ADJ00305	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	ADJ00312	\$	Ea	







CONTENT	DESCRIPTION	QTY	PART NO	RRP	
А	SSEMBLED STRU	TS	- FOAM CELL		
Assembl	ed struts are made up of	1 x	strut, 1 x coil 1 x strut to	р	
	No Assessarias	1	FOR-007-LH	ф Г -	
	No Accessories	1	FOR-007-RH	\$ Ea	
	With bar / bar & winch	1	FOR-008-LH	6 5 -	
		1	FOR-008-RH	-\$ Ea	
•	ASSEMBLED STRUTS - 40MM ADJUSTABLE				
•	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 1	x strut top	
	No Accessories	1	FOR-005-LH	6 5 -	
O		1	FOR-005-RH	\$ Ea	
	Maril I I I I I I I I I I I I I I I I I I I	1	FOR-006-LH		
	With bar / bar & winch	1	FOR-006-RH	\$ Ea	

STRUT - FOAM CELL						
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404520	\$	Ea	
I	STRUT - 40MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404520	\$	Ea	

COIL SPRINGS					
	40mm Lift-No Accessories	1	TDC1006	\$	Pr
WVVV	40mm Lift with Steel Bar or bar & Winch	1	TDC1007	\$	Pr

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.							
ii >>	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
iiss	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
ů	Up to 40mm Lift	2	FC43013	\$ Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	Up to 40mm Lift	2	BM403013	\$ Ea			

COIL SPRINGS						
MILLARA	0-300kg load	1	TDC453	\$	Pr	
	CONSTANT 300kg load	1	TDC453L	\$	Pr	





TDAS-002

Κt

FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	UPPER CONTOL	. AF	RMS				
UU	Upper Control Arms	1	TDCA-003	\$ Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	AIR ASSIST - COIL INSERT							
4	Coil Insert Bag - Standard Height	1	TDAA-014	\$ Kt				
	Coil Insert Bag - 40mm lift	1	TDAA-004	\$ Kt				
Note: Separate Air Assist components can be viewed on page 14.								

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

Wireless Air System

Suits Coil Insert Airbags

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea		

FRONT INDIVIDUAL COMPONENTS							
4	Strut Top	2	FOR-4520	\$	Ea		
	Bump Stop & Boot	2	DB170/B	\$	Ea		

Note: Purchasing the Strut Top (FOR-4520) will require use of the original bumpstop and boot or purchase of a replacement bumpstop and boot (DB170/B)

Contact 4Way Suspension to discuss.

FRONT RE	EPLACEMENT BUSH	ES (QTY PER SH	lock	()
	Fits bottom eyering	1	ADJ00306	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom eyering	1	ADJ00312	\$ E	a		





IN DEVELOPMENT - COMING SOON





IN DEVELOPMENT - COMING SOON





	FRONT						RE <i>A</i>	ΙR			
CONTENT	DESCRIPTION	QTY	PART NO		RRP	CONTENT	DESCRIPTION	QTY	PART NO	F	RRP
FOAM CELL - SHOCK ABSORBER					ı	FOAM CELL - SHO	CŁ	(ABSORBER			
	Up to 40mm Lift	2	FC41450B	\$	Ea		Up to 40mm Lift	2	FC41446	\$	Ea

Note: The "Limited" comes standard with (self levelling) air shocks. These can be retained or removed as desired.

If the (self levelling) air shocks are removed, the self levelling indicator light in the dash will turn on and off intermittently.

The air hoses should be sealed off and fastened to the chassis for later use if needed. The Air Compressor MUST be turned off.

The switch is located in the left rear inspection console. If futher electrical work is required, please consult an automotive electrican.





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RI	RP		
FOAM CEL	L - SHOCK ABSO	RBI	ER (EX QUAD SHO	CK	S)		
	Up to 30mm Lift	2	FC41130B	\$	Ea		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
F	FOAM CELL - SHO	OCK	ABSORBER				
	Up to 30mm Lift	2	FC41379	\$	Ea		

FOAM CELL - SHOCK ABSORBER (QUAD SHOCKS ONLY)								
ů	OE Height - Front of Axle	2	FC41102B	\$	Ea			
	OE Height - Rear of Axle	2	FC41130B	\$	Ea			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin (#1102B Only)	2	TW959	\$	Ea		
	Fits bottom eyering (#1102B Only)	1	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top eyering	1	404702	\$	Ea			
	Fits bottom eyering	1	4W-SPF420-04	\$	Ea			





FRONT							
CONTENT	DESCRIPTION	₫	PART NO	RRP			
	STRUT - FOAM CELL						
Ī	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404928	\$ Ea			
	STRUT -	40I	MM ADJUSTABLE				
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404928	\$ Ea			

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ı	FOAM CELL - SHO	CK	ABSORBER				
	Up to 50mm Lift	2	FC43034	\$ Ea			
	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER			
8	Up to 50mm Lift	2	BM403034	\$ Ea			

	COIL SP	RIN	igs	
	No accessories	1	TDC1035	\$ Pr
	With Bar or Bar & Winch	1	TDC1036	\$ Pr

LEAF SPRINGS						
Note: Bush kit fitted in springs & included in spring price						
0	عسد	0-400kg load	2	T83	\$	Ea
		CONSTANT 400kg load	2	T84	\$	Ea

	REAR INDIVIDUAL	. C	OMPONENTS	
\cap	U-Bolt Kit	2	TDUB-033	\$ Kt



FORD
F250
LIVE AXLE, QUAD REAR
2003-2006




EST. LIFT FRONT: 100MM | REAR: 100MM

FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



Shock Absorber	2	Ea
Leaf Spring	2	Ea
Leaf spring bush Kit	1	Kt
U-bolt	2	Kt
Panhard rod	1	Ea
Steering Damper (Optional)	1	Ea

CONTENT	DESCRIPTION	۵Ţ	PART NO	RRP				
RALPH - SHOCK ABSORBER								
	OE Height	2	TDR3500	\$ Ea				
1	45MM ADJUSTABLE - SHOCK ABSORBER							
8	100mm Lift	2	BMX3500/4	\$ Ea				

LEAF SPRINGS						
مر ی	100mm Lift - Up to Steel bar	2	FS026	\$	Ea	
	100mm Lift - with Bar & Winch	2	FS026H	\$	Ea	

STEERING DAMPER						
o 	XHD Return to Center	1	SS5250-XHD	\$	Ea	
OE THE STATE OF TH	9 Stage Adjustable	1	SV5250	\$	Ea	
Note: When fitted to OE Height vehicles, low ground clearance occurs						

PANHARD RODS						
• 	Adjustable	1	TDPR-250	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
	Shackle Bushes - fitted to springs, but not included in spring price	1	TDUK-064	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-033	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	TW038-16	\$	Ea	
	Fits bottom eyering	1	TW038-12	\$	Ea	

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the front end of your vehicle.						
	Shock Absorber	4	Ea			
	Leaf Spring	2	Ea			
	Leaf spring bush	1	Kt			
	U-bolt	2	Kt			
▎▋▋▋▋ ████						

CONTENT	DESCRIPTION	QTY	PART NO		RRP	
45MM ADJUSTABLE - SHOCK ABSORBER						
<u> </u>	OE Height - Front of rear axle	2	BMX3501	\$	Ea	
	OE Height - Rear of rear axle	2	BMX3502	\$	Ea	
	100mm Lift - Front of rear axle	2	BMX3501/4	\$	Ea	
8	100mm Lift - Rear of rear axle	2	BMX3502/4	\$	Ea	

LEAF SPRINGS					
مر یہ	0-500kg load	2	FS027	\$	Ea
	CONSTANT 500kg load	2	FS027H	\$	Ea

REAR INDIVIDUAL COMPONENTS					
	Shackle Bushes - fitted to springs, but not included in spring price	1	TDUK-064	\$	Kt
\cap	U-Bolt Kit	2	TDUB-034	\$	Kt

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	TW038-16	\$	Ea	
	Fits bottom eyering	1	TW038-12	\$	Ea	





2016-2020 EST. LIFT FRONT: OE HEIGHT | REAR: OE HEIGHT

FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	R	RRP		
45MN	ADJUSTABLE -	SH	OCK ABSORBER				
	OE Height	2	ВМХ3507	\$	Ea		

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RF	RP			
45MM	45MM ADJUSTABLE - SHOCK ABSORBER							
	OE Height	2	BMX3508	\$	Ea			

	AIR ASSIST - BELLOWS						
	Bellows Bag Kit OE Height	1	TDAA-129	\$	Kt		
Note: Sepa	arate Air Assist compone	ents	can be viewed on page	14.			
AIR ASS	SIST - BELLOWS W	VIR	ELESS AIR SYSTI	EM			
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		






2

2


2 Kt

Ea

Kt



CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	OCK	ABSORBER		
	Up to 40mm Lift	2	FC42051B	\$ Ea	
Note: FC42051B is to be used for all front applications					



CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	Up to 40mm Lift	2	FC41232	\$ Ea
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER
0	Up to 40mm Lift	2	BM401232	\$ Ea

REAR

TORSION BARS					
	26mm / 926mm	1	4WTB-1546	\$	Pr
Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

FRONT INDIVIDUAL COMPONENTS						
8:	Shock Mount Strengthening kit	1	TDSK-020	\$	Ea	
Failure to fit TDSK-020 will cause top mount failure.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top pin	1	TW959	\$	Ea	
	Fits Top pin	1	TW961	\$	Ea	
	Fits bottom eyering	1	4W-SPF420-02	\$	Ea	

LEAF SPRINGS						
مر یه	0-300kg load	2	FS365	\$	Ea	
	CONSTANT 300kg load	2	FS367	\$	Ea	


REAR INDIVIDUAL COMPONENTS						
	Shackle Bush kit	1	TDUK-034	\$	Kt	
\cap	U-Bolt kit	2	TDUB-005	\$	Kt	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fit Top eyering-Foam cell shock	1	ADJ00191	\$	Ea	
	Fit Bottom eyering- Foam cell shock	1	4W-SPF420-02	\$	Ea	
Ī	Fit Top eyering- Adjustable shock	1	230100	\$	Ea	
Ī	Fit Bottom eyering- Adjustable shock	1	230002	\$	Ea	




RANGER PJ & PK, 2.5L & 3.0L 12/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45MM





CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 45mm Lift	2	FC42051B	\$ E	ia			
Note: FC42051B is to be used for all front applications								

		_					
Note: FC42051B is to be used for all front applications							
TORSION BARS							
	27mm / 1028mm	1	4WTB-1440	\$	Pr		
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintatined							



CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 45mm Lift	2	FC41232	\$ Ea				
	40MM ADJUSTA	\BL	E - SHOCK ABSC	RBER				
8	Up to 45mm Lift	2	BM401232	\$ Ea				

LEAF SPRINGS						
	0-300kg load	1	FS368C-LH	\$	Ea	
		1	FS368C-RH	\$	Ea	
	CONSTANT 300kg load	1	FS368L-LH	\$	Ea	
		1	FS368L-RH	\$	Ea	

Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered.

LEAF SPRING FITMENT KIT - FOR FS368L							
	Urethane Shackle bushes	1		TDUK-069			
	U-Bolts	2	TDFK-001	TDUB-039	\$ Kt		
	Greaseable Shackles	1	TDI K-001	TDGS-386/1	ψ Kt		
[]	Greaseable Pins	1		TDGP-668			
	LEAF SPRING FITMENT KIT - FOR FS368C						
	Urethane Shackle bushes	1		TDUK-069			
	U-Bolts	2	TDFK-002	TDUB-040	\$ Kt		
······································	Greaseable Shackles	1	1DFK-002	TDGS-386/1	ψ Kt		
•	Greaseable Pins	1		TDGP-668			
Kit includes Urethane Shackle bushes, U-Bolts, Greaseable Shackles & Pins and any other essential items required to fit leaf springs.							



FORD RANGER PJ & PK, 2.5L & 3.0L 12/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Bellows bag - OEM Height	1	TDAA-117	\$	Kt		
	Bellows bag - 45mm lift	Bellows bag 1 TDAA-10	TDAA-101	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
Shock Mount 1 TDSK-020 \$						
Note: Failure to fit TDSK-020 will cause top mount failure.						

F	REAR INDIVIDUAL COMPONENTS							
	Shackle Bush kit	1	TDUK-069	\$	Kt			
\cap	U-Bolt kit - suits FS368C LH & RH only	2	TDUB-040	\$	Kt			
\cap	U-Bolt kit - suits FS368L LH & RH only	2	TDUB-039	\$	Kt			
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt			
	Greaseable Pin kit	1	TDGP-668	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top pin	1	TW959	\$	Ea	
	Fits Top pin	1	TW961	\$	Ea	
	Fits bottom eyering	1	4W-SPF420-02	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits Top eyering - Foam cell shock	1	ADJ00191	\$	Ea		
	Fits Bottom eyering - Foam cell shock	1	4W-SPF420-02	\$	Ea		
	Fits Top eyering - Adjustable shock	1	230100	\$	Ea		
Ī	Fits Bottom eyering - Adjustable shock	1	230002	\$	Ea		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control arms (Optional) 1 Pr


		Upp	er Control arms (Optiona	al) 1 Pr
CONTENT	DESCRIPTION	QTY	PART NO	RRP
A	SSEMBLED STRU	JTS -	FOAM CELL	
Assembl	ed struts are made up o	f: 1 x s	strut, 1 x coil 1 x strut to	р
	Up to Stool bar	1	MAZ-003-LH	-\$ Ea
	Up to Steel bar	1	MAZ-003-RH	ъ ⊏а
	With bar & winch	1	MAZ-004-LH	-\$ Ea
*	With par & winch	1	MAZ-004-RH	\$ Ea
3	ASSEMBLED ST	TRU1	rs - 40mm adjus	STABLE
•	Assembled struts are r	nade ı	up of: 1 x strut, 1 x coil 1	x strut top
Ĭ	Un to Ctool har	1	MAZ-001-LH	-\$ Ea
	Up to Steel bar	1	MAZ-001-RH	-\$ Ea
		1	MAZ-002-LH	

STRUT - FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404500	\$	Ea		
	STRUT -	STRUT - 40MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404500	\$	Ea		

MAZ-002-RH

With bar & winch

COIL SPRINGS						
MILLAAA	Up to Steel bar	1	TDC451	\$	Pr	
	With Steel Bar & Winch	1	TDC451HL	\$	Pr	



CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC41232	\$ Ea					
	40MM ADJUSTA	AΒΙ	LE - SHOCK ABSO	RBER					
8	Up to 40mm Lift	2	BM401232	\$ Ea					

LEAF SPRINGS							
	0-300kg load	2	FS369C	\$	Ea		
	CONSTANT 300kg load	2	FS369L	\$	Ea		
	CONSTANT 500kg load	2	FS369LL	\$	Ea		

Ea





	FRO	TNC		
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP

REAR								
CONTENT	DESCRIPTION	QTY	PAR [*]	Г NO	RRP			
LEAF S	PRING FITMENT A	(IT	- FITS FS	369L & I	L.			
	Urethane Shackle bushes	1		TDUK-070				
	U-Bolts	2		TDUB-039				
\cap	Greaseable Shackles	1	TDFK-003	TDGS-390	\$ Kt			
1 1	Greaseable Pins	1		TDGP-668				
+	Transmission Spacer	1		TDSP-007				
:a 4:	LEAF SPRING F	ΉT	MENT KIT	- FITS F	S369C			
	Urethane Shackle bushes	1		TDUK-070				
	U-Bolts	2		TDUB-040				
	Greaseable Shackles	1	TDFK-004	TDGS-390	\$ Kt			
	Greaseable Pins	1		TDGP-668				
	Transmission Spacer	1		TDSP-007				

Upper Control Arms 1 TDCA-003 \$ Pr	UPPER CONTROL ARMS						
	UU	Upper Control Arms	1	TDCA-003	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

	AIR ASSIST -	BE	LLOWS			
22	Bellows Bag kit - Standard Height	1	TDAA-116	\$	Kt	
	Bellows Bag kit - 40mm lift	1	TDAA-102	\$	Kt	
Natas Cam	Nicker Consume Air Assist communicate con her viscond on none 14					

Note: Separate Air Assist components can be viewed on page 14.

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea	
Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
1 0	Strut Top	2	MAZ-4051	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-070	\$	Kt			
\cap	U-Bolt kit - Suits FS369C only	2	TDUB-040	\$	Kt			
\cap	U-Bolt kit - Suits FS369L & LL only	2	TDUB-039	\$	Kt			
	Greaseable Shackle kit	1	TDGS-390	\$	Kt			
·····	Greaseable Pin kit	1	TDGP-668	\$	Kt			

Note: Must be fitted to all lift kits.

TDSP-007

\$

Κt

FRONT RI	EPLACEMENT BU	SH	ES (QTY PER SHO	OCK)	
	Fits Bottom Eyering	1	ADJ00305	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits Top Eyering - Foam cell shock	1	ADJ00191	\$	Ea		
	Fits Bottom eyering - Foam cell shock	1	4W-SPF420-02	\$	Ea		
	Fits Top Eyering - Adjustable shock	1	230100	\$	Ea		
Î	Fits Bottom eyering - Adjustable shock	1	230002	\$	Ea		

Tasses Transmission Spacer kit 1






2 Ea

2 Ea

1 Kt

Κt



You need to or	der the following item	s for the front end of your ve	hicl	e.		You need to o	rder the following item	s fo	r the rear end of your ve	hicle	
		Assembled struts	2	Ea	a				Shock Absorber	2	E
宝宝	1122	OR					مر ا		Leaf Springs	2	E
	∕IJ≷≷	Struts	2	Ea	a	0		(Ba	Leaf Spring Fitment Kit sed on leaf spring choice) 1	ı
	╁ ╂⋞⋞	Coil Springs	1	Pr	r	▎▐▐▗▃ [▗]		Ве	ellows Airbags (Optional)	1	ı
	ijįďď	Strut Top (Optional)	2	Ea	a						
		Upper Control arms (Optional)	1	Pr	r						
CONTENT	DESCRIPTION	PART NO	RR	P		CONTENT	DESCRIPTION	QTY	PART NO	RRI	P
А	SSEMBLED STRU	JTS - FOAM CELL					FOAM CELL - SHO	CK	ABSORBER		
Assemble	ed struts are made up o	of: 1 x strut, 1 x coil 1 x strut top									

CONTENT	DESCRIPTION	Q	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	р				
	Un to Stool har	1	FOR-003-LH	\$ Ea				
	Up to Steel bar	1	FOR-003-RH	ъ са				
_	With Steel Bar		FOR-004-LH	¢				
*	& Winch	1	FOR-004-RH	\$ Ea				
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	TABLE				
•	Assembled struts are m	nade	e up of: 1 x strut, 1 x coil 1	x strut top				
	Un to Stool har	1	FOR-001-LH	\$ Ea				
· ·	Up to Steel bar	1	FOR-001-RH	ъ са				
	With Steel Bar	1	FOR-002-LH	\$ Ea				
	& Winch	1	FOR-002-RH	\$ Ea				

CONTENT	DESCRIPTION	P	PART NO	RRP
ŀ	FOAM CELL - SHO	Ck	ABSORBER	
	Up to 40mm Lift	2	FC41232	\$ Ea
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER
ŏ	Up to 40mm Lift	2	BM401232	\$ Ea

REAR

REAR SUSPENSION CHECK LIST

	STRUT - FO	ΑN	I CELL	
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404520	\$ Ea
I	STRUT -	40I	MM ADJUSTABLE	
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404520	\$ Ea

	COIL SP	RIN	IGS	
MILLAAA	Up to Steel Bar	1	TDC455	\$ Pr
	With Steel Bar & Winch	1	TDC455HL	\$ Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS369C	\$ Ea
CONSTANT 300kg load	2	FS369L	\$ Ea
CONSTANT 500kg load	2	FS369LL	\$ Ea

LEAF SPRING FITMENT KIT - FITS FS369L & LL								
	Urethane Shackle bushes			TDUK-070				
	U-Bolts			TDUB-039				
	Greaseable Shackles	1	TDFK-003	TDGS-390	\$ Kt			
	Greaseable Pins			TDGP-668				
	Transmission Spacer			TDSP-007				





	FRO	TNC		
CONTENT	DESCRIPTION	QTY	PART NO	RRP

REAR								
CONTENT	DESCRIPTION	QTY	PAR [*]	T NO	RRP			
LEAF	SPRING FITMEN	Τŀ	(IT - FITS	FS369C				
	Urethane Shackle bushes			TDUK-070				
\cap	U-Bolts			TDUB-040				
	Greaseable Shackles	1	TDFK-004	TDGS-390	\$ Kt			
	Greaseable Pins			TDGP-668				
	Transmission Spacer			TDSP-007				

UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-003	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS AIR BAGS								
22	Bellows Bag kit - Standard Height	1	TDAA-116	\$	Kt			
	Bellows Bag kit - 40mm lift	1	TDAA-102	\$	Kt			

Note: Separate Air Assist components can be viewed on page 14.

UPPE	R CONTROL ARMS - REF	PL#	ACEMENT COMPO	NE	NTS
	Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea

AIR ASS	AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt				

FRONT INDIVIDUAL COMPONENTS							
Æ •0	Strut Top excluding Bump Stop & Boot	2	FOR-4520	\$	Ea		
	Bumpstop & Boot	2	DB170/B	\$	Ea		

Note: Purchasing the Strut Top (FOR-4520) will require use of the original bumpstop and boot or purchase of a replacement bumpstop and boot (DB170/B)

Contact 4Way Suspension to discuss.

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-070	\$	Kt			
\bigcap	U-Bolt kit - Suits FS369C only	2	TDUB-040	\$	Kt			
\cap	U-Bolt kit - Suits FS369L &LL only	2	TDUB-039	\$	Kt			
	Greaseable Shackle kit	1	TDGS-390	\$	Kt			
<u>-</u>	Greaseable Pin kit	1	TDGP-668	\$	Kt			
	Transmission Spacer kit	1	TDSP-007	\$	Kt			
	Note: Must be fitted to all lift kits.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Bottom Eyering	1	ADJ00306	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
8	Fits Top Eyering - Foam cell shock	1	ADJ00191	\$	Ea			
	Fits Bottom eyering - Foam cell shock	1	4W-SPF420-02	\$	Ea			
	Fits Top Eyering - Adjustable shock	1	230100	\$	Ea			
Î	Fits Bottom eyering - Adjustable shock	1	230002	\$	Ea			

FOR GVM UPGRADES, SEE PAGE 52

GVM UPGRADE



FORD PXIII RANGER

4x2/4x4 'SINGLE CAB' PX-III (XL) - 2018-2022 4x2/4x4 'SUPER CAB' PX-III (XL, XLT) - 2018-2022 4x2/4x4 'DOUBLE CAB' PX-III (XL, XLS, XLT, WILDTRACK) - 2018-2022 3200_{KG*}

3510_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 610KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1480KG	1480KG				
REAR AXLE RATING	1850KG	2030KG				
GROSS VEHICLE MASS (GVM)	3200KG	3510KG				
TOWING CAPACITY (BRAKED)	3500KG	3500KG				
GROSS COMBINED MASS (GCM)	6000KG	6000KG				
• Payload increase is based on model variant.						

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

4X2/4X4 'SINGLE CAB' PX-III (XL) - 2018-2022

4X2/4X4 'SUPER CAB' PX-III (XL, XLT) - 2018-2022

4X2/4X4 'DOUBLE CAB' PX-III (XL, XLS, XLT, WILDTRACK) - 2018-2022

DESCRIPTION	GVM UPGRADE	PART NO	RRP
SINGLE/SUPER CAB FRONT: BAR & WINCH REAR: 600KG MIN. LOAD	3510KG	TDGVM-050	
SINGLE/SUPER CAB FRONT: NO ACCESSORIES REAR: 600KG MIN. LOAD	3510KG	TDGVM-051	
DOUBLE CAB FRONT: BAR & WINCH REAR: 400KG MIN. LOAD	3510KG	TDGVM-050	
DOUBLE CAB FRONT: NO ACCESSORIES REAR: 400KG MIN. LOAD	3510KG	TDGVM-051	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
COIL SPRINGS						
	With Bar & Winch Only - OE Height	1	TDC1022	\$ F		


REAR					
CONTENT	DESCRIPTION	QTY	PART NO		RRP
COIL SPRINGS					
	150-300kg load - OE Height	1	TDC1023	\$	Pr

Note: The Ford Ranger Raptor features Shock Absorber from fox suspension, which are an internal bypass style shock absorber and are therefore height sensitive in their ride control. When additional accessories like front steel bars, or rear tub accessories are fitted, the ride height of the vehicle is altered, which in turn alters the performance of the shock absorber.

Tough Dog Coil Springs are designed to return the vehicle to the original ride height to maintain the ride quality and should therefore only be fitted in the event that the appropriate level of accessory or other permanent load is present to ensure that the vehicle's ride is not adversely affected.







REA	REAR							
REAR SUSPENSION CHECK LIST								
You need to order the following items	s for the rear end of your ve	hicle.						
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit (Based on leaf spring choice)	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	ı	RRP			
ASSEMBLED STRUTS TO FIT 2.0L 4CYL B-TD MODELS								
FOAM CELL								
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil, 1	x str	ut top			
	No Accessories	1	FOR-013	\$	Ea			
	Bar or Bar & Winch	1	FOR-014	\$	Ea			
3	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-015	\$	Ea			
3	40MI	M A	ADJUSTABLE					
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil, 1	x str	ut top			
· ·	No Accessories	1	FOR-009	\$	Ea			
	Bar or Bar & Winch	1	FOR-010	\$	Ea			
	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-011	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
ů	Up to 45mm Lift	2	FC43044	\$ Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
8	Up to 45mm Lift	2	BM403044	\$ Ea			

ASSEMBLED STRUTS TO FIT 3.0L V6 TD MODELS						
		- 0,	AM CELL			
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil, 1	L x str	ut top	
	No Accessories	1	FOR-014	\$	Ea	
	Bar or Bar & Winch	1	FOR-015	\$	Ea	
1	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-016	\$	Ea	
•	40MM ADJUSTABLE					
	Assembled struts are made up of: 1 x strut, 1 x coil, 1 x strut top					
Ç	No Accessories	1	FOR-010	\$	Ea	
	Bar or Bar & Winch	1	FOR-011	\$	Ea	
	Bar, Winch, Dual Batteries, Underbody Protection	1	FOR-012	\$	Ea	

STRUT - FOAM CELL					
	Up to 45mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404934	\$	Ea
I	STRUT -	40I	MM ADJUSTABLE		
	Up to 45mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404934	\$	Ea

FOR GVM UPGRADES, SEE PAGE 56



RANGER P703 RANGER 2.0L 4CYL BTD, 3.0L V6 TD 07/2022 ON EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
COIL SPRINGS - 2.0L 4CYL BTD						
	No Accessories	1	TDC1063	\$	Pr	
	Bar or Bar & Winch	1	TDC1064	\$	Pr	
~~~~	Bar, Winch, Dual Batteries, Underbody Protection	1	TDC1065	\$	Pr	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	ı	RRP		
	LEAF SPRINGS						
	0-300kg load	2	T88C	\$	Ea		
	CONSTANT 300kg load	2	T88L	\$	Ea		
	CONSTANT 500kg load	2	T88LL	\$	Ea		

COIL SPRINGS - 3.0L V6 TD						
	No Accessories	1	TDC1064	\$	Pr	
	Bar or Bar & Winch	1	TDC1065	\$	Pr	
	Bar, Winch, Dual Batteries, Underbody Protection	1	TDC1066	\$	Pr	

LEA	LEAF SPRING FITMENT KIT - FITS T88C							
	Urethane Shackle bushes							
\cap	U-Bolts							
	Greaseable Shackles	1	TDFK-035		\$	Kt		
	Greaseable Pins							
	Transmission Spacer							

LEAF S	PRING FITMENT K	ĺΤ	- FITS T8	8L & T88	<u>L</u> L	
	Urethane Shackle bushes U-Bolts					
	Greaseable Shackles	1	TDFK-036		\$	Kt
	Greaseable Pins					
00000	Transmission Spacer					

TDCA-013 UCAs suit XLT, Sport, WildTrak, WildTrak S, Platinum Models. They do not fit XL or XLS models					
UPPER CONTROL ARMS					
UU	Upper Control Arms	1	TDCA-013	\$	Pr
Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted					

Note:

AIR ASSIST - BELLOWS AIR BAGS						
22	Bellows Bag kit - Standard Height	1	TDAA-135	\$	Kt	
	Bellows Bag kit - 45mm lift	1	TDAA-136	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

UPPER CON	TROL ARMS - REP	'L#	ACEMENT COMPO	NEN	rs
	Bush Kit to fit one UCA - for TDCA-013	1	TDSK-028	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-013	1	TDSK-029	\$	Ea

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

F	RONT INDIVIDUAL	_C	OMPONENTS	
1	Strut Top excluding Bump Stop & Boot	2	FOR-4934	\$ Ea
	Bumpstop & Boot	2	DB190/B	\$ Ea

Note: Fitting the Strut Top (FOR-4934) will require use of the original bumpstop
and boot, or purchase of a replacement bumpstop and boot (DB-190B).
Contact 4Way Suspension to discuss.

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-070	\$	Kt	
\cap	U-Bolt kit - Suits T88C only	2	TDUB-016	\$	Kt	
\cap	U-Bolt kit - Suits T88L & LL only	2	TDUB-016HD	\$	Kt	
	Greaseable Shackle kit	1	TDGS-390	\$	Kt	
<u>S</u>	Greaseable Pin kit	1	TDGP-668	\$	Kt	
	Transmission Spacer kit	1	TDSP-030	\$	Kt	
	Note: Must be fitte	d to	all lift kits.			
	Relocation Bracket - Matrix LED Headlight Module	1	TDSP-031	\$	Kt	
Note: Relocation Bracket must be fitted to Premium Pack optioned models with auto-levelling headlights.						

GVM UPGRADE



FORD P703 RANGER

COMING SOON



Bigger, tougher and smarter, the Next Gen Ford Ranger has been pushed beyond traditional design boundaries to deliver features you didn't even know you needed in. Get the most out of your Ranger Life with a GVM Upgrade from Tough Dog Suspension.

WHAT YOU GET:

COMING SOON

VEHICLE SPECIFICATIONS

DESCRIPTION ORIGINAL EQUIPMENT

TOUGH DOG


COMING SOON



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME





REA	R							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
	Up to 45mm Lift	2	FC42019B	\$ Ea
FC	C42019B is to be used fo	or all	front applications	

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$ Ea				
	45mm Lift	2	BD1388T	\$ Ea				
Ě	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41382	\$ Ea				
I	45mm Lift	2	FC41388	\$ Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
J	OE Height	2	BM401382	\$ Ea				
	45mm Lift	2	BM401388	\$ Ea				

TORSION BARS						
-	30mm / 1145mm	1	4WTB-1559	\$	Pr	
- en	Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintatined					

	LEAF SPI	RIN	IGS	
مر به	0-300kg load	2	FS213	\$ Ea
	CONSTANT 300kg load	2	FS213H	\$ Ea


LEAF SPRING FITMENT KIT								
	Urethane Shackle bushes			TDUK-065				
\cap	U-Bolts	1	TDFK-005	TDUB-039	\$ Kt			
***************************************	Greaseable Shackles		1DFK-003	TDGS-386	\$ Kt			
	Greaseable Pins			TDGP-668				

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-039	\$	Kt	
	Greasable Shackle Kit	1	TDGS-386	\$	Kt	
	Greasable Pin Kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	





REA	AR .				
REAR SUSPENSION	ON CHECK LIST				
You need to order the following items for the rear end of your vehicle.					
ڲڰڵڵ	Shock Absorber	2	Ea		
	Coil Springs	1	Pr		
88					

CONTENT	DESCRIPTION	QTY	PART NO	RI	RP				
	FOAM CELL - SHOCK ABSORBER								
	Up to 30mm Lift	2	FC42019B	\$	Ea				
F	FC42019B is to be used for all front applications								

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	FOAM CELL - SHO	Cł	K ABSORBER				
	Up to 30mm Lift	2	FC41460	\$ Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER						
8	Up to 30mm Lift	2	BM401460	\$ Ea			

TORSION BARS						
-	30mm/1145mm	1	4WTB-1559	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

COIL SPRINGS						
MIAAAA	0-300kg load	1	TDC045	\$	Pr	
	0-300kg load CONSTANT 300kg load	1	TDC047	\$	Pr	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	TW038-16	\$	Ea



GREAT WALL

2016-2020 EST. LIFT FRONT: 40MM | REAR: 40MM





CONTENT	DESCRIPTION	QTY	PART NO		RRP
	FOAM CELL - SH	OCK	ABSORBER		
	Up to 40mm Lift	2	FC42019B	\$	Ea
FC42019B is to be used for all front applications					

FC42019B is to be used for all front applications					
TORSION BARS					
	30mm/1145mm	1	4WTB-1559	\$	Pr
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					



CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
۵	Up to 40mm Lift	2	BD1382T	\$ Ea		
	FOAM CELL - SHOCK ABSORBER					
	Up to 40mm Lift	2	FC41382	\$ Ea		
	40MM ADJUSTABLE - SHOCK ABSORBER					
8	Up to 40mm Lift	2	BM401382	\$ Ea		

LEAF SPRINGS					
مر به	0-300kg load	2	FS213	\$	Ea
	CONSTANT 300kg load	2	FS213H	\$	Ea

LEAF SPRING FITMENT KIT							
	Urethane Shackle Bush Kit			TDUK-065			
\cap	U-Bolt Kit			TDUB-017			
3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Greasable Shackle Kit	1	TDFK-006	TDGS-386	\$ K	ίt	
	Greasable Pin Kit			TDGP-668			
•	Handbrake Relocation Kit			TDSP-025			

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt
\bigcap	U-Bolt Kit	2	TDUB-017	\$	Kt
	Greasable Shackle Kit	1	TDGS-386	\$	Kt
	Greasable Pin Kit	1	TDGP-668	\$	Kt
	Handbrake Relocation Kit	1	TDSP-025	\$	Kt
Note: Must be fitted to all lift kits.					

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
A	SSEMBLED STRU	TS	- FOAM CELL		
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	ор	
	No Accessories	2	GWM-003	\$	Ea
*	With Bar / Bar & Winch	2	GWM-004	\$	Ea
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top			ut top	
8	No Accessories	2	GWM-001	\$	Ea
	With Bar / Bar & Winch	2	GWM-002	\$	Ea
	STRUT - FO	ΑN	CELL		
l	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404931	\$	Ea
Ī	STRUT -	STRUT - 40MM ADJUSTABLE			
Ţ	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404931	\$	Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring Fitment Kit (Based on leaf spring choice)	1	Kt				
	Bellows Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC43040	\$ Ea				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER				
	Up to 40mm Lift	2	BM403040	\$ Ea				

	COIL SP	RIN	IGS	
MIAAAA	No accessories	1	TDC1047	\$ Pr
	with Bar or Bar & Winch	1	TDC1048	\$ Pr

LEAF SPI	RIN	IGS	
0-300 kg load	2	T87C	\$ Ea
CONSTANT 300 kg load	2	T87L	\$ Ea
CONSTANT 500 kg load	2	T87LL	\$ Ea

LEAF SPRING FITMENT KIT - FITS T87LL								
	Urethane Shackle bushes			TDUK-088				
\cap	U-Bolts			TDUB-039				
	Greaseable Shackles	1	TDFK-007	TDGS-390	\$ Kt			
	Greaseable Pins			TDGP-668				
•	Centre bearing kit			TDSP-027				



FRONT CONTENT DESCRIPTION FRP

REAR									
CONTENT	DESCRIPTION	QTY	PAR [*]	T NO	RRP				
LEAF	LEAF SPRING FITMENT KIT - FITS T87C / L								
	Urethane Shackle bushes			TDUK-088					
\cap	U-Bolts			TDUB-040					
***************************************	Greaseable Shackles	1	TDFK-008	TDGS-390	\$ Kt				
	Greaseable Pins			TDGP-668					
•	Centre bearing kit			TDSP-027					

	UPPER CONT	RO	LARMS	
UU	Upper Control Arms	1	TDCA-012	\$ Pr

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

	AIR ASSIST -	ВЕ	LLOWS	
22	Bellows Bag Kit - OEM Height	1	TDAA-132	\$ Kt
	Bellows Bag Kit - 40mm Lift	1	TDAA-133	\$ Kt

Note: Separate Air Assist components can be viewed on page 14.

ı	UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-012	1	TDSK-024	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-012	1	TDSK-025	\$	Ea		


FRONT INDIVIDUAL COMPONENTS					
·E·O	Strut Top	2	GWM-4931	\$	Ea

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

F	REAR IINDIVIDUAL	. C	OMPONENTS				
	Urethane Shackle Bush Kit	1	TDUK-088	\$	Kt		
\bigcap	U-Bolt Kit - T87C & T87L Only	2	TDUB-040	\$	Kt		
\cap	U-Bolt Kit - T87LL Only	2	TDUB-039	\$	Kt		
	Greasable Shackle Kit	1	TDGS-390	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		
•	Centre bearing kit	1	TDSP-027	\$	Ea		
	Note: Must be fitted with all kits.						







REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber Coil Springs	2	Ea Pr			
88 -						

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC42019B	\$ Ea				
F	FC42019B is to be used for all front applications							

CONTENT	DESCRIPTION	QTY	PART NO	RRI	P			
FOAN	FOAM CELL - SHOCK ABSORBER (EYE/EYE)							
	Up to 40mm Lift	2	FC41200	\$	Ea			
2	FOAM CELL - SHOCK ABSORBER (PIN/EYE)							
	Up to 40mm Lift	2	FC41201B	\$	Ea			
	40MM ADJUST	ABI (E	LE - SHOCK ABSC EYE/EYE)	RBE	R			
	Up to 40mm Lift	2	BM401200	\$	Ea			
8	40MM ADJUST	AB (F	LE - SHOCK ABSO PIN/EYE)	ORBE	R			
	Up to 40mm Lift	2	BM401201	\$	Ea			
Note: C	heck mounts before ord	derin	g for eye/eye or Pin/eye	•				

TORSION BARS						
-	30mm/1145mm	1	4WTB-1559	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						


	COIL SPF	RIN	IGS	
MILLAAA	0-300kg load OE Height (10/95-99 Only)	1	TDC290	\$ Pr
	0-300kg load	1	TDC267	\$ Pr
	CONSTANT 300kg load	1	TDC267H	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	



HOLDEN JACKAROO, ISUZU TROOPER UBS13, 16, 52, 52I 11/1981-1986 EST. LIFT FRONT: 45MM | REAR: 45MM





REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
& & o o	Shock Absorber	2	Ea			
	Leaf Springs	2	Ea			
	Urethane shackle bush kit	1	Kt			
	U-Bolt kit	2	Kt			
■ ■ — •—• ! !	Greaseable Pin kit	1	Kt			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
•	Up to 45mm Lift	2	BD2057T	\$ Ea				
	FOAM CELL - SHOCK ABSORBER							
8	Up to 45mm Lift	2	FC42057B	\$ Ea				
FC42057	B is to be fitted to all ap or Adjustable shock i	plic s fitt	ations where a Foam Ce ed to the rear.	il				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$	Ea			
•	45mm Lift	2	BD1388T	\$	Ea			
	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41382	\$	Ea			
	45mm Lift	2	FC41388	\$	Ea			
	40MM ADJUSTA	ιBL	E-SHOCK ABSO	ORBEF	8			
_	OE Height	2	BM401382	\$	Ea			
	45mm Lift	2	BM401388	\$	Ea			

TORSION BARS					
	26mm/926mm	1	4WTB-1546	\$	Pr
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					

	LEAF SPI	٦IN	IGS	
مر یه	0-300kg load	2	FS113	\$ Ea
	CONSTANT 300kg load	2	FS113H	\$ Ea

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-004	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-006	\$	Kt		
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



HOLDEN JACKAROO, ISUZU TROOPER UBS16, 17, 52, 55 11/1986-1992 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr

REAR						
REAR SUSPENSION CHECK LIST						
s for the rear end of your ve	hicle					
Shock Absorber	2	Ea				
Leaf Springs	2	Ea				
Urethane shackle bush kit	1	Kt				
U-Bolt kit	2	Kt				
Greaseable Pin kit	1	Kt				
	Shock Absorber Leaf Springs Urethane shackle bush kit U-Bolt kit	Shock Absorber 2 Leaf Springs 2 Urethane shackle bush kit 1 U-Bolt kit 2				

CONTENT	DESCRIPTION	QTY	PART NO	RRF	•				
NIT	NITROGEN GAS - SHOCK ABSORBER								
	Up to 45mm Lift	2	BD2057T	\$	Ea				
1	FOAM CEL	L -	SHOCK ABSORBE	≣R					
8	Up to 45mm Lift	2	FC42057B	\$	Ea				
FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.									

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
NI	NITROGEN GAS - SHOCK ABSORBER								
	OE Height	2	BD1105T	\$ E	а				
	45mm lift	2	BD1106TB	\$ E	а				
Ě	FOAM CEL	L -	SHOCK ABSORBE	≣R					
	OE Height	2	FC41105	\$ E	а				
I	45mm lift	2	FC41106	\$ E	а				
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER					
•	OE Height	2	BM401105	\$ E	а				
	45mm lift	2	BM401106	\$ E	а				

TORSION BARS					
-	26mm / 997mm	1	4WTB-1548	\$	Pr
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					

LEAF SPRINGS						
	0-300kg load	2	FS113	\$	Ea	
	CONSTANT 300kg load	2	FS113H	\$	Ea	


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-004	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-006	\$	Kt	
<u>-</u>	Greasable Pin Kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	404702	\$	Ea	
	Fits top pin	2	TW959	\$	Ea	







REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
ÎÎŞŞ	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP						
ı	FOAM CELL - SHOCK ABSORBER									
	Up to 40mm Lift	2	FC42019B	\$ Ea						
F	FC42019B is to be used for all front applications									

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	Up to 40mm Lift	2	FC41200	\$ Ea
Ī	40MM ADJUSTA	\ΒI	E - SHOCK ABSO	RBER
o	Up to 40mm Lift	2	BM401200	\$ Ea

TORSION BARS						
	29.3mm/1220mm	1	4WTB-1549	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

	COIL SPRINGS	- L	JBS 25, 69		
	0-300kg load	1	TDC267	\$	Pr
	CONSTANT 300kg load	1	TDC267H	\$	Pr
MILLAAA	CONSTANT 500kg load	1	TDC267HH	\$	Pr
	COIL SPRINGS	; - (UBS 26, 73 WIDE I	BOD'	Y
	0-300kg load	1	TDC267H	\$	Pr
	CONSTANT 300kg load	1	TDC267HH	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	415024	\$	Ea





FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NIT	ROGEN GAS - SI	HO	CK ABSORBER			
	OE Height	2	BD1382T	\$ Ea		
	40mm Lift	2	BD1388T	\$ Ea		
Å	FOAM CELL - SHOCK ABSORBER					
	OE Height	2	FC41382	\$ Ea		
	40mm Lift	2	FC41388	\$ Ea		
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER		
	OE Height	2	BM401382	\$ Ea		
	40mm Lift	2	BM401388	\$ Ea		

TORSION BARS					
	26mm / 927mm - 01/81-83 only	1	4WTB-1536	\$	Pr
	26mm / 926mm - 83-88 only	1	4WTB-1546	\$	Pr
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.					



F	REAR INDIVIDUAL	C	OMPONENTS	
	Urethane Shackle Bush Kit	1	TDUK-004	\$ Kt
\cap	U-Bolt Kit	2	TDUB-006	\$ Kt
	Greasable Shackle Kit	1	TDGS-386	\$ Kt
·····	Greasable Pin Kit	1	TDGP-668	\$ Kt

REAR REPLACEMENT BUSHES (QTY PER SHOCK))
	Fits top & bottom eyering	2	404702	\$	Ea




FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr

CONTENT	DESCRIPTION	ΩT	PART NO	RI	₹P		
NITROGEN GAS - SHOCK ABSORBER							
8	Up to 40mm Lift	2	BD2057T	\$	Ea		
В	D2057T is to be used fo	or all	front applications				

	TORSION	I B	ARS			
	26mm / 997mm - 36mm Spline	1	4WTB-1548	\$	Pr	
	27mm / 998mm - 33mm Spline	1	4WTB-1566	\$	Pr	
Check Spline and Diameter prior to ordering. Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						





for the rear end of your vehicle.							
Shock Absorber	2	Ea					
Leaf Springs	2	Ea					
Urethane shackle bush kit	1	Kt					
U-Bolt kit	2	Kt					
Greaseable Pin kit	1	Kt					
Greaseable Shackle kit	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
NIT	TROGEN GAS - SH	100	CK ABSORBER		
	OE Height	2	BD1382T	\$ E	≣а
<u> </u>	40mm Lift	2	BD1388T	\$ E	≣а
	FOAM CELL - SHOCK ABSORBER				
	OE Height	2	FC41382	\$ E	≣а
	40mm Lift	2	FC41388	\$ E	≣а
8	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER	
	OE Height	2	BM401382	\$ E	≣а
	40mm Lift	2	BM401388	\$ E	≣а

LEAF SPRINGS							
Check number of leaves - Rare Special Editions have heavier factory leaf packs							
	0-300kg load	2	FS113	\$	Ea		
	CONSTANT 300kg load	2	FS113H	\$	Ea		
	CONSTANT 500kg load	2	FS113HM	\$	Ea		

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-005	\$	Kt		
	Greasable Shackle Kit	1	TDGS-386	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
0	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



HOLDEN
RODEO & COLORADO
RA-RC
02/2003-2012
EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 45mm Lift	2	FC42019B	\$ Ea				
FC42019	B is to be fitted to all a or Adjustable shock	pplication is fitted	ations where a Foam Co ed to the rear.	ell				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$ Ea			
	45mm Lift	2	BD1388T	\$ Ea			
	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41382	\$ Ea			
	45mm Lift	2	FC41388	\$ Ea			
	40MM ADJUSTA	BL	.E - SHOCK ABSO	RBER			
· ·	OE HEight	2	BM401382	\$ Ea			
	45mm Lift	2	BM401388	\$ Ea			

TORSION BARS						
-	30mm/1145mm	1	4WTB-1559	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.						

LEAF SPRINGS						
مر به	0-300kg load	2	FS213	\$	Ea	
	CONSTANT 300kg load	2	FS213H	\$	Ea	

AIR ASSIST - BELLOWS							
	Bellows Bag kit - 45mm lift	Bellows Bag kit 1 TDAA-103 \$					
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.			
AIR ASS	IST - BELLOWS W	/IR	ELESS AIR SYST	ЕΜ			
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

LEAF SPRING FITMENT KIT								
	Urethane Shackle Bush Kit			TDUK-065				
\cap	U-Bolt Kit	4	TDFK-005	TDUB-039	6 141			
\square	Greasable Shackle Kit	1	1DFK-005	TDGS-386	\$ Kt			
	Greasable Pin Kit			TDGP-668				







REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-065	\$ Kt				
\cap	U-Bolt Kit	2	TDUB-039	\$ Kt				
	Greasable Shackle Kit	1	TDGS-386	\$ Kt				
·····§	Greasable Pin Kit	1	TDGP-668	\$ Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top & bottom eyering	2	404702	\$	Ea		





FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	ор			
	Up to Steel Bar	2	HOL-003	\$	Ea		
	With Steel Bar & Winch	2	HOL-004	\$	Ea		
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAE	LE		
#	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x strut	top		
8	Up to Steel Bar	2	HOL-001	\$	Ea		
	With Steel Bar & Winch	2	HOL-002	\$	Ea		
	STRUT - FO	ΑN	CELL				
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea		
1	STRUT -	40I	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea		

REA	REAR								
REAR SUSPENSION CHECK LIST									
You need to order the following items for the rear end of your vehicle.									
	Shock Absorber	2	Ea						
	Leaf Springs	2	Ea						
	Leaf Spring Fitment kit	1	Kt						
	Bellows Airbags (Optional)	1	Kt						
0 0									

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 40mm Lift	2	BD1382T	\$ Ea			
<u> </u>	SHOCK ABSORBE	ER					
	Up to 40mm Lift	2	FC41382	\$ Ea			
8	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER			
	Up to 40mm Lift	2	BM401382	\$ Ea			

	COIL SPI	RIN	IGS	
M I A A A A	Up to Steel Bar - 40mm lift	1	TDC270	\$ Pr
	With Steel Bar & Winch - 40mm lift	1	TDC974	\$ Pr

	LEAF SPI	RIN	IGS	
	0-300 kg load	2	FS214C	\$ Ea
	CONSTANT 300kg load	2	FS214L	\$ Ea
	CONSTANT 500kg load	2	FS214LL	\$ Ea

LEAF SPRING FITMENT KIT								
	Urethane Shackle bushes			TDUK-071				
\cap	U-Bolts		TDFK-009	TDUB-016	¢ 1/4			
	Greaseable Shackles		1DFK-009	TDGS-391	\$ Kt			
	Greaseable Pins			TDGP-668				





FRONT						
CONTENT	DESCRIPTION	ΣL	PART NO	RRP		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
AIR ASSIST - BELLOWS						
22	Bellows Bag Kit - OEM Height	1	TDAA-118	\$	Kt	
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.		
AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞМ		
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

FRONT INDIVIDUAL COMPONENTS					
1	Strut Top	2	ISU-4929	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt	
\bigcap	U-Blt Kit	2	TDUB-016	\$	Kt	
	Greasable Shackle Kit	1	TDGS-391	\$	Kt	
	Greasable Pin Kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



HOLDEN COLORADO RG MMU142, GH1700 06/2016-2023 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO RRP					
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut t	ор				
	Up to Steel Bar	2	HOL-003	\$	Ea			
	With Steel Bar & Winch	2			Ea			
•	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE			
	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x str	ut top			
Ţ	Up to Steel Bar	2	HOL-001		Ea			
	With Steel Bar & Winch	2	HOL-002	\$	Ea			
	STRUT - FO	ΑN	CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea			
I	STRUT -	40I	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea			

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
	Shock Absorber	2	Ea			
	Leaf Springs	2	Ea			
Leaf Spring Fitment kit		1	Kt			
▎▐▋██▜	Bellows Airbags (Optional)	1	Kt			
0 0						

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 40mm Lift	2	BD1382T	\$ Ea			
<u> </u>	FOAM CELI	ELL - SHOCK ABSORBER					
	Up to 40mm Lift	2	FC41382	\$ Ea			
8	40MM ADJUSTA	\BL	E - SHOCK ABSO	RBER			
	Up to 40mm Lift	2	BM401382	\$ Ea			

	COIL SPI	RIN	igs	
M I A A A A	Up to Steel Bar - 40mm lift	1	TDC270	\$ Pr
	With Steel Bar & Winch - 40mm lift	1	TDC974	\$ Pr

LEAF SPRINGS					
	0-300 kg load	2	FS214C	\$	Ea
	CONSTANT 300kg load	2	FS214L	\$	Ea
	CONSTANT 500kg load	2	FS214LL	\$	Ea

LEAF SPRING FITMENT KIT							
	Urethane Shackle bushes			TDUK-071			
\cap	U-Bolts			TDUB-016			
	Greaseable Shackles	1	TDFK-010	TDGS-391	\$ K	ίt	
	Greaseable Pins			TDGP-668			
	Hand Brake Bracket			TDSK-021			



HOLDEN COLORADO RG MMU142, GH1700 06/2016-2023 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	AIR ASSIST -	BE	LLOWS				
22	Bellows Bag Kit - OEM Height	1	TDAA-118	\$	Kt		
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt		
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.			
AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞМ			
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

FRONT INDIVIDUAL COMPONENTS					
1	Strut Top	2	ISU-4929	\$	Ea

F	REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt			
U-Bolt Kit		2	TDUB-016	\$	Kt			
	Greasable Shackle Kit	1	TDGS-391	\$	Kt			
	Greasable Pin Kit	1	TDGP-668	\$	Kt			
	Handbrake relocation bracket - required for MY17 (06/16) On	1	TDSK-021	\$	Ea			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION		PART NO	RRP			
A	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	р			
	Up to Steel Bar	2	HOL-003	\$	Ea		
	With Steel Bar & Winch	2	HOL-004	\$	Ea		
•	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAE	BLE		
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	Up to Steel Bar	2	HOL-001	\$	Ea		
	With Steel Bar & Winch	2	HOL-002	\$	Ea		
	STRUT - FO	ΑN	CELL				
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea		

REA	R							
REAR SUSPENSIO	N CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
1133	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Coil Insert Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
NIT	NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm Lift	2	BD1125T	\$ Ea					
<u> </u>	FOAM CEL	L -	SHOCK ABSORBE	ER					
	Up to 40mm Lift	2	FC41125	\$ Ea					
8	40MM ADJUSTA	۱BI	LE - SHOCK ABSO	RBER					
	Up to 40mm Lift	2	BM401125	\$ Ea					

COIL SPRINGS						
M I A A A A	Up to Steel bar	1	TDC270	\$	Pr	
	With Steel Bar & Winch	1	TDC974	\$	Pr	

COIL SPRINGS					
	0-300kg load	1	TDC271	\$	Pr
	CONSTANT 300kg load	1	TDC271H	\$	Pr

AIR ASSIST - COIL INSERT

TDAA-013

Κt

							_		
			Coil Insert bag - 40mm lift	1	TDAA-005	\$	Kt		
		Note: Separate Air Assist components can be viewed on page 14.							
		AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYST	EM			
\$	Ea		Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt		


Coil Insert bag - OEM Height

FRONT INDIVIDUAL COMPONENTS								
Æ.O	Strut Top	2	ISU-4929	\$	Ea			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits bottom eyering	1	ADJ300/40A	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)									
	Fits top pin	2	TW959	\$	Ea				
	Fits bottom eyering	1	TW040-14	\$	Ea				





	REA	R			
	REAR SUSPENSION	N (CHECK LIST		
You need to or	rder the following items	s fo	r the rear end of your v	ehic	e.
	\$ \$		Shock Absorber	2	Ea
0 0			Coil Springs	1	Pr
CONTENT	DESCRIPTION	QΤΥ	PART NO	RI	RP
F	OAM CELL - SHO	CK	ABSORBER		
<u> </u>	OE Height	2	FC41120B	\$	Ea
	45mm Lift	2	FC41121B	\$	Ea
•	40MM ADJUSTA	BL	E - SHOCK ABSO	RBI	ER
	OE Height	2	BM401120	\$	Ea
8	45mm Lift	2	BM401121	\$	Ea

TORSION BARS							
-	27.5mm/1275mm	1	4WTB-1725	\$	Pr		
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.							


COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC680	\$	Pr
WVVV	CONSTANT 300kg load	1	TDC632SL	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	2	402267	\$	Ea			
	Fits bottom eyering	1	412773	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	2	402267	\$	Ea			
	Fits bottom eyering	1	ADJ00191	\$	Ea			









CONTENT	DESCRIPTION	QTY	PART NO	RRP							
FOAM CELL - SHOCK ABSORBER											
	Up to 45mm Lift	2	FC42019B	\$ Ea							
FC42019B is to	FC42019B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.										

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP						
NITROGEN GAS - SHOCK ABSORBER										
	OE Height	2	BD1382T	\$ Ea						
_	45mm Lift	2	BD1388T	\$ Ea						
Å	FOAM CEL	L -	SHOCK ABSORBE	ER						
	OE Height	2	FC41382	\$ Ea						
	45mm Lift	2	FC41388	\$ Ea						
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER						
O	OE Height	2	BM401382	\$ Ea						
	45mm Lift	2	BM401388	\$ Ea						

TORSION BARS							
-	30mm/1145mm	1	4WTB-1559	\$	Pr		
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained.							

LEAF SPRINGS						
مر به	0-300kg load	2	FS213	\$	Ea	
	CONSTANT 300kg load	2	FS213H	\$	Ea	

LEAF SPRING FITMENT KIT								
	Urethane Shackle Bush Kit			TDUK-065				
\cap	U-Bolt Kit		TDEK 00E	TDUB-039	6 161			
\Box	Greasable Shackle Kit	1	TDFK-005	TDGS-386	\$ Kt			
	Greasable Pin Kit			TDGP-668				

	AIR ASSIST - BELLOWS						
	Bellows Bag Kit - 45mm Lift	1	TDAA-103	\$	Kt		
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.			
AIR ASS	IST - BELLOWS W	/IR	ELESS AIR SYST	EM			
	Wireless Air System Suits Bellows Bags	1	TDAS-001	\$	Kt		



D-MAX RA, RC MY09-MY11 04/2008-2012 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT						
CONTENT	DESCRIPTION	ΣL	PART NO	RRP		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRF	•	
REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-039	\$	Kt	
	Greasable Shackle Kit	1	TDGS-386	\$	Kt	
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
0	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



05/2012-04/2016 & 4/2016-8/2020



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr 1 Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор				
	Petrol / Diesel Alloy Bar	2	HOL-003	\$	Ea			
	Petrol / Diesel Steel Bar	2	HOL-004	\$	Ea			
*	Petrol / Diesel Steel Bar & Winch	2	HOL-006	\$	Ea			
₹	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
Ţ	Petrol / Diesel Up to Alloy Bar	2	HOL-001	\$	Ea			
	Petrol / Diesel Steel Bar	2	HOL-002	\$	Ea			
	Petrol / Diesel Steel Bar & Winch	2	HOL-005	\$	Ea			
	STRUT - FO	ΑN	CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea			
I	STRUT -	40 I	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea			

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring fitment kit (Based on leaf spring choice)	1	Kt					
▎▐▐▐█▔▔⋂▀▀	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - SH	100	CK ABSORBER	
	Up to 40mm lift	2	BD1382T	\$ Ea
	FOAM CELI	L -	SHOCK ABSORBE	ER
	Up to 40mm Lift	2	FC41382	\$ Ea
	Super Soft Ride	2	FC43032	\$ Ea
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER
	Up to 40mm Lift	2	BM401382	\$ Ea

COIL SPRINGS					
	No Accessories 40mm lift	1	TDC270	\$	Pr
	Steel Bar 40mm lift	1	TDC974	\$	Pr
	Steel Bar / Bar & winch 40mm lift	1	TDC974H	\$	Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS214C	\$ Ea
CONSTANT 300kg load	2	FS214L	\$ Ea
CONSTANT 500kg load	2	FS214LL	\$ Ea



D-MAX RT MY12 05/2012-04/2016 & 4/2016-8/2020 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PAR'	RRP			
LEAF SPR	ING FITMENT KIT	- F	TITS 04/20)16 TO 8/	2020		
	Urethane Shackle bushes			TDUK-071			
\cap	U-Bolts	1	TDFK-009	TDUB-016	\$ Kt		
\Box	Greaseable Shackles	1		TDGS-391	V		
••••§••••	Greaseable Pins			TDGP-668			
LEAF SPF	RING FITMENT KIT	- F	ITS 05/20	12 TO 4/2	2016		
	Urethane Shackle bushes			TDUK-071			
\cap	U-Bolts			TDUB-016			
	Greaseable Shackles	1	TDFK-010	TDGS-391	\$ Kt		
	Greaseable Pins			TDGP-668			
	Handbrake Relocation Kit			TDSK-021			
		l					

AIR ASSIST - BELLOWS							
22	Bellows Bag Kit - OEM Height	1	TDAA-118	\$	Kt		
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt		
Note: Sepa	Note: Separate Air Assist components can be viewed on page 14.						
AIR ASS	AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

FRONT INDIVIDUAL COMPONENTS						
4	Strut Top	2	ISU-4929	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt		
\bigcap	U-Bolt Kit	2	TDUB-016	\$	Kt		
	Greasable Shackle Kit	1	TDGS-391	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		
	Handbrake relocation bracket	1	TDSK-021	\$	Ea		
Note: TDSK-021 Must be fitted to all Kits from 05/2012 to 04/2016. For 4/2016 to 08/2020 Not required.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ť	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	
	Fits top & bottom eyering #3032 Super soft only	2	TW038-16	\$	Ea	





FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	ор				
	No Accessories - 40mm lift	2	ISU-003	\$	Ea			
	Steel Bar / Bar & winch - 40mm lift	2	ISU-004	\$	Ea			
*	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	No Accessories - 40mm lift	2	ISU-001		Ea			
	Steel Bar / Bar & winch - 40mm lift	2	ISU-002	\$	Ea			
	STRUT - FO	ΑN	CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404929		Ea			
I	STRUT -	40I	MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404929	\$	Ea			

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring fitment kit	1	Kt					
▎▐▋▋█░░╌┿	Bellows Airbags (Optional)	1	Kt					
0 0								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 40mm lift	2	FC43035	\$ Ea				
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER				
8	Up to 40mm lift	2	BM403035	\$ Ea				

COIL SPRINGS						
MIAAAA	No Accessories - 40mm lift	1	TDC974	\$	Pr	
	Bar/ Winch - 40mm lift	1	TDC974H	\$	Pr	

LEAF SPRINGS					
	0-300kg load	2	FS215C	\$	Ea
	CONSTANT 300kg load	2	FS214L	\$	Ea
	CONSTANT 500kg load	2	FS214LL	\$	Ea

LEAF SPRING FITMENT KIT - FITS FS215C								
	Urethane Shackle bushes			TDUK-085				
\cap	U-Bolts		TDFK-011	TDUB-016	ф I/4			
	Greaseable Shackles	1		TDGS-902	\$ Kt			
	Greaseable Pins			TDGP-668				





FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

REAR								
CONTENT	DESCRIPTION	QTY	PAR'	RRP				
LEAF S	LEAF SPRING FITMENT KIT - FITS FS214L & LL							
	Urethane Shackle bushes			TDUK-085				
\cap	U-Bolts			TDUB-016				
	Greaseable Shackles	1	TDFK-012	TDGS-902	\$ Kt			
*****	Greaseable Pins			TDGP-668				
	Handbrake Relocation Kit			TDSK-021				

UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-009	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS						
	Bellows bag kit - 40mm lift	1	TDAA-131	\$	Kt	
	Bellows bag kit - OEM height	1	TDAA-130	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CON	TROL ARMS - REP	LA	ACEMENT COMPO	NEN.	TS
	Bush Kit to fit one UCA - for TDCA-009	1	TDSK-026	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-009	1	TDSK-027	\$	Ea

FRONT INDIVIDUAL COMPONENTS						
-1 -0	Strut Top	2	ISU-4929	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-085	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-016	\$	Kt		
	Greasable Shackle Kit	1	TDGS-902	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		
	Handbrake relocation bracket	1	TDSK-021	\$	Ea		
Fits only with L/LL Springs.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ĭ	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top & bottom evering	2	TW038-16	\$	Ea

FOR GVM UPGRADES, SEE PAGE 82

GVM UPGRADE



ISUZU D-MAX

4X2 / 4X4 'SINGLE CAB' (SX) - 08/2020 ON 4X2 / 4X4 'SPACE CAB' (SX, LS-U) - 08/2020 ON 4X2 / 4X4 'CREW CAB' (SX, LS-M, LS-U, X-TERRAIN - 08/2020 ON 3000_{KG*}

3695_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 695KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1450KG	1595KG				
REAR AXLE RATING	1910KG	2100KG				
GROSS VEHICLE MASS (GVM)	3000KG - 3100KG	3695KG				
TOWING CAPACITY (BRAKED)	3500KG	3500KG				
GROSS COMBINED MASS (GCM)	5850KG - 6000KG	5850KG - 6000KG				
• Payload increa	se is based on model variant.					

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

4X2 / 4X4 'SINGLE CAB' (SX) - 08/2020 ON

4X2 / 4X4 'SPACE CAB' (SX, LS-U) - 08/2020 ON

4X2 / 4X4 'CREW CAB' (SX, LS-M, LS-U, X-TERRAIN - 08/2020 ON

DESCRIPTION	GVM UPGRADE	PART NO	RRP
SINGLE/SPACE CAB FRONT: NO ACCESSORIES REAR: 400KG MIN. LOAD	3695KG	TDGVM-052	
CREW CAB FRONT: NO ACCESSORIES REAR: 300KG MIN. LOAD	3695KG	TDGVM-052	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



THIS PAGE IS INTENTIONALLY BLANK



08/2014-07/2021 EST. LIFT FRONT: 40MM | REAR: 40MM



2 Ea

1 Kt

Pr 1

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	ΩTY	PART NO	F	RRP		
А	SSEMBLED STRU	TS	- FOAM CELL				
Assembl	ed struts are made up of	:1x	strut, 1 x coil 1 x strut t	ор			
	No Bar or Alloy Bar	2	HOL-003	\$	Ea		
	Steel bar	2	HOL-004	\$	Ea		
*	Steel bar or Bar & Winch	2	HOL-006	\$	Ea		
\$	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE		
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	No Bar or Alloy Bar	2	HOL-001	\$	Ea		
	Steel bar	2	HOL-002	\$	Ea		
	Steel bar or Bar & Winch	2	HOL-005	\$	Ea		
	STRUT - FO	ΑN	CELL				
Ī	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	FC404200	\$	Ea		
I	STRUT -	401	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	BM404200	\$	Ea		

	REA	IR						
	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	33	Shock Absorber	2					
		Coil Springs	1					
8 8		Coil Insert Airbags (Optional)	1					
CONTENT	DESCRIPTION	E PART NO	RRP	,				

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
	Up to 40mm lift	2	BD1125T	\$ Ea		
	FOAM CEL	L-	SHOCK ABSORBE	ER		
	Up to 40mm lift	2	FC41125	\$ Ea		
8	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER		
	Up to 40mm lift	2	BM401125	\$ Ea		

	COIL SPI	RIN	IGS	
	No Bar or Alloy Bar	1	TDC270	\$ Pr
	Steel bar	1	TDC974	\$ Pr
	Steel bar or Bar & Winch	1	TDC974H	\$ Pr

COIL SPRINGS					
	0-300kg load	1	TDC272	\$	Pr
	CONSTANT 300kg load	1	TDC272H	\$	Pr

AIR ASSIST - COIL INSERT					
	Coil insert bag - 40mm lift	1	TDAA-005	\$	Kt
	Coil insert bag - OEM height	1	TDAA-013	\$	Kt
Note: Separate Air Assist components can be viewed on page 14.					





08/2014-07/2021 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT

CONTENT DESCRIPTION FRP

REAR						
CONTENT	DESCRIPTION	۵T	PART NO	F	RRP	
AIR ASSIS	AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM					
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

FRONT INDIVIDUAL COMPONENTS					
1	Strut Top	2	ISU-4929	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	TW040-14	\$	Ea





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RF	RP.		
A	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of	:1x	strut, 1 x coil 1 x strut to	р			
	With No Accessories	2	ISU-006	\$	Ea		
*	With Steel Bar or Bar & Winch	2	ISU-004	\$	Ea		
•	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAB	LE		
\$	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	With No Accessories	2	ISU-005	\$	Ea		
	With Steel Bar or Bar & Winch	2	ISU-002	\$	Ea		
	STRUT - FO	ΑN	CELL				
Ī	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	FC404929	\$	Ea		
I	STRUT -	401	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	BM404929	\$	Ea		

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
\$\$ اا	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RR	Р				
NIT	NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm lift	2	BD1125T	\$	Ea				
<u> </u>	FOAM CELL - SHOCK ABSORBER								
	Up to 40mm lift	2	FC41125	\$	Ea				
8	40MM ADJUSTABLE - SHOCK ABSORBER								
	Up to 40mm lift	2	BM401125	\$	Ea				

	COIL SPE	RIN	IGS	
MILLAAA	With No Accessories	1	TDC983	\$ Pr
	With Steel Bar or Bar & Winch	1	TDC974H	\$ Pr

	COIL SPF	RIN	IGS	
MILAAA	0-300kg load	1	TDC272	\$ Pr
	0-300kg load CONSTANT 300kg load	1	TDC272H	\$ Pr

	AIR ASSIST - C	OI	L INSERT		
	Coil insert bag - 40mm lift	1	TDAA-005	\$	Kt
	Coil insert bag - OEM height	1	TDAA-013	\$	Kt
Note: Sepa	arate Air Assist compone	ents	can be viewed on page	14.	
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS	ГЕМ	
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
FRONT INDIVIDUAL COMPONENTS						
·L·O	Strut Top	2	ISU-4929	\$	Ea	

RRP

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW040-14	\$	Ea	





FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QΤΥ	PART NO	RF	RP.		
FOAM CELL - SHOCK ABSORBER							
۵	OE Height	2	FC41063	\$	Ea		
	35mm lift	2	FC41068	\$	Ea		
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R		
	OE Height	2	BM401063	\$	Ea		
8	35mm lift	2	BM401068	\$	Ea		

	COIL SPI	RIN	IGS	
MIAAAA	Up to Steel bar	1	TDC333	\$ Pr
	Steel bar & Winch	1	TDC352	\$ Pr

	STEERING I	AI	MPERS	
<u></u>	Return to Center Damper	1	SS5922-P/S	\$ Ea
○ ○	9 Stage Adjustable damper	1	SV5922	\$ Ea

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
& & o o	Shock Absorber	2	Ea			
	Leaf Springs	2	Ea			
	Urethane Shackle bush kit	1	Kt			
┃┃ ▮▮ ⋂ ᡂ-	U-Bolt kit	2	Kt			
• • — i i —	Transmission spacers	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
<u> </u>	OE Height	2	FC41241	\$	Ea			
	35mm lift	2	FC41249	\$	Ea			
	40MM ADJUSTA	ABI	LE - SHOCK ABSC	RB	ER			
	OE Height	2	BM401241	\$	Ea			
8	35mm lift	2	BM401249	\$	Ea			

LEAF SPRINGS						
	0-300kg load	1	FS025H-LH	\$	Ea	
	0-300kg load	1	FS025H-RH	\$	Ea	
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered						

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-027	\$	Kt		
\bigcap	U-Bolt kit	2	TDUB-027	\$	Kt		
• • •	Transmission spacers	1	TDSP-002	\$	Kt		
Note: Must be fitted with all kits.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
Note: Bar pin style bushes not user serviceable.						

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear bottom eyering	1	404702	\$	Ea	
Note: Bar pin style bushes not user serviceable.						



JEEP GRAND CHEROKEE WG, WJ & ZG 06/1999-2005 & 04/1996-1999 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT							
FRONT SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.							
ŮŮ₹₹	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Steering Damper (Optional)	1	Ea				

				/			
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
ů.	Up to 30mm Lift	2	FC41068	\$ Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
8	Up to 30mm Lift	2	BM401068	\$ Ea			

	COIL SPI	RIN	IGS	
MIAAAA	ZG 04/1996-1999 Only	1	TDC358	\$ Pr
	WG, WJ 06/1999- 2005 Only	1	TDC360	\$ Pr

STEERING DAMPERS							
<u></u>	Return To Centre Damper - ZG Only	1	SS5922-P/S	\$	Ea		
O(9 Stage Adjustable Damper - ZG Only	1	SV5922	\$	Ea		
<u></u>	Return To Centre Damper - WG, WJ Only	1	SS5924-P/S	\$	Ea		
·	9 Stage Adjustable Damper - WG, WJ Only	1	SV5924	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	2	TW959	\$	Ea	
Note: Bar pin style bushes not user serviceable.						

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
Ů	Shock Absorber	2	Ea					
ii 33	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
<u> </u>	Up to 30mm Lift - ZG Only	2	FC41444	\$ 1	Ea			
	Up to 30mm Lift - WG, WJ Only	2	FC41190	\$ I	Ea			
	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER				
	Up to 30mm Lift - ZG Only	2	BM401444	\$ 1	Ea			
8	Up to 30mm Lift - WG, WJ Only	2	BM401190	\$ I	Ea			

COIL SPRINGS					
MIAAAA	0-300kg load ZG 04/1996-1999 Only	1	TDC359	\$	Pr
WVVVV	0-300kg load ZG 04/1996-1999 Only 0-300kg load - WG, WJ 06/1999-2005 Only	1	TDC361	\$	Pr

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	404702	\$	Ea	
Note: Bar pin style bushes not user serviceable.						



GRAND CHEROKEE WK2 2011-2015 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr

REAR								
REAR SUSPENSION	N CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber Coil Springs	2	Ea Pr					
iiss								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	All models	2	FC404930	\$ E	а			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	All Models	2	FC43038	\$ Ea

	COIL SPI	RIN	IGS	
A • • • • • •	3.6 V6 Petrol	1	TDC1038	\$ Pr
	3.0 Diesel	1	TDC1040	\$ Pr
	5.7 V8 Petrol	1	TDC1042	\$ Pr

	COIL SPE	RIN	IGS	
	0-300kg load - V6/V8 Petrol	1	TDC1039	\$ Pr
WVVV Y	0-300kg load - Diesel	1	TDC1041	\$ Pr

PRODUCT COMPATIBILITY

This kit is not compatible with the Nivomat (self-levelling suspension) models.

Standard shocks have an OD of 51mm, while the Nivomat shocks have an OD of 63mm.

Note: Nivomats are self-leveling monotube shock absorbers. They are mounted in the rear of the vehicle and are self-contained meaning they have no air lines or electrical connections.







FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Coil Springs 1 Pr Transmission Spacer 1 Ea Steering Damper (Optional) 1 Ea

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle.						
1133	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QT	PART NO	RRP	
NIT	ROGEN GAS - SH	100	CK ABSORBER		
•	OE Height	2	BD1063T	\$ E	Ξа
	45mm Lift	2	BD1068T	\$ E	Ξа
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER	
	OE Height	2	BM401063	\$ E	Ξа
8	45mm Lift	2	BM401068	\$ E	Ξа

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
a	OE Height	2	BD1443T	\$ E	Ea			
	45mm Lift	2	BD1461T	\$ E	Ea			
•	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER				
	OE Height	2	BM401443	\$ E	Ea			
8	45mm Lift	2	BM401461	\$ E	Ea			

COIL SPI	RIN	IGS	
Up to Steel Bar	1	TDC354	\$ Pr

COIL SPRINGS						
	0-300kg load	1	TDC355	\$	Pr	

STEERING DAMPERS					
·	Return To Centre	1	SS5922-P/S	\$	Ea
OG	9 Stage Adjustable Damper	1	SV5922	\$	Ea

TRANSMISSION SPACERS					
	Transmission Spacer - Manual / Auto 10/1996-2003 Only	1	TDSP-001	\$	Ea
	Transmission Spacer - Auto 2003-2007 Only	1	TDSP-005	\$	Ea
	Transmission Spacer - Manual 2003-2007 Only	1	TDSP-006	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
Note: Bar pin style buses are not user servicable.						







FRONT								
FRONT SUSPENSION	FRONT SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.								
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
∣ II≾≾	Steering Damper (Optional)	1	Ea					
	Panhard Rod (Optional)	1	Ea					

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle				
İ İ Ş Ş	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			

CONTENT	DESCRIPTION	QTY	PART NO	RRI	P			
40MN	40MM ADJUSTABLE - SHOCK ABSORBER							
	All models	2	BM401069	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
40MM	M ADJUSTABLE -	SH	OCK ABSORBER		
	All models	2	BM401463	\$ E	а

COIL SPRINGS - SWB					
	Up to Steel Bar - Petrol	1	TDC331	\$	Pr
	Steel Bar & Winch - Petrol	1	TDC332	\$	Pr
	Up to Steel Bar - Diesel	1	TDC332	\$	Pr
	Steel Bar & Winch - Diesel	1	TDC338	\$	Pr

COIL SPRINGS - SWB					
	0-300kg load	1	TDC340	\$	Pr
	CONSTANT 300kg load	1	TDC339	\$	Pr

	COIL SPRIN	GS	- LWB	
	Up to Steel Bar - Petrol	1	TDC337	\$ Pr
	Steel Bar & Winch - Petrol	1	TDC338	\$ Pr
	Up to Steel Bar - Diesel	1	TDC338	\$ Pr
	Steel Bar & Winch - Diesel	1	TDC342	\$ Pr

COIL SPRINGS - LWB					
M 1 4 4 4 4	0-300kg load	1	TDC339	\$	Pr
	CONSTANT 300kg load	1	TDC341	\$	Pr

STEERING DAMPERS						
06 	9 Stage Adjustable	1	SV5926	\$	Ea	

PANHARD RODS						
~	Adjustable	1	TDPR-017	\$	Ea	
	Replacement bush for panhard rod	1	TDUK-035	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eye	1	4W-SPF420-02	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle.

CONTENT	DESCRIPTION	PART NO	RRI					
CONTENT	DESCRIPTION	≿ DADTNO	DDI	_				
8 8		Lower Control Arm (Optional)	1	Pr				
	ತ ತ	Panhard Rod (Optional)	1	Ea				
		Steering Damper (Optional)	1	Ea				
	33	Coil Springs	1	Pr				
2 2		Shock Absorber	2	Ea				
rou need to order the following items for the front end of your vehicle.								

CONTENT	DESCRIPTION	QTY	PART NO	RR	P
1	FOAM CELL - SHO	CK	ABSORBER		
°	All exc. Rubicon	2	FC43028	\$	Ea
	40MM ADJUST	ABI	E - SHOCK ABSO	RBE	R
	All exc. Rubicon	2	BM403028	\$	Ea

COIL SPRINGS					
MILLARA	Up to Steel Bar	1	TDC1018	\$	Pr
	Steel Bar & Winch	1	TDC1019	\$	Pr

STEERING DAMPERS						
·	9 Stage Adjustable	1	SV5929	\$	Ea	

LOWER CONTROL ARM						
0	Lower Control Arm	1	TDCA-010	\$	Ea	
Fitment of Tough Dog front lower control arms are recommended to restore wheel alignment castor settings						

PANHARD RODS					
·	Adjustable Panhard Rod	1	TDPR-022	\$	Ea
	Replacement Panhard Rod Bush	1	TDUK-035	\$	Ea

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
╟繋	Shock Absorber	2	Ea					
IISS	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	All exc. Rubicon	2	FC43029	\$ Ea			
	40MM ADJUSTA	λBI	E - SHOCK ABSO	RBER			
ŏ	All exc. Rubicon	2	BM403029	\$ Ea			


COIL SPRINGS						
MIAAAA	0-150kg load	1	TDC1020	\$	Pr	
	150-300kg load	1	TDC1021	\$	Pr	







EST. LIFT FRONT: 50MM | REAR: 40MM



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
	Up to 50mm Lift	2	FC43028	\$ Ea			
!	40MM ADJUSTA	λBI	E - SHOCK ABSO	RBER			
	Up to 50mm Lift	2	BM403028	\$ Ea			

COIL SPRINGS						
MIAAAA	Up to Steel Bar	1	TDC1043	\$	Pr	
	With Steel Bar & Winch	1	TDC1044	\$	Pr	

LOWER CONTROL ARMS						
	Lower Control Arms	1	TDCA-010	\$	Ea	
Fitment of Tough Dog front lower control arms are recommended to restore wheel alignment castor settings						

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
 	Coil Springs	1	Pr					
	Sway Bar Links	1	Ea					
ll ≾ ≾	Panhard Rod (Optional)	1	Ea					
	Coil Insert Airbag (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC43039	\$ E	а		
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER			
8	Up to 40mm Lift	2	BM403039	\$ E	а		

COIL SPRINGS						
MILLAAAA	0-150kg load	1	TDC1045	\$	Pr	
	150-300kg load	1	TDC1046	\$	Pr	

AIR ASSIST - COIL INSERT						
	Coil Insert bag - 40mm lift	1	TDAA-029	\$	Kt	
	Coil insert Bag - OE Height	1	TDAA-026	\$	Kt	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.		
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYST	EM		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

STEERING DAMPERS						
	9 Stage Adjustable	1	SV5929	\$	Ea	

PANHARD RODS					
•	Adjustable	1	TDPR-022	\$	Ea
	Replacement bush for panhard rod	1	TDUK-035	\$	Ea

PANHARD RODS					
•	Adjustable	1	TDPR-026	\$	Ea

REAR INDIVIDUAL COMPONENTS							
oo	Sway Bar Links	1	TDSP-022	\$	Ea		
Note: Required for all lifts							



LANDROVEF 80, 88 SWB, 109 LWB SERIES I, II, IIA & III 1953-1983



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 50mm Lift All Models	2	BD2000T	\$	Ea		
	FOAM CEL	L-	SHOCK ABSORBI	ER			
	Up to 50mm Lift All Models	2	FC42000	\$	Ea		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
<u> </u>	SWB Series II, III, IIA, III	2	BD3005T	\$	Ea		
	LWB Series II, III	2	BD1399T	\$	Ea		
1	FOAM CELL		SHOCK ABSORBE	ER			
	SWB Series II, III, IIA, III	2	FC43005	\$	Ea		
8	LWB Series II, III	2	FC41399	\$	Ea		

STEERING DAMPERS					
	Heavy Duty	1	EXT5000	\$	Ea
<u> </u>	Return to Center - Series 1 Only	1	SS5000-M/S	\$	Ea
00	9 Stage adjustable - Series II, IIA & III Only	1	SV5000	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top & Bottom eyering	2	4W-SPF390	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering - #3005 P/n	2	4W-SPF390	\$	Ea	
	Fits Top eyering - #1399 P/n	1	4W-SPF390	\$	Ea	
	Fits bottom pin - #1399 P/n	2	TW959	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Coil Springs 1 Pr Steering Damper (Optional) Panhard Rod (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift All Models	2	FC41049	\$ Ea			
	40MM ADJUSTA	۱BL	E - SHOCK ABSO	RBER			
	Up to 30mm Lift All Models	2	BM401049	\$ Ea			
	45MM ADJUSTA	ABI	LE- SHOCK ABSO	RBER			
8	Up to 30mm Lift All Models	2	BMX1049/2	\$ Ea			
	RALPH -	SH	OCK ABSORBER				
	Up to 30mm Lift All Models	2	TDR1049B	\$ Ea			

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
Shock Absorber	2	Ea						
Coil Springs	1	Pr						
	N CHECK LIST s for the rear end of your ve Shock Absorber	N CHECK LIST s for the rear end of your vehicle. Shock Absorber 2						

CONTENT	DESCRIPTION	ğ	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RB	ER			
0	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea			
	45MM ADJUSTABLE- SHOCK ABSORBER							
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea			
8	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea			

Note: Conical Lower Bushes - Fit selected part number If the lower rubber bushes are conical in shape & fit into a metal housing.

Note: <u>Flat 45mm in Diameter Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPF	RIN	IGS	
	Up to Steel Bar - Petrol	1	TDC511	\$ Pr
	Steel Bar & Winch - Petrol	1	TDC508H	\$ Pr
	Up to Steel Bar - Diesel	1	TDC513	\$ Pr
	Steel Bar & Winch - Diesel	1	TDC508H	\$ Pr

STEERING DAMPER						
	Heavy Duty	1	EXT5009	\$	Ea	
<u></u>	Return to Center	1	SS5009-P/S	\$	Ea	
••••• •	9 Stage Adjustable	1	SV5009	\$	Ea	

COIL SPRINGS					
	0-300kg load	1	TDC512	\$	Pr
	CONSTANT 300kg load	1	TDC512HH	\$	Pr





FRONT						
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP		
	PANHARD	R	ODS			
c -	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea	
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt	
	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea	
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
CONTENT	DECORAL HOR	Ø	TAIRTING	'`		

F	FRONT INDIVIDUAL COMPONENTS						
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt		
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt		
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt		
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top Eyering	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top Eyering #1398	2	ADJ00191	\$	Ea	
	Fit Bottom Pin #1398	1	TW957	\$	Ea	
8	Fit Top Eyering #1397	1	415024	\$	Ea	
	Fit Bottom Pin #1397	2	TW967	\$	Ea	



LANDROVER DEFENDER 90 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRF	9		
FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift	2	FC41049	\$	Ea		
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBEF	₹		
	Up to 30mm Lift	2	BM401049	\$	Ea		
	45MM ADJUSTA	ABL	E - SHOCK ABSO	DRBE	R		
8	Up to 30mm Lift	2	BMX1049/2	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	Up to 30mm Lift	2	TDR1049B	\$	Ea		

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
Ů	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	Ē	PART NO	RR	Р			
F	FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R			
0	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea			
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R			
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea			
0	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea			

Note: <u>Conical Lower Bushes</u> - Fit selected part number If the lower rubber bushes are conical in shape & fit into a metal housing.

Note: <u>Flat 45mm in Diameter Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPI	RIN	IGS	
	Up to Steel Bar - Petrol	1	TDC505	\$ Pr
	With Steel Bar & Winch - Petrol	1	TDC535	\$ Pr
	Up to Steel Bar - Diesel	1	TDC535	\$ Pr
	With Steel Bar & Winch - Diesel	1	TDC504	\$ Pr

STEERING DAMPER						
	Heavy Duty	1	EXT5009	\$	Ea	
<u></u>	Return to Center	1	SS5009-P/S	\$	Ea	
••••• •	9 Stage Adjustable	1	SV5009	\$	Ea	

COIL SPRINGS					
	0-300kg load	1	TDC518	\$	Pr
	CONSTANT 300kg load	1	TDC518H	\$	Pr
	CONSTANT 500kg load		TDC504	\$	Pr



LANDROVER DEFENDER 90 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP			
PANHARD RODS							
0	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea		
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt		
	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea		
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt		

REAR						
DESCRIPTION	QTY	PART NO	RRP			
		DESCRIPTION E	DESCRIPTION E PART NO			

F	FRONT INDIVIDUAL COMPONENTS						
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt		
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt		
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt		
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top Eyering	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fit Top Eyering #1398	2	ADJ00191	\$	Ea	
	Fit Bottom Pin #1398	1	TW957	\$	Ea	
8	Fit Top Eyering #1397	1	415024	\$	Ea	
	Fit Bottom Pin #1397	2	TW967	\$	Ea	



LANDROVER DEFENDER 110, 130 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift	2	FC41049	\$ 1	Ea		
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	Up to 30mm Lift	2	BM401049	\$ 1	Ea		
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
8	Up to 30mm Lift	2	BMX1049/2	\$ 1	Ea		
	RALPH -	SH	OCK ABSORBER				
	Up to 30mm Lift	2	TDR1049B	\$ 1	Ea		

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items	s for the rear end of your ve	hicle.						
	Shock Absorber Coil Springs	2	Ea Pr					

CONTENT	DESCRIPTION	ğ	PART NO		RRP			
F	FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea			
	40MM ADJUSTA	ιBl	E - SHOCK ABSO	RE	BER			
	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea			
	45MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea			
0	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea			
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea			

Note: <u>Conical Lower Bushes</u> - Fit selected part number If the lower rubber bushes are conical in shape & fit into a metal housing.

Note: <u>Flat 45mm in Diameter Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

COIL SPRINGS					
	Up to Steel Bar-Petrol	1	TDC520	\$	Pr
WWW.	With Steel Bar & Winch-Petrol	1	TDC514	\$	Pr

STEERING DAMPER							
	Heavy Duty	1	EXT5009	\$	Ea		
<u></u>	Return to Center	1	SS5009-P/S	\$	Ea		
••••• •	9 Stage Adjustable	1	SV5009	\$	Ea		

COIL SPRINGS							
	0-300kg load - 110 Series	1	TDC536	\$	Pr		
	0-500kg load - 130 Series	1	TDC523	\$	Pr		
	CONSTANT 500kg load - 130 Series	1	TDC522H	\$	Pr		



LANDROVER DEFENDER 110, 130 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
PANHARD RODS								
o <u> </u>	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea			
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt			
	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea			
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt			

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
				,			

FRONT INDIVIDUAL COMPONENTS							
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt		
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt		
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt		
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top Eyering	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fit Top Eyering #1398	2	ADJ00191	\$	Ea		
	Fit Bottom Pin #1398	1	TW957	\$	Ea		
8	Fit Top Eyering #1397	1	415024	\$	Ea		
	Fit Bottom Pin #1397	2	TW967	\$	Ea		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift	2	FC41049	\$	Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER	
	Up to 30mm Lift	2	BM401049	\$	Ea
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBER	
8	Up to 30mm Lift	2	BMX1049/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift	2	TDR1049B	\$	Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
Ů	Shock Absorber	2	Ea				
İݧ§	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	ğ	PART NO	RR	P.
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R
_	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea
8	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea

Note: <u>Conical Lower Bushes</u> - Fit selected part number If the lower rubber bushes are conical in shape & fit into a metal housing.

Note: <u>Flat 45mm in Diameter Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPI	RIN	IGS	
MILAAA	Up to Steel bar	1	TDC505	\$ Pr
	Steel Bar & Winch	1	TDC504	\$ Pr

STEERING DAMPER					
—	Heavy Duty	1	EXT5000	\$	Ea
·—###########	Return to Center	1	SS5000-P/S	\$	Ea
O:	9 Stage Adjustable	1	SV5000	\$	Ea

	PANHARD	R	ODS	
o === o	Adjustable (14mm ID sleeve) - Up to Chassis #2A626645	1	TDPR-002	\$ Ea
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$ Ea

	COIL SPF	RIN	IGS	
MIAAAA	0-300kg load	1	TDC518	\$ Pr
	CONSTANT 300kg load	1	TDC518H	\$ Pr





FRONT								
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP				
F	FRONT INDIVIDUAL COMPONENTS							
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$ Kt				
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$ Kt				
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$ Kt				
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$ Kt				

	RE	AR		
CONTENT	DESCRIPTION	QTY	PART NO	RRP

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fit Top & bottom pin	4	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fit Top eyering #1397	1	415024	\$	Ea
	Fit Bottom Pin #1397	2	TW967	\$	Ea
8	Fit Top eyering #1398	1	ADJ00191	\$	Ea
	Fit Bottom pin #1398	2	TW957	\$	Ea



SERIES II & III SII - 03/1999-04/2005, SIII - 04/2005-2009 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber (Series II) 2 Fa

		Co	bil Springs (Series II & III)) 1	Pr			
0 0		Si	eering Damper (Optional)	<u>' </u>	Ea			
CONTENT	DESCRIPTION	QTY	PART NO	RR	Р			
	FOAM CELL - SHOCK ABSORBER							
0	Up to 35mm Lift Series II Only	2	FC41043	\$	Ea			

COIL SPRINGS - SERIES II ONLY						
MILLAAAA	Up to Steel bar	1	TDC530	\$	Pr	
	Steel Bar & Winch	1	TDC530H	\$	Pr	

2

Up to 35mm Lift Series II Only

40MM ADJUSTABLE - SHOCK ABSORBER

BM401043

\$

Ea

COIL SPRINGS - SERIES III ONLY - 40MM LIFT						
MIAAAA	Up to Steel bar	1	TDC545	\$	Pr	
	Steel Bar & Winch	1	TDC545H	\$	Pr	

STEERING DAMPER						
	Heavy Duty Replacement	1	EXT5003	\$	Ea	
<u></u>	Return to Center (Only power steering)	1	SS5003-P/S	\$	Ea	
• ±	9 Stage Adjustable	1	SV5003	\$	Ea	

REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber (Series II)	2	Ea				
33	Coil Springs (Series II & III)	1	Pr				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 35mm Lift Series II Only	2	FC41396	\$ Ea				
	40MM ADJUSTA	BL	LE - SHOCK ABSO	RBER				
8	Up to 35mm Lift Series II Only	2	BM401396	\$ Ea				

COIL SPRINGS - SERIES II ONLY						
MILLAAA	0-300kg load	1	TDC508	\$	Pr	
	CONSTANT 300kg load	1	TDC508H	\$	Pr	

COIL SPRINGS - SERIES III ONLY - 40MM LIFT						
M	0-300kg load	1	TDC546	\$	Pr	
	0-300kg load CONSTANT 300kg load	1	TDC546H	\$	Pr	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Springs 1 Panhard Rod (Optional) Ea Steering Damper (Optional) 1 Ea

	RE#	۱R			
	REAR SUSPENSION	ON C	CHECK LIST		
You need to or	rder the following item	s foi	the rear end of your ve	hicle.	
	3 3		Shock Absorber	2	Ea
0 0			Coil Springs	1	Pr
CONTENT	DESCRIPTION	ату	PART NO	RRF)
CONTENT	DESCRIPTION	G	FARTINO	IXIXI	

CONTENT	DESCRIPTION	QTY	PART NO	RI	RP			
ŀ	FOAM CELL - SHOCK ABSORBER							
	Up to 35mm Lift Non Air suspension	2	FC41049	\$	Ea			
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBE	R			
	Up to 35mm Lift Non Air suspension	2	BM401049	\$	Ea			
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	ER .			
8	Up to 35mm Lift Non Air suspension	2	BMX1049/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 35mm Lift Non Air suspension	2	TDR1049B	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 35mm Lift Non Air suspension	2	FC41398	\$ Ea				
	40MM ADJUSTA	\Βl	LE - SHOCK ABSO	RBER				
	Up to 35mm Lift Non Air suspension	2	BM401398	\$ Ea				
	45MM ADJUSTABLE - SHOCK ABSORBER							
8	Up to 35mm Lift Non Air suspension	2	BMX1398/2	\$ Ea				
	RALPH -	SH	OCK ABSORBER					
	Up to 35mm Lift Non Air suspension	2	TDR1398	\$ Ea				

COIL SPRINGS						
.	OE Height - Petrol, Up to steel bar	1	TDC501	\$	Pr	
	Diesel - Up to Steel bar	1	TDC505	\$	Pr	
	With Steel bar & winch	1	TDC504	\$	Pr	

COIL SPRINGS						
	0-300kg load	1	TDC504	\$	Pr	
	CONSTANT 300kg load	1	TDC508	\$	Pr	
	CONSTANT 500kg load		TDC508H	\$	Pr	

STEERING DAMPERS					
	Heavy Duty Replacement	1	EXT5000	\$	Ea
<u> </u>	Return to Center (Power Steering Only)	1	SS5000-P/S	\$	Ea
••••••••••••••••••••••••••••••••••••••	9 Stage Adjustable	1	SV5000	\$	Ea

PANHARD RODS						
·	Adjustable (14mm ID sleeve)	1	TDPR-002	\$	Ea	
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt	
~	Adjustable (16mm ID sleeve)	1	TDPR-018	\$	Ea	
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top & Bottom Pin	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Bottom Pin	2	TW957	\$	Ea	
8	Fit Top Eyering	1	ADJ00191	\$	Ea	



LANDROVER RANGE ROVER WITH AIR SUSPENSION 05/1995-2000 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT						
CONTENT	DESCRIPTION	ΩT	PART NO	R	RP	
ı	FOAM CELL - SHO	Ck	ABSORBER			
	Up to 35mm Lift With Air suspension	2	FC41008	\$	Ea	
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RB	ER	
	Up to 35mm Lift With Air suspension	2	BM401008	\$	Ea	
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RB	ER	
8	Up to 35mm Lift With Air suspension	2	BMX1008/2	\$	Ea	
	RALPH -	SH	OCK ABSORBER			
	Up to 35mm Lift With Air suspension	2	TDR1008B	\$	Ea	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHO	CK	ABSORBER				
	Up to 35mm Lift With Air suspension	2	FC41397	\$ Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
	Up to 35mm Lift With Air suspension	2	BM401397	\$ Ea			
•	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
8	Up to 35mm Lift With Air suspension	2	BMX1397/2	\$ Ea			
	RALPH -	Sŀ	OCK ABSORBER				
	Up to 35mm Lift With Air suspension	2	TDR1397	\$ Ea			

STEERING DAMPERS						
	Heavy Duty replacement	1	EXT5000	\$	Ea	
<u>~</u>	Return to Center (Power Steering Only)	1	SS5000-P/S	\$	Ea	
○ ○	9 Stage Adjustable	1	SV5000		Ea	


PANHARD RODS					
	Adjustable (14mm ID sleeve)	1	TDPR-002	\$	Ea
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pins	2	TW957	\$	Ea

REAR RE	PLACEMENT BUS	HE	ES (QTY PER SHO	CK)
8	Fits top eyering	1	415024	\$	Ea
	Fits bottom pin	2	TW967	\$	Ea







REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.				
ÌŮ₹₹	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			

CONTENT	DESCRIPTION	QΤΥ	PART NO	RF	RP
NIT	TROGEN GAS - S	HOO	CK ABSORBER		
	Up to 25mm lift	2	BD2006T	\$	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RI	RP
NIT	ROGEN GAS - S	HO	CK ABSORBER		
	Up to 25mm lift	2	BD3020T	\$	Ea

COIL SPI	RIN	IGS	
25mm lift - All applications	1	TDC402	\$ Pr

COIL SPI	RIN	igs	
25mm lift - All applications	1	TDC403	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	412773	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top eyering	1	404702	\$	Ea
	Fits bottom eyering	1	4W-SPF420-02	\$	Ea



LDV T60

2017 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

0 0	0 0		Strut Top (Optional)		2 Ea			
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
A	SSEMBLED STRU	TS	- FOAM CELL					
Assembl	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	ор				
	No bar or Alloy bar	2	LDV-004	\$	Ea			
	With Steel bar	2	LDV-005	\$	Ea			
*	With Steel bar & winch	2	LDV-006	\$	Ea			
•	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
\$	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	No bar or Alloy bar	2	LDV-001	\$	Ea			
	With Steel bar	2	LDV-002	\$	Ea			
	With Steel bar & winch	2	LDV-003	\$	Ea			
	STRUT - FO	ΑN	CELL					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404926	\$	Ea			
1	STRUT -	40I	MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404926	\$	Ea			

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
8 8 0	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
ů	Up to 40mm Lift	2	FC43032	\$ Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
8	Up to 40mm Lift	2	BM403032	\$ Ea			

	COIL SPI	RIN	IGS	
•• • • • • •	No bar or Alloy bar	1	TDC270	\$ Pr
	With Steel bar	1	TDC974	\$ Pr
	With Steel bar & winch	1	TDC974H	\$ Pr

LEAF SPRINGS						
	0-300kg load	2	FS214C	\$	Ea	
	CONSTANT 300kg load	2	FS214L	\$	Ea	
	CONSTANT 500kg load	2	FS214LL	\$	Ea	





2017 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR									
CONTENT	DESCRIPTION	QTY	PAR [*]	RRP					
	LEAF SPRING FITMENT KIT								
	Urethane Shackle bushes			TDUK-071					
\cap	U-Bolts		1 TDFK-013	TDUB-016					
	Greaseable Shackles	1		TDGS-391	\$ Kt				
	Greaseable Pins		1D1 K-013	TDGP-668	φ κι				
•	Transmission Spacer			TDSP-020					
7	Headlight Levelling Relocator			TDSP-019					

AIR ASSIST - BELLOWS							
	Bellows bag kit - 40mm lift	1	TDAA-126	\$	Kt		
	Bellows bag kit - OEM height	1	TDAA-125	\$	Kt		
Note: Sepa	arate Air Assist compone	ents	can be viewed on page	14.			
AIR ASS	AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Bags	1	TDAS-001	\$	Kt		

FRONT INDIVIDUAL COMPONENTS						
-1 €-0	Strut Top	2	ISU-4929	\$	Ea	

F	REAR INDIVIDUAL	C	OMPONENTS			
	Urethane Shackle bushes	1	TDUK-071	\$	Kt	
\bigcap	U-Bolts	2	TDUB-016	\$	Kt	
	Greaseable shackle kit	1	TDGS-391	\$	Kt	
	Greaseable pin kit	1	TDGP-668	\$	Kt	
•	Centre bearing spacer kit	1	TDSP-020	\$	Ea	
	Note: Must be fitt	ted	to all kits.			
7	Headlight Levelling Relocator	1	TDSP-019	\$	Ea	
Note: Must be fitted to all kits.						





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

		Strut Iop (Optional) 2						
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assembl	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
zaks	No bar or Alloy bar	2	LDV-004	\$ Ea				
	With Steel bar	2	LDV-005	\$ Ea				
	With Steel bar & winch	2	LDV-006	\$ Ea				
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
Ţ	No bar or Alloy bar	2	LDV-001	\$ Ea				
	With Steel bar	2	LDV-002	\$ Ea				
	With Steel bar & winch	2	LDV-003	\$ Ea				
	STRUT - FO	ΑN	CELL					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404926	\$ Ea				
1	STRUT -	401	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404926	\$ Ea				

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring Fitment kit	1	Kt				
	Bellows Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
8	Up to 40mm Lift	2	FC43032	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
8	Up to 40mm Lift	2	BM403032	\$ Ea

	COIL SPI	RIN	IGS		
	No bar or Alloy bar	1	1 TDC270 \$		Pr
	With Steel bar	1	TDC974	\$	Pr
	With Steel bar & winch	1	TDC974H	\$	Pr

LEAF SPI	RIN	igs	
0-300kg load	2	FS214C	\$ Ea
CONSTANT 300kg load	2	FS214L	\$ Ea
CONSTANT 500kg load	2	FS214LL	\$ Ea





FRONT						
CONTENT	DESCRIPTION	ΩТΥ	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PAR	R	RP		
LEAF SPRING FITMENT KIT							
	Urethane Shackle bushes			TDUK-071			
\cap	U-Bolts		4 TDE14 000	TDUB-016	•	Kt	
**************************************	Greaseable Shackles	1	TDFK-009	TDGS-391	\$	Νι	
	Greaseable Pins			TDGP-668			

AIR ASSIST - BELLOWS					
	Bellows bag kit - OEM height	1	TDAA-118	\$	Kt
	Bellows bag kit - 40mm lift	1	TDAA-104	\$	Kt
Note: Sepa	arate Air Assist compone	ents	can be viewed on page	14.	
AIR ASS	IST - BELLOWS V	VIR	ELESS AIR SYST	ЕМ	
	Wireless Air System Suits Bellows Bags	1	TDAS-001	\$	Kt

FRONT INDIVIDUAL COMPONENTS					
-E-0	Strut Top	2	ISU-4929	\$	Ea

F	REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bushes	1	TDUK-071	\$	Kt		
\cap	U-Bolts	2	TDUB-016	\$	Kt		
	Greaseable shackle kit	1	TDGS-391	\$	Kt		
	Greaseable pin kit	1	TDGP-668	\$	Kt		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Struts Coil Springs 1 Pr

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
 	Coil Springs	1	Pr					
133								
1128								

CONTENT	DESCRIPTION	QTY	PART NO	RRP
	SHOCK AB	so	RBER	
	Up to 40mm Lift - Strut Only / No Coil / No Strut top	2	FC31008	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	SHOCK ABSORBER							
	Up to 40mm Lift	2	FC31009	\$ Ea				


COIL SPRINGS					
	40mm Lift Up to Steel Bar	1	TDC1082	\$	Pr


COIL SPRINGS						
	0-300kg load	1	TDC1083	\$	Pr	



MAZDA B2500, B2600, B4000 PC, PD, PE, PG, PH 1986-2006 EST. LIFT FRONT: 40MM | REAR: 40MM







CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm lift	2	FC42051B	\$	Ea			
Note : FC42051B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm lift	2	FC41232	\$ E				
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
8	Up to 40mm lift	2	BM401232	\$ E				

TORSION BAR						
-	26mm / 926mm	1	4WTB-1546	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

LEAF SPRING						
مر به	0-300kg load	2	FS365	\$	Ea	
	CONSTANT 300kg load	2	FS367	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
8	Shock mount strengthening kit	1	TDSK-020	\$	Ea	
Note: Failure to fit TDSK-020 will cause top mount failure.						

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-034	\$	Kt	
\bigcap	U-Bolt kit	2	TDUB-005	\$	Kt	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	1	TW959	\$	Ea	
	Fits top pin	1	TW961	\$	Ea	
Ť	Fits bottom eyering- #42057 Only	1	4W-SPF420-05	\$	Ea	
	Fits bottom eyering - #42051 Only	1	4W-SPF420-02	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering Foam cell	1	ADJ00191	\$	Ea	
	Fits bottom eyering Foam cell	1	4W-SPF420-02	\$	Ea	
	Fits top eyering Adjustable	1	230100	\$	Ea	
Ĭ	Fits bottom eyering Adjustable	1	230002	\$	Ea	



MAZDA BT-50 B2500, B3000 11/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45MM





CONTENT	DESCRIPTION	QTY	PART NO	RF	RP	
F	FOAM CELL - SHO	OCK	ABSORBER			
	Up to 45mm Lift	2	FC42051B	\$	Ea	
Note: FC4205	Note: FC42051B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear					

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring Fitment Kit (Based on Leaf Spring Choice)	1	Kt				
▎▐▐▐█▔▔⋂▄┿	Bellows Airbags (Optional)	1	Kt				
▼ • • • • • • • • • • • • • • • • • • •							

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 45mm Lift	2	FC41232	\$ Ea				
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
8	Up to 45mm Lift	2	BM401232	\$ Ea				

TORSION BAR					
	27mm / 1028mm	1	4WTB-1440	\$	Pr
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained					

LEAF SPRING						
•	0-300kg load	1	FS368C-LH	\$	Ea	
		1	FS368C-RH	\$	Ea	
	CONSTANT 300kg load	1	FS368L-LH	\$	Ea	
		1	FS368L-RH	\$	Ea	
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered.						

LEAF SPRING FITMENT KIT - FITS FS368L Urethane Shackle TDUK-069 bushes **U-Bolts** TDUB-039 1 TDFK-001 Kt Greaseable Shackles TDGS-386/1 Greaseable Pins TDGP-668 **LEAF SPRING FITMENT KIT - FITS FS368C** Urethane Shackle TDUK-069 bushes **U-Bolts** TDUB-040

Greaseable Shackles
Greaseable Pins

1 TDFK-002

TDGS-386/1

TDGP-668

Κt

AIR ASSIST - BELLOWS							
	Bellows bag kit - OEM height	1	TDAA-117	\$	Kt		
	Bellows bag kit - 45mm lift	1	TDAA-101	\$	Kt		
Note: Sep	arate Air Assist compone	ents	can be viewed on page	2 14.			
AIR ASS	AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Bags	1	TDAS-001	\$	Kt		



MAZDA BT-50 B2500, B3000 11/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FRONT INDIVIDUAL COMPONENTS					
8	Shock mount strengthening kit	1	TDSK-020	\$ 105	Ea	
Note: Failure to fit TDSK-020 will cause top mount failure.						

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-069	\$	Kt		
\cap	U-Bolt kit - FS368C Only	2	TDUB-040	\$	Kt		
\cap	U-Bolt kit - FS368L Only	2	TDUB-039	\$	Kt		
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	1	TW959	\$	Ea	
	Fits top pin	1	TW961	\$	Ea	
Ì	Fits bottom eyering - #42057 Only	1	4W-SPF420-05	\$	Ea	
	Fits bottom eyering - #42051 Only	1	4W-SPF420-02	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering Foam cell	1	ADJ00191	\$	Ea	
	Fits bottom eyering Foam cell	1	4W-SPF420-02	\$	Ea	
	Fits top eyering Adjustable	1	230100	\$	Ea	
Î	Fits bottom eyering Adjustable	1	230002	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) Pr 1

CONTENT	DESCRIPTION	QTY	PART NO	RRP
Į.	ASSEMBLED STRU	JTS	- FOAM CELL	
Assemb	led struts are made up o	f: 1 x	strut, 1 x coil 1 x strut t	top
	Up to Steel Bar	1	MAZ-003-LH	−\$ Ea
	op to oteer bar	1	MAZ-003-RH	Ψ Εα
	With Steel Bar	1 MAZ-004-LH	MAZ-004-LH	
	& Winch	1	MAZ-004-RH	−\$ Ea
	ASSEMBLED ST	RU	TS - 40MM ADJU	STABLE
3	Assembled struts are r	nade	up of: 1 x strut, 1 x coil :	1 x strut top
8	Up to Steel Bar	1	MAZ-001-LH	−\$ Ea
	Op to Steel Bal	1	MAZ-001-RH	тр Еа
	With Steel Bar	1	MAZ-002-LH	
	& Winch	1	MAZ-002-RH	\$ Ea
	STRUT - FC	AM	CELL	
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404500	\$ Ea
1	STRUT -	401	MM ADJUSTABLE	
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404500	\$ Ea



CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHC	Ck	ABSORBER	
°	Up to 40mm Lift	2	FC41232	\$ Ea
1	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER
8	Up to 40mm Lift	2	BM401232	\$ Ea

	COIL SPI	RIN	IGS	
MIAAAA	Up to Steel Bar	1	TDC451	\$ Pr
	With Steel bar or bar and winch	1	TDC451HL	\$ Pr

LEAF SPRINGS						
	0-300kg load	2	FS369C	\$	Ea	
	CONSTANT 300kg load	2	FS369L	\$	Ea	
	CONSTANT 500kg load	2	FS369LL	\$	Ea	





	FRO	TNC		
CONTENT	DESCRIPTION	QTY	PART NO	RRP

FRONT							
CONTENT	DESCRIPTION	QTY	PAR [*]	RRP			
LEAF S	LEAF SPRING FITMENT KIT - FITS FS369L & LL						
	Urethane Shackle bushes			TDUK-070			
	U-Bolts			TDUB-039			
\cap	Greaseable Shackles	1	TDFK-003	TDGS-390	\$ Kt		
1 1	Greaseable Pins			TDGP-668			
+	Transmission Spacer Kit			TDSP-007			
ab (a)	LEAF SPRING F	ITI	MENT KIT	- FITS F	S369C		
	Urethane Shackle bushes			TDUK-070			
	U-Bolts			TDUB-040			
	Greaseable Shackles	1	TDFK-004	TDGS-390	\$ Kt		
T 88888	Greaseable Pins			TDGP-668			
	Transmission Spacer Kit			TDSP-007			

	UPPER CONT	RC	L ARMS	
UU	Upper Control Arms	1	TDCA-003	\$ Pr

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS						
	Bellows Bags Kit - OEM Height	1	TDAA-116	\$	Kt	
	Bellows Bags Kit - 40mm Lift	1	TDAA-102	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONT	ROL ARMS - REP	LA	CEMENT COMPO	NEN	ITS
	Bush Kit to fit one UCA - for TDCA-003	1	TDSK-003	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-003	1	TDSK-004	\$	Ea

FRONT INDIVIDUAL COMPONENTS					
·L·O	Strut Top	2	MAZ-4051	\$	Ea

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM					
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

REAR INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit	1	TDUK-070	\$	Kt		
\bigcap	U-Bolt kit - FS369C Only	2	TDUB-040	\$	Kt		
\bigcap	U-Bolt kit - FS369L & FS369LL Only	2	TDUB-039	\$	Kt		
	Greaseable shackle kit	1	TDGS-390	\$	Kt		
	Greaseable pin kit	1	TDGP-668	\$	Kt		
Tesses	Transmission Spacer kit	1	TDSP-007	\$	Ea		
Note: Must be fitted to all Kits.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits bottom eyering	1	ADJ00305	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering Foam Cell	1	ADJ00191	\$	Ea	
	Fits bottom eyering Foam Cell	1	4W-SPF420-02	\$	Ea	
	Fits top eyering Adjustable	1	230100	\$	Ea	
1	Fits bottom eyering Adjustable	1	230002	\$	Ea	



MAZDA
BT-50
TF
08/2020 ON
EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
Α	SSEMBLED STRU	TS	- FOAM CELL					
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	ор				
	No Accessories	1	ISU-003	\$	Ea			
	With Steel Bar or Bar and Winch	1	ISU-004	\$	Ea			
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	No Accessories	1	ISU-001	\$	Ea			
	With Steel Bar or Bar and Winch	1	ISU-002	\$	Ea			
	STRUT - FO	ΑM	CELL					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404929	\$	Ea			
Ī	STRUT -	40ľ	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404929	\$	Ea			

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment kit	1	Kt					
▋▋■■☆○⊶	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
FOAM CELL - SHOCK ABSORBER					
å	Up to 40mm Lift	2	FC43035	\$ Ea	
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER	
8	Up to 40mm Lift	2	BM403035	\$ Ea	

COIL SPRINGS						
MIAAAA	No Accessories	1	TDC974	\$	Pr	
	With Steel Bar or Bar & Winch	1	TDC974H	\$	Pr	

LEAF SP	RIN	IGS	
0-300kg load	2	FS215C	\$ Ea
CONSTANT 300KG load	2	FS214L	\$ Ea
CONSTANT 500KG load	2	FS214LL	\$ Ea



MAZDA
BT-50
TF
08/2020 ON
EST. LIFT FRONT: 40MM | REAR: 40MM



TDSK-021

	FRONT						
CONTENT	DESCRIPTION	ΤŽ	PART NO	RRP			

FRONT								
CONTENT	DESCRIPTION	QTY	PAR [*]	T NO	RRP			
LEAF	LEAF SPRING FITMENT KIT - FITS FS215C							
	Urethane Shackle bushes			TDUK-085				
	U-Bolts	1	TDFK-011	TDUB-016	\$ Kt			
\cap	Greaseable Shackles			TDGS-902	φ κι			
<u> </u>	Greaseable Pins			TDGP-668				
+	LEAF SPRING FI	ТΜ	ENT KIT	FITS FS2	14L & LL			
	Urethane Shackle bushes			TDUK-085				
	U-Bolts			TDUB-016				
	Greaseable Shackles	1	TDFK-012	TDGS-902	\$ Kt			
	Greaseable Pins			TDGP-668				

UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-009	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS						
	Bellows bag kit - OEM height	1	TDAA-130	\$	Kt	
	Bellows bag kit - 40mm lift	1	TDAA-131	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

Handbrake Relocation

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-009	1	TDSK-026	\$	Ea	
Ball joint kit to fit one	1	TDSK-027	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
Æ •0	Strut Top	2	ISU-4929	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-085	\$	Kt	
\cap	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-902	\$	Kt	
······································	Greaseable Pin kit	1	TDGP-668	\$	Kt	
	Handbrake Relocation Bkt - Only with FS214L & FS214LL	1	TDSK-021	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ť	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top & bottom evering	2	TW038-16	\$	Ea	

FOR GVM UPGRADES, SEE PAGE 120

GVM UPGRADE



MAZDA BT-50

4X2 / 4X4 'SINGLE CAB' (XT) - 2021 ON 4X2 / 4X4 'FREESTYLE CAB' (XT) - 2021 ON 4X2 / 4X4 'DUAL CAB' (XT, XTR, GT) - 2021 ON 3000_{KG*}

3695_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 695KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS					
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG			
FRONT AXLE RATING	1450KG	1595KG			
REAR AXLE RATING	1910KG	2100KG			
GROSS VEHICLE MASS (GVM)	3000KG - 3100KG	3695KG			
TOWING CAPACITY (BRAKED)	3500KG	3500KG			
GROSS COMBINED MASS (GCM)	5850KG - 6000KG	5850KG - 6000KG			
• Payload increas	se is based on model variant.				

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

4X2 / 4X4 'SINGLE CAB' (XT) - 2021 ON

4X2 / 4X4 'FREESTYLE CAB' (XT) - 2021 ON

4X2 / 4X4 'DUAL CAB' (XT, XTR, GT) - 2021 ON

DESCRIPTION	GVM UPGRADE	PART NO	RRP
SINGLE/FREESTYLE CAB FRONT: NO ACCESSORIES REAR: 400KG MIN. LOAD	3695KG	TDGVM-053	
DUAL CAB FRONT: NO ACCESSORIES REAR: 300KG MIN. LOAD	3695KG	TDGVM-053	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



THIS PAGE IS INTENTIONALLY BLANK



MERCEDES-BENZ

12/2017-06/2020 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR Struts 2 Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	R	RP
A	SSEMBLED STRU	TS	- FOAM CELL		
Assemble	ed struts are made up of	:1x	strut, 1 x coil 1 x strut to	ор	
	No Accessories	2	MEC-003	\$	Ea
*	With Steel Bar or Bar and Winch	2	MEC-004	\$	Ea
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAI	BLE
\$	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x stru	t top
8	No Accessories	2	MEC-001	\$	Ea
	With Steel Bar or Bar and Winch	2	MEC-002	\$	Ea
	STRUT - FO	ΑN	CELL		
I	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404925	\$	Ea
1	STRUT -	40I	MM ADJUSTABLE		
	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404925	\$	Ea

REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
11 22	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
iiss	Panhard Rod (Optional)	1	Ea			
	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 35mm Lift	2	FC41369	\$ Ea				
	40MM ADJUSTA	۱BI	LE - SHOCK ABSC	RBER				
8	Up to 35mm Lift	2	BM401369	\$ Ea				

	COIL SPI	RIN	IGS	
MIAAAA	No Accessories	1	TDC1008	\$ Pr
	With Steel Bar or Bar & Winch	1	TDC1009	\$ Pr

COIL SPRINGS						
	0-300kg load	1	TDC774	\$	Pr	
	CONSTANT 300kg load	1	TDC774H	\$	Pr	
	CONSTANT 500kg load		TDC774VHL	\$	Pr	

	PANHARD	R	ODS	
·	Adjustable panhard rod	1	TDPR-300	\$ Ea



MERCEDES-BENZ

12/2017-06/2020 EST. LIFT FRONT: 35MM | REAR: 35MM



\$

Κt

TDAS-002

FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	R	RP	
UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-007	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	R	RP	
AIR ASSIST - COIL INSERT						
	Coil insert bag kit - OE Height only	1	TDAA-016	\$	Kt	
	Coil insert bag kit - 35mm lift	1	TDAA-007	\$	Kt	
Note: Sep	arate Air Assist compon	ents	can be viewed on page	14.		

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

Wireless Air System

Suits Coil Insert Airbags

UPPER CON	TROL ARMS - REP	'LA	CEMENT COMPO	NE	NTS
	Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea


F	RONT INDIVIDUAL	_ C	OMPONENTS	
Ļ	Strut Top	2	NIS-3030	\$ Ea

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	CK)	
	Front bottom eyering	1	ADJ300/40A \$; E	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top eyering	1	404702	\$	Ea	
	Rear bottom eyering	1	TW042-14	\$	Ea	







REA	REAR						
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Urethane Bush kit	1	Kt				
	U-Bolt kits	2	Kt				
	Anti Inversion kit	1	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRF	•			
F	FOAM CELL - SHOCK ABSORBER							
	Up to 35mm Lift	2	FC42057B	\$	Ea			
Note: Fo	Note: FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear							

DESCRIPTION	₫	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER						
Up to 35mm Lift	2	BD1382T	\$ Ea			
FOAM CELL - SHOCK ABSORBER						
Up to 35mm Lift	2	FC41382	\$ Ea			
40MM ADJUSTABLE - SHOCK ABSORBER						
Up to 35mm Lift	2	BM401382	\$ Ea			
	TROGEN GAS - SH Up to 35mm Lift FOAM CEL Up to 35mm Lift 40MM ADJUSTA	Up to 35mm Lift 2 FOAM CELL - Up to 35mm Lift 2 40MM ADJUSTABL	FOAM CELL - SHOCK ABSORBER Up to 35mm Lift 2 BD1382T FOAM CELL - SHOCK ABSORBE Up to 35mm Lift 2 FC41382 40MM ADJUSTABLE - SHOCK ABSORBE			



LEAF S	PRIN	GS	
0-300kg load	2	FS021	\$ Ea

REAR INDIVIDUAL COMPONENTS

\cap							
I I	U-bolt kit	2	TDUB-006	\$	Kt		
	Anti inversion bracket kit	1	TDSK-023	\$	Ea		
Note: Must be fitted to all kits.							


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front top pin	2	TW959	\$	Ea	
	Front bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top eyering	2	404702	\$	Ea	



MITSUBISHI CHALLENGER PA II (COIL REAR) 06/2000-2007 EST. LIFT FRONT: 35MM | REAR: 35MM





REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
ii 📚	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	FC42057B	2	FC42057B	\$ Ea				
Note: Fo	Note: FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear							

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 35mm Lift	2	FC41439	\$ Ea			
! !	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	Up to 35mm Lift	2	BM401439	\$ Ea			

TORSION BAR						
	27.5mm / 1307mm	1	4WTB-0203	\$	Pr	
- en	Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained					


COIL SPRINGS					
MIAAAA	0-300kg load	2	TDC640	\$	Pr
	0-300kg load CONSTANT 300kg load	2	TDC632SL	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Front top pin	2	TW959	\$	Ea		
	Front bottom eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top eyering	1	404702	\$	Ea	
	Rear bottom eyering	1	TW038-16	\$	Ea	







CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
, <u></u>	Up to Steel bar	2	MIT-060/03	\$	Ea			
	With Steel Bar & Winch	2	MIT-060/04	\$	Ea			
•	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
3	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x strut	top			
•	Up to Steel bar	2	MIT-060/01	\$	Ea			
	With Steel Bar & Winch	2	MIT-060/02	\$	Ea			

STRUT - FOAM CELL							
I	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea		

COIL SPRINGS					
MILAAAA	Up to bar	1	TDC670	\$	Pr
	With Bar & Winch	1	TDC670H	\$	Pr

FRONT INDIVIDUAL COMPONENTS							
·E·O	Strut Top	2	MIT-4040	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front bottom eyering	1	ADJ300/50	\$	Ea	

REA	R							
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber Coil Springs	2	Ea Pr					
ໍ່ເໍ່ຊຊ								

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
Å	Up to 25mm Lift	2	FC41440B	\$ Ea					
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER					
	Up to 25mm Lift	2	BM401440	\$ Ea					

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC636L	\$	Pr
	0-300kg load CONSTANT 300kg load	1	TDC636HL	\$	Pr
Use of CONSTANT load springs without load will result in tailshaft vibration					tion

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top eyering	1	404702	\$	Ea	
	Rear bottom eyering	1	TW038-16	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RF	RР			
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$	Ea			
	40mm Lift	2	BD1388T	\$	Ea			
Å	FOAM CEL	L-	SHOCK ABSORBI	ΕR				
	OE Height	2	FC41382	\$	Ea			
I	40mm Lift	2	FC41388	\$	Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R			
9	OE Height	2	BM401382	\$	Ea			
	40mm Lift	2	BM401388	\$	Ea			

TORSION BARS						
	26mm /1277.5mm	1	4WTB-1726	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-021/35	\$	Kt	
\bigcap	U-Bolt kit	2	TDUB-006	\$	Kt	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fit top & bottom eyering	2	404702	\$	Ea



MITSUBISH L300 4WD SC, SD, SE, SF, SG, SH 05/1983-1994 EST. LIFT FRONT: 40MM | REAR: 40MM



	FRO	NT			
CONTENT	DESCRIPTION	QTY	PART NO	R	RP
NI	ROGEN GAS - S	HOO	CK ABSORBER		
	Up to 40mm lift	2	BD2058T	\$	Ea
٩	FOAM CEL	L -	SHOCK ABSORE	ER	
8	Up to 40mm lift	2	FC42058B	\$	Ea
N	ote: BD2058T can be fit	ted t	o all applications.		

	REA	١R		
CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - SI	100	CK ABSORBER	
	OE Height - SC, SD, SE Only	2	BD1366T	
	40mm Lift - SC, SD, SE Only	2	BD1382T	¢ 5-
	OE height - SF, SG, SH Only	2	BD1386T	\$ Ea
	40mm Lift - SF, SG, SH Only	2	BD1400T	
	FOAM CEL	L - :	SHOCK ABSORBI	ER
Ů	OE Height - SC, SD, SE Only	2	FC41366	
	40mm Lift - SC, SD, SE Only	2	FC41382	-\$ Ea
I	OE height - SF, SG, SH Only	2	FC41386	ф Еа
8	40mm Lift - SF, SG, SH Only	2	FC41400	
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER
	OE Height - SC, SD, SE Only	2	BM401366	
	40mm Lift - SC, SD, SE Only	2	BM401382	ф г-
	OE height - SF, SG, SH Only	2	BM401386	\$ Ea
	40mm Lift - SF, SG, SH Only	2	BM401400	

TORSION BARS					
	26mm / 1277.5mm - SC, SD, SE	1	4WTB-1726	\$	Pr
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained					

REAR INDIVIDUAL COMPONENTS					
	Urethane shackle bush kit	1	TDUK-005	\$	Kt
\bigcap	U-bolt kit	2	TDUB-006	\$	Kt


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front top pin	2	TW959	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering #1366 & #1382	2	404702	\$	Ea	
	Fits top eyering #1386 & #1400	1	404702	\$	Ea	
	Fits bottom pin#1386 & #1400	2	TW959	\$	Ea	



MITSUBISHI PAJERO/MONTERO LEAF REAR NA-NG & NH 05/1983-1994 & 05/1991-06/1993





REAR							
REAR SUSPENSIO	N CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Urethane Shackle Bush kit	1	Kt				
	U-Bolt kits	2	Kt				
	Greaseable Shackle kit	1	Kt				
	Greaseable Pin kit	1	Kt				

CONTENT	DESCRIPTION	ΩTΥ	PART NO	RF	RP		
FOAM CELL - SHOCK ABSORBER							
Î	40mm lift NA-NG Only	2	FC42058B	\$	Ea		
	40mm lift NH Only	2	FC42057B	\$	Ea		
Note: FO	Note: FC42057B & FC42058B can be fitted to all applications.						

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm lift	2	FC41382	\$ Ea				
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
8	Up to 40mm lift	2	BM401382	\$ Ea				

TORSION BAR					
-	26mm / 1277.5mm	1	4WTB-1726	\$	Pr
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained					

LEAF SPRINGS					
مر به	0-300kg load	2	FS021	\$	Ea
	CONSTANT 300kg load	2	FS021H	\$	Ea

STEERING DAMPERS					
○ 	Return to Center - Mounts present in vehicle	1	SS5013-P/S	\$	Ea
<u>~ ₩₩₩₩,±</u>	Return to Center - Mounts not present in vehicle	1	SS5016-P/S	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-005	\$	Kt	
\cap	U-Bolt kit	2	TDUB-006	\$	Kt	
	Greaseable Pin kit	1	TDGP-004	\$	Kt	
	Greaseable Shackle kit	1	TDGS-900	\$	Kt	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering (Only for FC42057B)	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



MITSUBISHI PAJERO/MONTERO COIL REAR NF-NG & NH-NL 08/1988-1991 & 05/1991-2002





REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
ÌÌ₹₹	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
ě	40mm lift NF-NG Only	2	FC42058B	\$ Ea				
	40mm lift NH-NL Only	2	FC42057B	\$ Ea				
Note: FC where	42057B & FC42058B are a Foam Cell or Adjustab	to b le sł	e fitted to all application ock is fitted to the rear.	ns				

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHOCK ABSORBER					
	Up to 40mm lift (NF-NG Only)	2	FC41439			
	OE Height (NH-NL Only)	2	FC41170B	\$ Ea		
	Up to 40mm lift (NH-NL Only)	2	FC41178B			
1	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER		
8	Up to 40mm lift (NF-NG Only)	2	BM401439			
	OE Height (NH-NL Only)	2	BM401170	\$ Ea		
	Up to 40mm lift (NH-NL Only)	2	BM401178			

TORSION BARS						
	26mm / 1277.5mm (91-05/96)	1	4WTB-1726	\$	Pr	
	27.5mm / 1307mm (06-96-00)	1	4WTB-0203	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

COIL SPRINGS					
	0-300kg load	1	TDC632SL	\$	Pr
WVVV Y	CONSTANT 300kg load	1	TDC632L	\$	Pr

STEERING D	A	MPERS	
 Return to Center - Mounts present in vehicle	1	SS5013-P/S	\$ Ea
 Return to Center - Mounts not present in vehicle	1	SS5016-P/S	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering (Only for FC42057B)	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	402267	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
А	SSEMBLED STRU	TS	- FOAM CELL					
Assembl	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	ор				
	With Steel Bar - Petrol	2	MIT-050/04	\$	Ea			
	With Steel Bar - Diesel	2	MIT-050/05	\$	Ea			
	With Steel bar & Winch	2	MIT-050/06	\$	Ea			
	OE Height	2	MIT-050/07	\$	Ea			
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
Ĭ	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
δ	With Steel Bar - Petrol	2	MIT-050/01	\$	Ea			
	With Steel Bar - Diesel	2	MIT-050/02	\$	Ea			
	With Steel bar & Winch	2	MIT-050/03	\$	Ea			
	STRUT - FO	ΑM	CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404300	\$	Ea			
I	STRUT -	401	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404300	\$	Ea			

0	No Strut top						
COIL SPRINGS - LWB							
	OE Height	1	TDC631	\$	Pr		
	With Steel bar - Petrol	1	TDC633	\$	Pr		
	With Steel bar - Diesel	1	TDC633L	\$	Pr		
	With Steel Bar & Winch	1	TDC633H	\$	Pr		

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
ii 33	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	OAM CELL - SHO	OCK	ABSORBER	
	Up to 40mm Lift	2	FC41148	\$ Ea

	COIL SPRING	GS	- LWB	
	0-300kg load - OE Height	1	TDC635S	\$ Pr
	CONSTANT 300kg load - OE Height	1	TDC635	\$ Pr
	0-300kg load	1	TDC635	\$ Pr
	CONSTANT 300kg load	1	TDC635H	\$ Pr
	CONSTANT 500kg load	1	TDC635HH	\$ Pr







REAR							
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
COIL SPRINGS - SWB							
MILLAAA	0-300kg load	1	TDC635S	\$	Pr		
	0-300kg load CONSTANT 300kg load	1	TDC635	\$	Pr		

AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-012	\$ Kt		
	Coil Insert bag - 40mm lift	1	TDAA-006	\$ Kt		
Note: Sepa	arate Air Assist compone	ents	can be viewed on page 1	L4.		
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYST	ЕМ		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$ Kt		

FRONT INDIVIDUAL COMPONENTS						
.I. 0	Strut Top	2	MIT-4038	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ì	Front bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	4W-BS101CH	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор				
	With No Bar / Alloy Bar	2	MIT-061/05	\$	Ea			
	With Steel Bar	2	MIT-061/06	\$	Ea			
*	With Steel Bar & Winch	2	MIT-061/07	\$	Ea			
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	With No Bar / Alloy Bar	2	MIT-061/01	\$	Ea			
	With Steel Bar	2	MIT-061/02	\$	Ea			
	With Steel Bar & Winch	2	MIT-061/03	\$	Ea			
	STRUT - FO	ΑN	CELL					
Ī	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea			
1	STRUT -	401	MM ADJUSTABLE					
Ţ	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea			

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
حج أ أ	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
iiss	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	Up to 20mm Lift	2	FC41440B	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
	Up to 20mm Lift	2	BM401440	\$ Ea

	COIL SP	RIN	IGS	
* • • • • • • • • • • • • • • • • • • •	With No Bar / Alloy Bar	1	TDC681	\$ Pr
	With Steel Bar	1	TDC681L	\$ Pr
	With Steel Bar & Winch	1	TDC681HL	\$ Pr

COIL SPRINGS					
	0-300kg load	1	TDC638L	\$	Pr
	CONSTANT 300kg load	1	TDC638HL	\$	Pr
Use of Constant Load spring without load will result in tailshaft vibration					



MITSUBISHI PAJERO SPORT QE, QF 2015 ON EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
	UPPER CONTROL ARMS						
じじ	Upper Control Arms	1	TDCA-006	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	R	RP	
AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM height	1	TDAA-015	\$	Kt	
	Coil Insert bag - 20mm lift	1	TDAA-001	\$	Kt	
Note: Sep	arate Air Assist compor	ents	can be viewed on page	14.		

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-006	1	TDSK-009	\$	Ea	
	Ball joint kit to fit one UCA - for TDCA-006	1	TDSK-010	\$	Ea	
FRONT INDIVIDUAL COMPONENTS						
11. 0	Strut Top	2	MIT-4040	\$	Ea	


AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM					
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK))
Ī	Front bottom eyering	1	ADJ300/50	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top eyering	1	404702	\$	Ea
	Fits bottom eyering	1	TW038-16	\$	Ea







CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
NIT	NITROGEN GAS - SHOCK ABSORBER							
<u> </u>	All models Up to MK	2	BD2058T	\$	Ea			
	40mm Lift MK Only	2	BD2057T	\$	Ea			
	FOAM CELL - SHOCK ABSORBER							
8	Up to 40mm Lift - MK Only	2	FC42057B	\$	Ea			

TORSION BARS						
	26mm / 1277.5mm	1	4WTB-1726	\$	Pr	
	26mm / 1370mm	1	4WTB-1736	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

REA	R					
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Leaf Springs	1	Ea			
	Leaf Spring Fitment Kit	1	Kt			
	Anti Inversion Kit	1	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
NIT	TROGEN GAS - SH	100	CK ABSORBER		
	40mm Lift	2	BD1388T	\$ Ea	
	FOAM CELL - SHOCK ABSORBER				
	40mm Lift	2	FC41388	\$ Ea	
	40MM ADJUSTABLE - SHOCK ABSORBER				
	40mm Lift	2	BM401388	\$ Ea	

LEAF SPRINGS						
م یه	0-300kg load	2	FS021	\$	Ea	
	CONSTANT 300kg load	2	FS021H	\$	Ea	
Some Special Edition models are equipped with Heavy Duty leaf packs from factory - Check prior to ordering						

LEAF SPRING FITMENT KIT - FITS ALL KITS							
	Urethane Shackle Bush Kit			TDUK-021/31			
\cap	U-Bolt Kit		TDEK 046	TDUB-006	Φ 1/4		
3 48	Greasable Shackle Kit		TDFK-016	TDGS-900	\$ Kt		
	Anti Inversion Kit			TDSK-023			

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-021/31	\$	Kt	
\cap	U-Bolt Kit	2	TDUB-006	\$	Kt	
	Greasable Shackle Kit	1	TDGS-900	\$	Kt	
	Anti Inversion Kit	1	TDSK-023	\$	Ea	
Note: Must be fitted to all kits.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering #2057	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK



TSUBISHI 07/2006-2015 LIFT FRONT: 25MM | REAR: 25MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs Pr 1 Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle						
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
A	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut t	ор			
	Petrol / Diesel / Bar	2	MIT-060/03	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	MIT-060/04	\$	Ea		
	OE Height	2	MIT-060/06	\$	Ea		
•	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
8	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
	Petrol / Diesel / Bar	2	MIT-060/01	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	MIT-060/02	\$	Ea		
	STRUT - FO	ΑN	CELL				
Ĭ	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
Ţ	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NIT	NITROGEN GAS - SHOCK ABSORBER					
	Up to 25mm Lift	2	BD1383T	\$ Ea		
	FOAM CELI		SHOCK ABSORBE	₽R		
	Up to 25mm Lift	2	FC41383	\$ Ea		
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER		
	Up to 25mm Lift	2	BM401383	\$ Ea		

COIL SPRINGS						
	Petrol / Diesel / Bar	1	TDC670	\$	Pr	
	Petrol / Diesel / Bar / Winch	1	TDC670H	\$	Pr	
	OE Height	1	TDC670S	\$	Pr	

LEAF SPI	RIN	IGS	
0-300kg load	2	FS122C	\$ Ea
CONSTANT 300kg load	2	FS122L	\$ Ea
CONSTANT 500kg load	2	FS122LL	\$ Ea

Due to excessive overhang created by the design of the vehicle, vehicles carrying greater than 600kg load constantly in the rear should be fitted with a front spring one specification lighter than normal specification. This would guard against "See-Saw" effect at the rear of the vehicle. Failure to observe will result in rear leaf spring riding lower than the desired height and cause potential front shock damage.



TSUBISHI LIFT FRONT: 25MM | REAR: 25MM



FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

REAR									
CONTENT	DESCRIPTION	۵T	PAR	T NO		RRP			
LEAF	SPRING FITMENT	KI	T - FITS	ALL KITS	5				
	Urethane Shackle Bush Kit			TDUK-021/31					
\cap	U-Bolt Kit	1	TDFK-017	TDUB-036	\$	Kt			
49 de la constant de	Greasable Shackle Kit			TDGS-900					

UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-006	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS							
22	Bellows Bag Kit - OE Height	1	TDAA-134	\$	Kt		
	Bellows Bag Kit - 25mm Lift	1	TDAA-105	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS									
	Bush Kit to fit one UCA - for TDCA-006	1	TDSK-009	\$	Ea				
	Ball joint kit to fit one	1	TDSK-010	\$	Ea				

UPPER CONTROL ARMS - REPLA	ACEMENT COMP	ONE	NTS	AIR ASS	SIST - BELLOWS V	VIR	RELESS AIR SYST	EM
Bush Kit to fit one UCA - for TDCA-006	TDSK-009	\$	Ea		Wireless Air System	1	TDAS-001	•
Ball joint kit to fit one UCA - for TDCA-006	TDSK-010	\$	Ea		Suits Bellows Áirbags		1DA3-001	Þ

F	RONT INDIVIDUA	L C	OMPONENTS	
1	Strut Top	2	MIT-4040	\$ Ea

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit - OE Springs Only	1	TDUK-021/41	\$	Kt		
	Urethane Shackle Bush Kit - Tough Dog Springs Only	1	TDUK-021/31	\$	Kt		
\cap	U-Bolt Kit	2	TDUB-036	\$	Kt		
	Greasable Shackle Kit	1	TDGS-900	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	ADJ300/50	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top & bottom eyering (FC)	2	404702	\$	Ea		
	Fits top eyering (BM)	1	TW038-16	\$	Ea		
	Fits bottom eyering (BM)	1	404702	\$	Ea		

Kt



MITSUBISHI TRITON MQ 01/2016-2018 EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Pr Upper Control Arms (Optional) 1

REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Leaf Spring Fitment Kit	1	Kt				
	Bellows Airbags (Optional)	1	Kt				
▋▋ □■ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□							
0 0							

CONTENT	DESCRIPTION	QTY	PART NO		RRP				
ASSEMBLED STRUTS - FOAM CELL									
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор					
	Diesel - No Accessories	2	MIT-061/05	\$	Ea				
	Diesel - With bar	2	MIT-061/06	\$	Ea				
*	Diesel - With Bar & Winch	2	MIT-061/07	\$	Ea				
.	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE				
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
8	Diesel - No Accessories	2	MIT-061/01	\$	Ea				
	Diesel - With bar	2	MIT-061/02	\$	Ea				
	Diesel - With Bar & Winch	2	MIT-061/03	\$	Ea				
	STRUT - FO	ΑN	CELL						
Ī	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea				
1	STRUT -	40 l	MM ADJUSTABLE						
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - SH	100	CK ABSORBER	
	Up to 20mm Lift	2	BD3012T	\$ Ea
	FOAM CELI		SHOCK ABSORBE	ER .
	Up to 20mm Lift	2	FC43012	\$ Ea
	40MM ADJUSTA	BI	_E - SHOCK ABSO	RBER
	Up to 20mm Lift	2	BM403012	\$ Ea

COIL SPRINGS							
	20mm Lift No Accessories	1	TDC681	\$	Pr		
	20mm lift Diesel with bar	1	TDC681L	\$	Pr		
	20mm lift - Diesel with Steel Bar & Winch	1	TDC681HL	\$	Pr		

	LEAF SPRINGS							
	0-300kg load	2	FS123C	\$	Ea			
		CONSTANT 300KG load	2	FS123L	\$	Ea		
		CONSTANT 500KG load	2	FS123LL	\$	Ea		

WARNING

Due to excessive overhang created by the design of the vehicle, vehicles carrying greater than 600kg load constantly in the rear should be fitted with a front spring one specification lighter than normal specification. This would guard against "See-Saw" effect at the rear of the vehicle.

Failure to observe will result in rear leaf spring riding lower than the desired height and cause potential front shock damage.



MITSUBISHI TRITON MQ 01/2016-2018 EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

REAR											
CONTENT	DESCRIPTION	QTY	PAR'	T NO	RRP						
LEAF	LEAF SPRING FITMENT KIT - FITS ALL KITS										
	Urethane Shackle Bush Kit			TDUK-077							
\cap	U-Bolt Kit			TDUB-016							
43 C	Greasable Shackle Kit	1	TDFK-018	TDGS-901	\$ Kt						
	Greaseable Pin kit			TDGP-668							
+	Centre Bearing Strengthening kit			TDSP-008							

UPPER CONTROL ARMS									
CC C	Upper Control Arms	1	TDCA-006	\$	Pr				

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS								
	Bellows Bag Kit - OE Height	1	TDAA-119	\$	Kt			
	Bellows Bag Kit - 20mm Lift	1	TDAA-106	\$	Kt			
Note: Separate Air Assist components can be viewed on page 14.								

I	UPPER CONTROL ARMS - REPLACEMENT COMPONENTS								
	Bush Kit to fit one U - for TDCA-006	CA 1	TDSK-009	\$	Ea				
	Ball joint kit to fit or UCA - for TDCA-00	ne 06 1	TDSK-010	\$	Ea				

FRONT INDIVIDUAL COMPONENTS							
1	Strut Top	2	MIT-4040	\$	Ea		

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt			

F	REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle bush kit	1	TDUK-077	\$	Kt				
\cap	U-Bolt kit	2	TDUB-016	\$	Kt				
	Greaseable Shackle kit	1	TDGS-901	\$	Kt				
**************************************	Greaseable Pin kit	1	TDGP-668	\$	Kt				
+	Centre Bearing Strengthening kit	1	TDSP-008	\$	Ea				
Note: Must be fitted to all Kits									

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom eyering	1	ADJ300/50	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top eyering	1	404702	\$	Ea		
	Fits bottom eyering	1	TW038-16	\$	Ea		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Pr Upper Control Arms (Optional) 1

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP				
ASSEMBLED STRUTS - FOAM CELL									
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор					
	Diesel No Accessories	2	MIT-004	\$	Ea				
	Diesel - With Steel bar	2	MIT-005	\$	Ea				
*	Diesel -With Bar & Winch	2	MIT-006	\$	Ea				
	ASSEMBLED STRUTS - 40MM ADJUSTABLE								
3	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
8	Diesel No Accessories	2	MIT-001	\$	Ea				
	Diesel - With Steel bar	2	MIT-002	\$	Ea				
	Diesel - With Bar & Winch	2	MIT-003	\$	Ea				
	STRUT - FO	ΑN	CELL						
Ī	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea				
I	STRUT -	401	MM ADJUSTABLE						
Ţ	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP
NIT	ROGEN GAS - SH	100	CK ABSORBER	
	Up to 20mm Lift	2	BD3012T	\$ Ea
	FOAM CELI	L	SHOCK ABSORBI	≣R
	Up to 20mm Lift	2	FC43012	\$ Ea
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER
	Up to 20mm Lift	2	BM403012	\$ Ea

	COIL SPF	RIN	IGS	
M 1 1 1 1 1 1	20mm Lift No Accessories	1	TDC1029	\$ Pr
	20mm lift - Diesel with Steel bar	1	TDC1030	\$ Pr
	20mm lift - Diesel with Steel Bar & Winch	1	TDC1031	\$ Pr

		LEAF SPI	RIN	IGS	
	0-300kg load	2	FS123C	\$ Ea	
	CONSTANT 300kg load	2	FS123L	\$ Ea	
		CONSTANT 500kg load	2	FS123LL	\$ Ea

WARNING

Due to excessive overhang created by the design of the vehicle, vehicles carrying greater than 600kg load constantly in the rear should be fitted with a front spring one specification lighter than normal specification. This would guard against "See-Saw" effect at the rear of the vehicle. Failure to observe will result in rear leaf spring riding lower than the desired height and cause potential front shock damage.





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR									
CONTENT	DESCRIPTION	QTY	PAR	RRP					
LEAF SPRING FITMENT KIT - FITS ALL KITS									
	Urethane Shackle Bush Kit			TDUK-077					
\bigcap	U-Bolt Kit			TDUB-016					
18 C	Greasable Shackle Kit	1	TDFK-018	TDGS-901	\$ Kt				
	Greaseable Pin kit			TDGP-668					
—	Centre Bearing Strengthening kit			TDSP-008					

UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-006	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS							
	Bellows Bag Kit - OE Height	1	TDAA-119	\$	Kt		
	Bellows Bag Kit - 20mm Lift	1	TDAA-106	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-006	1	TDSK-009	\$	Ea		
	Ball joint kit to fit one UCA - for TDCA-006	1	TDSK-010	\$	Ea		

FRONT INDIVIDUAL COMPONENTS							
1 0	Strut Top	2	MIT-4040	\$	Ea		

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-077	\$	Kt	
\bigcap	U-Bolt Kit	2	TDUB-016	\$	Kt	
	Greasable Shackle Kit	1	TDGS-901	\$	Kt	
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt	
1	Centre Bearing Strengthening Kit	1	TDSP-008	\$	Ea	
Note: Must be fitted to all Kits.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	ADJ300/50	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	404702	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	







CONTENT	DESCRIPTION	QTY	PART NO	RRP	
ŀ	FOAM CELL - SHO	ock	ABSORBER		
	40mm Lift	2	FC42052B	\$ Ea	

TORSION BAR						
	26mm / 1203mm - 86-97 Only	1	4WTB-1456	\$	Pr	
	26mm / 890mm - 97 On	1	4WTB-1446	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle. Shock Absorber 2 Ea								
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1366T	\$ Ea			
	40mm Lift	2	BD1382T	р са			
Ě	FOAM CELI		SHOCK ABSORBE	ER			
	OE Height	2	FC41366B	\$ Ea			
I	40mm Lift	2	FC41382B	\$ Ea			
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER			
Ü	OE Height	2	BM401366	\$ Ea			
	40mm Lift	2	BM401382	\$ Ea			

LEAF SPRINGS							
	0-300kg load	2	T63-LH	\$	Ea		
	0-300kg load	2	T63-RH	\$	Ea		
	CONSTANT 300kg load	2	T63H	\$	Ea		

LEAF SPRING FITMENT KIT							
	Urethane Shackle Bush Kit			TDUK-007 TDUB-012 \$			
\bigcap	U-Bolt Kit		TDEK 040				
13	Greasable Shackle Kit	1	TDFK-019	TDGS-668	\$ Kt		
	Greasable Pin Kit			TDGP-669			

STEERING DAMPERS						
-	HD Replacement damper - D21 Only	1	SD14035	\$	Ea	
-	HD Replacement damper - D22	1	EXT5925	\$	Ea	
<u>~</u>	Return to Center - D22	1	SS5925-P/S	\$	Ea	
○€ ■■	9 Stage Adjustable - D22	1	SV5925	\$	Ea	

AIR ASSIST - BELLOWS						
	Bellows Bag kit - OEM Height (D22 Only)	1	TDAA-124	\$	Kt	
	Bellows Bag kit - 40mm lift (D22 Only)	1	TDAA-107	\$	Kt	
Note: Sep	arate Air Assist compone	ents	can be viewed on page	14.		
AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	







REAR									
CONTENT	DESCRIPTION	QTY	PART NO	R	RP				
REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle bush kit	1	TDUK-007	\$	Kt				
\bigcap	U-Bolt kit	2	TDUB-012	\$	Kt				
	Greaseable Shackle kit	1	TDGS-668	\$	Kt				
§	Greaseable Pin kit	1	TDGP-669	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	2	TW959	\$	Ea			
	Fits bottom eyering	1	412773	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top eyering	2	404702	\$	Ea		



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1

		OPI		ui)	<u>. </u>				
CONTENT	DESCRIPTION	QTY	PART NO		RRP				
ASSEMBLED STRUTS - FOAM CELL									
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut t	ор					
	Petrol /Diesel / Bar	2	NIS-040/04	\$	Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-040/05	\$	Ea				
•	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE				
#	Assembled struts are n	nade	up of: 1 x strut, 1 x coil 1	x str	ut top				
8	Petrol /Diesel / Bar	2	NIS-040/01	\$	Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-040/02	\$	Ea				
	STRUT - FO	ΑM	CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea				
I	STRUT -	401	MM ADJUSTABLE						
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea				

REAR									
REAR SUSPENSION CHECK LIST									
You need to order the following items	You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea						
	Leaf Spring	2	Ea						
	Leaf Spring Fitment Kit	1	Kt						
	Bellows Airbags (Optional)	1	Kt						
0 0									

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
NIT	NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm Lift	2	BD1368T	\$ Ea					
<u> </u>	FOAM CELI	L -	SHOCK ABSORBE	ER					
	Up to 40mm Lift	2	FC41368	\$ Ea					
8	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER					
	Up to 40mm Lift	2	BM401368	\$ Ea					

COIL SPRINGS						
MIAAAA	40mm Lift - Petrol / Diesel / Bar	1	TDC770	\$	Pr	
	40mm lift - Petrol / Diesel / Bar / Winch	1	TDC770H	\$	Pr	

	LEAF SPI	RIN	IGS	
	0-300kg load	2	T85C	\$ Ea
	CONSTANT 300kg load	2	T85L	\$ Ea
	CONSTANT 500kg load	2	T85LL	\$ Ea

LEAF SPRING FITMENT KIT									
	Urethane Shackle Bush Kit			TDUK-068					
\cap	U-Bolt Kit	1	TDFK-020	TDUB-016	c	Kt			
	Greasable Shackle Kit		1DFK-020	TDGS-667	\$	Nι			
	Greasable Pin Kit			TDGP-668					



TDAS-001

\$

Kt

FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-007	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	R	RP		
AIR ASSIST - BELLOWS							
22	Bellows bag kit - OEM Height	1	TDAA-120	\$	Kt		
	Bellows bag kit - 40mm lift	1	TDAA-108	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS

Bush - f	Kit to fit one UCA or TDCA-007	1	TDSK-011	\$ Ea
Ball j UCA	oint kit to fit one - for TDCA-007	1	TDSK-012	\$ Ea

FRONT INDIVIDUAL COMPONENTS							
1 0	Strut Top	2	NIS-3030	\$	Ea		

REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle bush kit	1	TDUK-068	\$	Kt				
\cap	U-Bolt kit	2	TDUB-016	\$	Kt				
	Greaseable Shackle kit	1	TDGS-667	\$	Kt				
<u>S</u>	Greaseable Pin kit	1	TDGP-668	\$	Kt				

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM

Wireless Air System Suits Bellows Airbags

S 50 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	F	RONT R	EPLACEMENT BU	SH	ES (QTY PER SHO	DCK)	
Fits bottom eyering 1 ADJ300/40A \$ Ea		Ì	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top eyering	1	404702	\$	Ea		
	Fits bottom eyering	1	TW042-14	\$	Ea		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	I	RRP		
A:	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of:	1 x	strut, 1 x coil 1 x strut to	ор			
	Petrol /Diesel / Bar	2	NIS-040/07	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-040/08	\$	Ea		
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE		
#	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	Petrol /Diesel / Bar	2	NIS-040/06	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-040/03	\$	Ea		
	STRUT - FO	ΑM	CELL				
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea		
I	STRUT -	401	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea		

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					
0 0								

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
NIT	NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm Lift	2	BD1368T	\$ Ea					
a	FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC41368	\$ Ea					
8	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER					
	Up to 40mm Lift	2	BM401368	\$ Ea					

COIL SPRINGS						
	40mm Lift - Petrol / Diesel / Bar	1	TDC772	\$	Pr	
WVVVV	40mm lift - Petrol / Diesel / Bar / Winch	1	TDC772H	\$	Pr	

LEAF SPI	RIN	IGS	
0-300kg load	2	T85C	\$ Ea
CONSTANT 300kg load	2	T85L	\$ Ea
CONSTANT 500kg load	2	T85LL	\$ Ea

LEAF SPRING FITMENT KIT									
	Urethane Shackle Bush Kit			TDUK-068					
\cap	U-Bolt Kit		TDEK 000	TDUB-016					
***************************************	Greasable Shackle Kit	1	TDFK-020	TDGS-667	\$ Kt				
	Greasable Pin Kit			TDGP-668					





FRONT							
CONTENT	ONTENT DESCRIPTION PART NO				•		
UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-007	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
AIR ASSIST - BELLOWS								
22	Bellows bag kit - OEM Height	1	TDAA-120	\$	Kt			
	Bellows bag kit - 40mm lift	1	TDAA-108	\$	Kt			
Note: Separate Air Assist components can be viewed on page 14.								

UP	UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
	Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea			
	Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea			

FRONT INDIVIDUAL COMPONENTS							
1	Strut Top	2	NIS-3030	\$	Ea		

AIR ASS	SIST - BELLOWS W	/IK	ELESS AIR SYS	IEM	
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

IPONENTS	F	REAR INDIVIDUAL	C	OMPONENTS		
NIS-3030 \$ Ea	Lirethone abackle					Kt
	\bigcap	U-bolt kit	2 TDUB-016		\$	Kt
		Greasable shackle kit	1	TDGS-667	\$	Kt
		Greasable pin kit	1	TDGP-668	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ĩ	Front bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear top eyering	1	404702	\$	Ea		
	Rear bottom eyering	1	TW042-14	\$	Ea		



NAVARA NP300 - COIL REAR 07/2015 - 11/2020 EST. LIFT FRONT: 35MM | REAR: 35MN



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
A	SSEMBLED STRU	TS	- FOAM CELL					
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
*	Petrol /Diesel / Bar	2	NIS-300/07	\$ Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-300/08	\$ Ea				
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE				
-	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	Petrol /Diesel / Bar	2	NIS-300/05	\$ Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-300/06	\$ Ea				
	STRUT - FO	ΑM	CELL					
l l	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710	\$ Ea				
I	STRUT -	40I	MM ADJUSTABLE					
Ţ	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$ Ea				

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
ii >>	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
ii ss	Panhard Rods (Optional)	1	Ea					
	Coil Insert Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 35mm Lift	2	FC41369	\$ Ea					
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER					
8	Up to 35mm Lift	2	BM401369	\$ Ea					

	COIL SPI	RIN	IGS	
MIAAAA	35mm Lift- Petrol / Diesel / Bar	1	TDC773	\$ Pr
	35mm lift- Petrol / Diesel / Bar / Winch	1	TDC773H	\$ Pr

COIL SPRINGS						
	0-300kg load	1	TDC774	\$	Pr	
	CONSTANT 300kg load	1	TDC774H	\$	Pr	
	CONSTANT 500kg load		TDC774VHL	\$	Pr	

PANHARD RODS						
·	Adjustable	1	TDPR-300	\$	Ea	



NISSAN NAVARA NP300 - COIL REAR 07/2015 - 11/2020



TDAS-002

\$

Κt

EST. LIFT FRONT: 35MM | REAR: 35MM

FRONT						
CONTENT DESCRIPTION E PART NO RRE						
UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-007	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RF	₹P	
AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-016	\$	Kt	
	Coil insert Bag - 35mm lift	1	TDAA-007	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

Wireless Air System Suits Coil insert Airbags

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea	
Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
	Strut Top	2	NIS-3030	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Î	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	TW038-16	\$	Ea	
	Fits bottom eyering	1	TW042-14	\$	Ea	



NISSAN NAVARA NP300 - COIL REAR (S5) 11/2020 ON

NOT WARRIOR PRO 4X4



ST. LIFT FRONT: 20MM | REAR: 20MM

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор				
*	No Accessories	2	NIS-300/07	\$	Ea			
	Petrol / Diesel / Bar / Bar & Winch	2	NIS-300/08	\$	Ea			
3	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE			
-	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	No Accessories	2	NIS-300/05	\$	Ea			
	Petrol / Diesel / Bar / Bar & Winch	2	NIS-300/06	\$	Ea			
	STRUT - FO	ΑN	CELL					
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710	\$	Ea			
	STRUT -	401	MM ADJUSTABLE					
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$	Ea			

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
ii 22	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
ii ss	Panhard Rods (Optional)	1	Ea					
	Coil Insert Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	Up to 20mm Lift	2	FC41369	\$ Ea
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER
8	Up to 20mm Lift	2	BM401369	\$ Ea

COIL SPRINGS						
MIAAAA	20mm Lift - Petrol / Diesel / No Accessories	1	TDC773	\$	Pr	
WVVV V	20mm lift - Petrol / Diesel / Bar / Bar & Winch	1	TDC773H	\$	Pr	

COIL SPRINGS						
	0-300kg load	1	TDC774H	\$	Pr	
	CONSTANT 300kg load	1	TDC774VHL	\$	Pr	
	CONSTANT 500kg load	1	TDC1037	\$	Pr	

PANHARD RODS						
	Adjustable	1	TDPR-300	\$	Ea	



NAVARA NP300 - COIL REAR (S5) NOT WARRIOR PRO 4X4 11/2020 ON

ST. LIFT FRONT: 20MM | REAR: 20MM



FRONT						
CONTENT DESCRIPTION						
UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-007	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	R	RP	
AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-016	\$	Kt	
	Coil insert Bag - 35mm lift	1	TDAA-007	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea	
Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
-1 :0	Strut Top	2	NIS-3030	\$	Ea	

Wireless Air System Suits Coil insert Airbags	1	TDAS-002	\$ Kt

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	TW038-16	\$	Ea	
	Fits bottom eyering	1	TW042-14	\$	Ea	

153





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
A	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	ор			
*	Petrol /Diesel / Bar	2	NIS-300/07	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-300/08	\$	Ea		
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE		
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
	Petrol /Diesel / Bar	2	NIS-300/05	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-300/06	\$	Ea		
	STRUT - FO	ΑN	CELL				
Ī	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
Ţ	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$	Ea		

REAR							
REAR SUSPENSI	REAR SUSPENSION CHECK LIST						
You need to order the following item	ns for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Leaf Spring Fitment Kit	1	Kt				
	Bellows Airbags (Optional)	1	Kt				
0 0							

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ů	Up to 35mm Lift	2	FC43017	\$ Ea
	40MM ADJUSTA	٩BI	LE - SHOCK ABSC	RBER
	Up to 35mm Lift	2	BM403017	\$ Ea

COIL SPRINGS					
MIAAAA	35mm Lift- Petrol / Diesel / Bar	1	TDC773	\$	Pr
	35mm lift- Petrol / Diesel / Bar / Winch	1	TDC773H	\$	Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	T86C	\$ Ea
CONSTANT 300kg load	2	T86L	\$ Ea
CONSTANT 500kg load	2	T86LL	\$ Ea

LEAF SPRING FITMENT KIT								
	Urethane Shackle bush kit			TDUK-079				
\cap	U-Bolt kit		TDFK-021	TDUB-005				
***************************************	Greaseable Shackle kit	1		TDGS-669	\$ Kt			
<u>S</u>	Greaseable Pin kit			TDGP-668				





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-007	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
AIR ASSIST - COIL INSERT						
	Bellows bag - 35mm lift	1	TDAA-109	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
Bush Kit to fit one UCA - for TDCA-007	1	TDSK-011	\$	Ea		
Ball joint kit to fit one UCA - for TDCA-007	1	TDSK-012	\$	Ea		

FRONT INDIVIDUAL COMPONENTS						
1	Strut Top	2	NIS-3030	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-079	\$	Kt	
\cap	U-Bolt kit	2	TDUB-005	\$	Kt	
	Greaseable Shackle kit	1	TDGS-669	\$	Kt	
	Greaseable Pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top & bottomeyering	2	404702	\$	Ea	







REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
ŮŮ₹₹	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
ě	Up to 30mm Lift	2	BD2057T	\$ Ea				
	FOAM CELI		SHOCK ABSORBE	R				
8	Up to 30mm Lift	2	FC42057B	\$ Ea				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP	
NIT	ROGEN GAS - SH	100	CK ABSORBER		
•	Up to 30mm Lift	2	BD1382T	\$ Ea	
Ĭ	FOAM CELL - SHOCK ABSORBER				
1	Up to 30mm Lift	2	FC41382B	\$ Ea	
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER	
3	Up to 30mm Lift	2	BM401382	\$ Ea	

TORSION BARS						
-	26mm / 1232mm	1	4WTB-1458	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure a minimum of 60mm droop is maintained						

COIL SPRINGS					
MILLAAA	0-300kg load	2	TDC739	\$	Pr
	0-300kg load CONSTANT 300kg load	2	TDC739H	\$	Pr

STEERING DAMPERS					
	Replacement Damper	1	SD14035	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering #2057	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
ii33	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
δ δ							

CONTENT	DESCRIPTION	QT	PART NO	RRP
	TWIN TUBE MCPH	IER	SON STRUT	
	OEM Height - 11/1995-1999 - D/S only	1	BDS4002R (D/S)	\$ Ea
	OEM Height - 11/1995-1999 - P/S only	1	BDS4003L (P/S)	\$ Ea
8	30mm Lift - Suits All Models	2	BDS4024	\$ Ea

CONTENT	DESCRIPTION	Ę	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OEM Height - 11/1995-1999 Only	2	BD3009T	\$	Ea			
	30mm Lift - 11/1995-1999 Only	2	BD3010T	\$	Ea			
	30mm Lift - 11/1999-2005 Only	2	BD3011T	\$	Ea			
1	FOAM CELL - SHOCK ABSORBER							
8	OEM Height - 11/1995-1999 Only	2	FC43009	\$	Ea			
	30mm Lift - 11/1995-1999 Only	2	FC43010	\$	Ea			
	30mm Lift - 11/1999-2005 Only	2	FC43011	\$	Ea			

	COIL SPF	RIN	IGS	
	OE Height	1	TDC784S	\$ Pr
	Suit Up to Bar	1	TDC784	\$ Pr
	Suit Up to Bar / Winch	1	TDC784H	\$ Pr

	COIL SPF	RIN	IGS	
	OEM Height - 0-300kg load	1	TDC783S	\$ Pr
	0-300kg load	1	TDC783	\$ Pr
	CONSTANT 300kg load	1	TDC783H	\$ Pr



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	р			
	Petrol /Diesel / Bar	2	NIS-040/04	\$ Ea	а		
*	Petrol / Diesel / Bar / Winch	2	NIS-040/05	\$ Ea	а		
*	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE			
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	Petrol /Diesel / Bar	2	NIS-040/01	\$ Ea	а		
	Petrol / Diesel / Bar / Winch	2	NIS-040/02	\$ Ea	а		
	STRUT - FO	ΑM	CELL				
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$ Ea	а		
I	STRUT -	40I	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$ Ea	а		

8	Petrol /Diesel / Bar	2	NIS-040/01	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-040/02	\$	Ea		
	STRUT - FO	ΑN	CELL				
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea		
I	STRUT - 40MM ADJUSTABLE						
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea		
	COIL SPI	RIN	IGS				
MILAAA	Petrol / Diesel / Bar	2	TDC770	\$	Pr		

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
Ů	Shock Absorber	2	Ea				
∥≸≸	Coil Springs	1	Pr				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	Up to 40mm Lift	2	FC41347	\$ Ea
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER
ŏ	Up to 40mm Lift	2	BM401347	\$ Ea

COIL SPRINGS						
MILLAAA	Petrol / Diesel / Bar	2	TDC770	\$	Pr	
	Petrol / Diesel / Bar / Winch	2	TDC770H	\$	Pr	

COIL SPF	RIN	IGS	
0-300kg load	1	TDC771	\$ Pr
CONSTANT 300kg load	1	TDC771H	\$ Pr
CONSTANT 500kg load	1	TDC771XHD	\$ Pr

AIR ASSIST - COIL INSERT

1

TDAA-018

TDAA-002

Κt

Κt

Coil Insert bag - OEM Height

Coil Insert bag

- 40mm lift

FRONT INDIVIDUAL COMPONENTS						
·L·O	Strut Top	2	NIS-3030	\$	Ea	

ED CALE DE	EDI ACEMENT DI	SUES (ST	A DED OUG	OIA.
7-/61/1				

Front bottom eyering

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

Note: Separate Air Assist components can be viewed on page 14.

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear top & bottom eyering	2	4W-BS101CH	\$	Ea		

Ea

ADJ300/40A



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	ор				
*	Petrol /Diesel / Bar	2	NIS-040/07	\$	Ea			
	Petrol / Diesel / Bar / Winch	2	NIS-040/08	\$	Ea			
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	Petrol /Diesel / Bar	2	NIS-040/06	\$	Ea			
	Petrol / Diesel / Bar / Winch	2	NIS-040/03	\$	Ea			
	STRUT - FO	ΑN	CELL					
i	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea			
Ī	STRUT -	401	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea			

	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea		
COIL SPRINGS							
MILLAAA	Petrol / Diesel / Bar	2	TDC772	\$	Pr		
	Petrol / Diesel / Bar / Winch	2	TDC772H	\$	Pr		

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
1133	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC41347	\$ Ea					
	40MM ADJUSTA	٩BI	LE - SHOCK ABSC	RBER					
8	Up to 40mm Lift	2	BM401347	\$ Ea					

	COIL SPF	RIN	IGS	
arvvv	0-300kg load	1	TDC771	\$ Pr
	CONSTANT 300kg load	1	TDC771H	\$ Pr
	CONSTANT 500kg load	1	TDC771XHD	\$ Pr

AIR ASSIST - COIL INSERT

Coil Insert bag - OEM Height

eyering

	Coil Insert bag 1 TDAA-002 \$
	Note: Separate Air Assist components can be viewed on page 14.
FRONT INDIVIDUAL COMPONENTS	AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM
Strut Top 2 NIS-3030 \$ Ea	Wireless Air System Suits Coil Insert Airbags 1 TDAS-002 \$

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHOC	K)
	Front bottom eyering	1	ADJ300/40A \$	Е

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Rear top & bottom	2	4W-BS101CH	¢	Fa			

4W-BS101CH

TDAA-018

Κt

Κt

Kt

Ea



PATROL MQ, MK 09/1980 - 1988 EST. LIFT FRONT: 40MM | REAR: 40MM

Steering Damper (Optional)

Offset King Pins (Optional)

Ea

1 Ea



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Ea 2 Leaf Spring Urethane Bushes Kt 1 U-Bolt Kt Greaseable Shackles 1 Kt Greaseable Pin Kt

REA	REAR				
REAR SUSPENSION	N CHECK LIST				
You need to order the following items	s for the rear end of your ve	hicle			
	Shock Absorber	2	Ea		
	Leaf Spring	2	Ea		
	Urethane Bushes	1	Kt		
	U-Bolt	2	Kt		
	Greaseable Shackles	1	Kt		
▋▋ □Ⅲ ़ॣॣॣॣॣ	Greaseable Pin	1	Kt		
0 0					

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP	
NIT	TROGEN GAS - SI	100	CK ABSORBER		
	OE Height	2	BD1005T	-\$ Ea	
	40mm Lift	2	BD1007T	ъ ⊏а	
FOAM CELL - SHOCK ABSORBER				ĒR	
	OE Height	2	FC41005	-\$ Ea	
	40mm Lift	2	FC41007	ъ са	
	40MM ADJUSTABLE - SHOCK ABSORBER				
0	OE Height	2	BM401005	ф Г -	
	40mm Lift	2	BM401007	\$ Ea	

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - SH	100	CK ABSORBER	
	OE Height	2	BD1400T	\$ Ea
	40mm Lift	2	BD1441T	ъ са
Ě	FOAM CELI		SHOCK ABSORBE	ER
	OE Height	2	FC41400	\$ Ea
Ī	40mm Lift	2	FC41441	р Еа
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER
Ō	OE Height	2	BM401400	¢ [-
	40mm Lift	2	BM401441	\$ Ea

LEAF SPRINGS					
	Up to Steel Bar	2	BPN-007	\$	Ea
	With bar & winch	2	BPN-007H	\$	Ea

LEAF SPRINGS					
مر به	0-300kg load	2	BPN-008	\$	Ea
	CONSTANT 300kg load	2	BPN-008H	\$	Ea

STEERING DAMPERS						
	Heavy duty replacement damper	1	EXT5005	\$	Ea	
·	Return to centre damper - power steering	1	SS5005-P/S	\$	Ea	
<u>○ </u>	Return to centre damper - manual steering	1	SS5005-M/S	\$	Ea	

OFFSET KING PINS					
	0.5 Degree	1	NAK-005	\$	Ea
	0.75 Degree	1	NAK-075	\$	Ea
	1.0 Degree	1	NAK-001	\$	Ea



PATROL MQ, MK 09/1980 - 1988 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FRONT INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit	1	TDUK-009	\$ Kt			
Note: Must be fitted with TD springs							
\bigcap	U-bolt kit	1	TDUB-009	\$ Kt			
\bigcap	U-bolt kit	1	TDUB-004	\$ Kt			
	Greasable pin kit	1	TDGP-470	\$ Kt			
	Greasable shackle kit - MQ with oe springs	1	TDGS-355	\$ Kt			
	Greasable shackle kit - MQ, MK with TD springs	1	TDGS-665	\$ Kt			

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
REAR INDIVIDUAL COMPONENTS						
	Urethane shackle bushing kit	1	TDUK-010	\$	Kt	
\bigcap	U-bolt kit	2	TDUB-010	\$	Kt	
	Greasable pin kit	1	TDGP-470	\$	Kt	
	Greasable shackle kit	1	TDGS-664	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front top & bottom pin	4	TW969	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top eyering	1	404702	\$	Ea	
	Rear bottom pin	2	TW959	\$	Ea	



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) 1 Ea Steering Damper (Optional) 1 Ea Offset King Pins (Optional) 1 Ea

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
ii 22	Coil Springs	1	Pr					
	Panhard Rod (Optional)	1	Ea					
⊢ II≾≾	Coil Insert Air bag (Optional)	1	Ea					
SS								

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift - Shock only	2	FC41047	\$ Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER			
	Up to 50mm Lift - Shock only	2	BM401047	\$ Ea			
	45MM ADJUSTA	ABI	E - SHOCK ABSC	RBER			
8	Only 50mm Lift - Shock only	2	BMX1047/2	\$ Ea			
	RALPH -	SH	OCK ABSORBER				
	Up to 50mm Lift - Shock only	2	TDR1047B	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift - Shock only	2	FC41206	\$ Ea				
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
	Up to 50mm Lift - Shock only	2	BM401206	\$ Ea				
	45MM ADJUSTABLE - SHOCK ABSORBER							
	Only 50mm Lift - Shock only	2	BMX1206/2	\$ Ea				
	RALPH - SHOCK ABSORBER							
	Up to 50mm Lift - Shock only	2	TDR1206	\$ Ea				

	COIL SPRINGS - 25MM						
	Suit SWB /Alloy Bar	1	TDC731	\$	Pr		
	Suit LWB /Bar	1	TDC734SL	\$	Pr		
	Suit LWB /Bar /Winch	1	TDC734HSL	\$	Pr		
	COIL SPRING	S	- 50MM				
•	Suit 2.8L /LWB /Alloy Bar	1	TDC734CL	\$	Pr		
	Suit LWB /Bar	1	TDC734L	\$	Pr		
	Suit LWB /Bar /Winch	1	TDC734HL	\$	Pr		

	COIL SPRINGS - 25MM LIFT						
	0-300kg load - SWB	1	TDC733	\$	Pr		
	0-300kg load - LWB	1	TDC732SL	\$	Pr		
	CONSTANT 300kg load - LWB	1	TDC732HSL	\$	Pr		
	COIL SPRINGS	- 5	OMM LIFT				
• • • • • • •	No Load /Comfort	1	TDC732CL	\$	Pr		
	0-300kg load	1	TDC732L	\$	Pr		
	CONSTANT 300kg load	1	TDC749HL	\$	Pr		

STEERING DAMPERS - 02/1988-08/1989 ONLY								
-	Replacement Damper	1	EXT5612	\$	Ea			
○──₩₩₩₩ ‡	Return to Center	1	SS5612-P/S	\$	Ea			
O(1)	9 Stage Adjustable	1	SV5612	\$	Ea			
STEE	RING DAMPERS -	STEERING DAMPERS - 09-1989-1998 ONLY						
	Replacement Damper	1	EXT5613	\$	Ea			
	- E	1	EXT5613 SS5613-P/S	\$ \$	Ea Ea			





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000							
~	Adjustable - RHD	1	TDPR-004	\$	Ea		
~	Adjustable - LHD	1	TDPR-014	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
- AL	PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000					
·	Adjustable - All	1	TDPR-005	\$	Ea	

OFFSET K	ING	PINS	
0.5 Degree	1	NAK-005	\$ Ea
0.75 Degree	1	NAK-075	\$ Ea
1.0 Degree	1	NAK-001	\$ Ea

CASTOR CORRECTION					
©	2 Degree caster correction bush	1	TDUK-054/2	\$	Kt

AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-017	\$ K	<t< th=""></t<>	
	Coil Insert bag - 50mm Lift	1	TDAA-008	\$ K	(t	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.		
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS	ГЕМ		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$ K	(t	

FRONT INDIVIDUAL COMPONENTS						
0	15mm Urethane Spring spacer	1	TDUK-1734/15	\$	Ea	
	30mm Urethane Spring spacer	1	TDUK-1734/30	\$	Ea	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	Front Radius rod to Chassis	1	TDUK-041	\$	Kt	
	Front Radius rod to diff	1	TDUK-050	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
0	15mm Urethane Spring spacer	1	TDUK-1736/15	\$	Ea	
	30mm Urethane Spring spacer	1	TDUK-1736/30	\$	Ea	
	Upper & Lower Trailing Arm bush kit	2	TDUK-052	\$	Kt	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	CK)	
	Fits top & bottom pin	4	TW967	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering	1	ADJ00191	\$	Ea	
8	Fits bottom eyering	1	415024	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) 1 Ea Steering Damper (Optional) 1 Ea Offset King Pins (Optional) Ea

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following item	You need to order the following items for the rear end of your vehicle.							
0.0	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Panhard Rod (Optional)	1	Ea					
⊢∷II≾≾	Coil Insert Air bag (Optional)	1	Ea					
SS								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift - Shock only	2	FC41047	\$ Ea				
	40MM ADJUST	ABI	E - SHOCK ABSO	RBER				
	Up to 50mm Lift - Shock only	2	BM401047	\$ Ea				
	45MM ADJUST	ABI	E - SHOCK ABSO	RBER				
8	Only 50mm Lift - Shock only	2	BMX1047/2	\$ Ea				
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift - Shock only	2	TDR1047B	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	FOAM CELL - SHO	Cł	(ABSORBER				
	Up to 50mm Lift - Shock only	2	FC41206	\$ E	а		
	40MM ADJUSTA	\BI	LE - SHOCK ABSC	RBER			
	Up to 50mm Lift - Shock only	2	BM401206	\$ E	а		
	45MM ADJUSTABLE - SHOCK ABSORBER						
8	Up to 50mm Lift - Shock only	2	BMX1206/2	\$ E	a		
	RALPH -	SH	OCK ABSORBER				
	Up to 50mm Lift - Shock only	2	TDR1206	\$ E	a		

COIL SPRINGS - 25MM						
	Suit LWB /Bar	1	TDC734SL	\$	Pr	
	Suit LWB /Bar /Winch	1	TDC734HSL	\$	Pr	
	COIL SPRING	S	- 50MM			
MIAAAA	Suit LWB /Bar	1	TDC734L	\$	Pr	
	Suit LWB /Bar /Winch	1	TDC734HL	\$	Pr	

COIL SPRINGS - 25MM LIFT						
MILLAAA	0-300kg load - LWB	1	TDC742SL	\$	Pr	
	CONSTANT 300kg load - LWB	1	TDC742HSL	\$	Pr	
	COIL SPRINGS	- 5	OMM LIFT			
MILLAAA	0-300kg load - LWB	1	TDC742L	\$	Pr	
	CONSTANT 300kg load - LWB	1	TDC742HL	\$	Pr	

STEERING DAMPERS - 12/1997-2000 ONLY							
	Replacement Damper	1	EXT5000	\$	Ea		
<u></u>	Return to Center	1	SS5000P/S	\$	Ea		
O(1)	9 Stage Adjustable	1	SV5000	\$	Ea		
STE	ERING DAMPERS	- 2	/2000-2015 ONLY				
	Replacement Damper	1	EXT5617	\$	Ea		
○──₩₩₩₩ ‡	Return to Center	1	SS5617P/S	\$	Ea		
○ ○	9 Stage Adjustable	1	SV5617	\$	Ea		



NISSAN
PATROL
GU (Y61) 2" LIFT WAGON
12/1997 - 2016
EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000							
~	Adjustable - RHD	1	TDPR-004	\$	Ea		
~	Adjustable - LHD	1	TDPR-014	\$	Ea		
PANH	ARD RODS - GU	WA	GON 02/2000 ON				
~	Adjustable - RHD	1	TDPR-012	\$	Ea		
~	Adjustable - LHD	1	TDPR-016	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
- AL	PANHARD L GQ & GU UTE, GU	R WA	ODS GON PRE 02/2000			
·	Adjustable	1	TDPR-005	\$	Ea	

PANH	IARD RODS - GU	WA	GON 02/2000 ON	
~	Adjustable - All	1	TDPR-013	\$ Ea

	CASTOR CO	RRI	ECTION	
©	2 Degree caster correction bush	1	TDUK-054/2	\$ Kt

	OFFSET K	ING	PINS	
	0.5 Degree	1	NAK-005	\$ Ea
	0.75 Degree	1	NAK-075	\$ Ea
	1.0 Degree	1	NAK-001	\$ Ea

AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-017	\$	Kt	
	Coil Insert bag - 50mm Lift	1	TDAA-008	\$	Kt	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.		
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS	ГЕМ		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

F	RONT INDIVIDUAL	. C	OMPONENTS	
	15mm Urethane Spring spacer	1	TDUK-1734/15	\$ Ea
	30mm Urethane Spring spacer	1	TDUK-1734/30	\$ Ea
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$ Kt
	Panhard rod bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$ Kt
	Panhard rod bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$ Kt
	Front Radius Rod To Diff	1	TDUK-050	\$ Kt
	Front Radius Rod To Chassis	1	TDUK-041	\$ Kt

ŀ	REAR INDIVIDUAL	C	OMPONENTS	
	15mm Urethane Spring spacer	1	TDUK-1736/15	\$ Ea
	30mm Urethane Spring spacer	1	TDUK-1736/30	\$ Ea
	Panhard rod bush (TDPR-013) - Diff end	1	TDUK-055	\$ Kt
_	Panhard rod bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$ Kt
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$ Kt
	Upper & Lower Trailing Arm bush kit	2	TDUK-052	\$ Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pin	4	TW967	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering	1	ADJ00191	\$	Ea	
8	Fits bottom eyering	1	415024	\$	Ea	

FOR GVM UPGRADES, SEE PAGE 166

GVM UPGRADE



NISSAN PATROL Y61 WAGON

TD42 1997-03/2007

3000_{KG*}

3550_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO **550KG***
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS					
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG			
FRONT AXLE RATING	1500KG	1600KG			
REAR AXLE RATING	18009KG	2050KG			
GROSS VEHICLE MASS (GVM)	3000KG - 3150KG	3550KG			
TOWING CAPACITY (BRAKED)	Defendent OPERICATIONS				
GROSS COMBINED MASS (GCM)	Refer OEM SPECIFICATIONS	REFER OEM SPECIFICATION			
	rease is based on model variant. on ABS equipped models only				

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG <u>APPROVED</u> GVM DEALER

TD42 1997-03/2007

ZD30 2000-2016

DESCRIPTION	GVM UPGRADE	PART NO	RRP
FRONT: BAR + WINCH REAR: 350KG MIN. LOAD	3550KG	TDGVM-083	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



THIS PAGE IS INTENTIONALLY BLANK





FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Castor Correction 1 Kt Panhard Rod 1 Ea Steering Damper (Optional) 1 Ea Offset King Pins (Optional) 1 Ea

				<u> </u>
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP
Ī	FOAM CELL - SHO	OCŁ	(ABSORBER	
0	75mm Lift	2	FC41047/3	\$ Ea
Ĭ	40MM ADJUST	ABI	E - SHOCK ABSO	RBER
	75mm Lift	2	BM401047/3	\$ Ea
	45MM ADJUST	ABI	E - SHOCK ABSO	RBER
0	75mm Lift	2	BMX1047/3	\$ Ea

COIL SPRINGS						
	No Bar or with Bar	1	TDC734/3	\$	Pr	
	Steel Bar & Winch	1	TDC734/3H	\$	Pr	

PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000						
~ —⊸	Adjustable - RHD	1	TDPR-004	\$	Ea	
~	Adjustable - LHD	1	TDPR-014	\$	Ea	
PANH	ARD RODS - GU	WA	GON 02/2000 ON			
~	Adjustable - RHD	1	TDPR-012	\$	Ea	
~	Adjustable - LHD	1	TDPR-016	\$	Ea	

CASTOR CORRECTION						
©	2 Degree caster correction bush	1	TDUK-054/2	\$	Kt	

STEERING DAMPERS - 02/1988-18/1989 ONLY						
	Replacement Damper	1	EXT5612	\$	Ea	
<u></u>	Return to Center	1	SS5612-P/S	\$	Ea	
·	9 Stage Adjustable	1	SV5612	\$	Ea	
STEE	RING DAMPERS -	09	-1989-1998 ONLY			
	Replacement Damper	1	EXT5613	\$	Ea	
○──₩₩₩₩ ±	Return to Center	1	SS5613-P/S	\$	Ea	
O6	9 Stage Adjustable	1	SV5613	\$	Ea	

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle						
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Panhard Rod	1	Ea					
	Brake Hose	1	Ea					
	Transmission Spacer	1	Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ı	FOAM CELL - SHOCK ABSORBER							
	75mm Lift	2	FC41206/3	\$ Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
	75mm Lift	2	BM401206/3	\$ Ea				
	45MM ADJUSTABLE - SHOCK ABSORBER							
	75mm Lift	2	BMX1206/3	\$ Ea				

COIL SPRINGS						
MIAAAA	0-300kg load	1	TDC732/3	\$	Pr	
	0-300kg load CONSTANT 300kg load	1	TDC732/3H	\$	Pr	

PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000						
o	-	Adjustable - All	1	TDPR-005	\$	Ea

PANH	ARD RODS - GU	WA	GON 02/2000 ON	
~	Adjustable - All	1	TDPR-013	\$ Ea

TRANSMISSION SPACER						
	Transmission spacer	1	TDSP-004/2	\$	Ea	





FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
STEER	ING DAMPERS - 0	2/1	997 - 02/2000 ONL	Y	
	Replacement Damper	1	EXT5000	\$	Ea
<u></u>	Return to Center	1	SS5000-P/S	\$	Ea
○€ ───	9 Stage Adjustable	1	SV5000	\$	Ea
STEER	ING DAMPERS - 0	4/2	2000 - 2/2000 - 201	6	
	Replacement Damper	1	EXT5617	\$	Ea
<u></u>	Return to Center	1	SS5617-P/S	\$	Ea
0@ 	9 Stage Adjustable	1	SV5617	\$	Ea

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
				'			

OFFSET KING PINS								
	0.5 Degree	1	NAK-005	\$	Ea			
	0.75 Degree	1	NAK-075	\$	Ea			
	1.0 Degree	1	NAK-001	\$	Ea			

BRAI	BRAKE HOSE KITS - UP TO 2002 - GQ / GU								
	Non ABS Rubber hose	1	TDBH-001	\$	Ea				
*	Non ABS Braided hose	1	TDBH-194	\$	Ea				
BRA	KE HOSE KITS - 1	99	8 ON - GU ONLY						
	ABS rubber hose	1	TDBH-390	\$	Ea				
	ABS braided hose	1	TDBH-190	\$	Ea				
	ABS & Stability rubber hose	1	TDBH-400	\$	Ea				

F	FRONT INDIVIDUAL COMPONENTS								
	Front Radius rod to Chassis	1	TDUK-041	\$	Kt				
	Front Radius rod to diff	1	TDUK-050	\$	Kt				
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt				
	Panhard rod bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$	Kt				
	Panhard rod bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$	Kt				

REAR INDIVIDUAL COMPONENTS									
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt				
	Upper & Lower Trailing Arm bush kit	1	TDUK-052	\$	Kt				
	Panhard rod bush (TDPR-013) - Diff end	1	TDUK-055	\$	Kt				
	Panhard rod bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top & bottom pin	4	TW967	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits top eyering	1	ADJ00191	\$	Ea		
	Fits bottom eyering	1	415024	\$	Ea		



- 4", 5", 6" LIFT




125MM,150MM | REAR: 100MM,125

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Coil Springs 1 Pr **Castor Correction** 1 Ea Panhard Rod Ea Steering Damper (Optional) Ea Offset King Pins (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RR	Р			
FOAM CELL - SHOCK ABSORBER								
	100mm / 4" Lift	2	FC41047/4	\$	Ea			
45MM ADJUSTABLE - SHOCK ABSORBER								
	100mm / 4" Lift	2	BMX1047/4/5					
I	125mm / 5" Lift	2	BMX1047/4/5	_				
	150mm / 6" Lift	2	BMX1047/6	\$	Ea			
0	200mm / 8" Lift	2	BMX1047/8					
N	Note: BMX1247/8 Shocks Only, No Suited Coils.							

	COIL SPRINGS								
	100mm / 4" Lift No Bar or with Bar	1	TDC734/4	\$	Pr				
	100mm / 4" Lift Steel Bar & Winch	1	TDC734/4H	\$	Pr				
MIAAAA	125mm / 5" Lift No Bar or with Bar	1	TDC734/5	\$	Pr				
amm	125mm / 5" Lift Steel Bar & Winch	1	TDC734/5H	\$	Pr				
	150mm / 6" Lift No Bar or with Bar	1	TDC734/6	\$	Pr				
	150mm / 6" Lift Steel Bar & Winch	1	TDC734/6H	\$	Pr				

CASTOR CORRECTION							
	100mm / 4" Lift 3 Degree Castor Correction bushes	1	TDUK-054/3	\$	Kt		
	125mm / 5" & 150mm / 6" Lift 5 Degree Castor Correction Plates	1	TDCP-005	\$	Ea		
	7 Degree Caster Correction Plate	1	TDCP-007	\$	Ea		



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	100mm / 4" Lift	2	FC41206/4	\$ Ea			
Ď	45MM ADJUSTA	ABL	E - SHOCK ABSO	RBER			
	100mm / 4" Lift	2	BMX1206/4				
	125mm / 5" Lift	2	BMX1206/4/5	ф Г-			
	150mm / 6" Lift	2	BMX1206/6	\$ Ea			
O	200mm / 8" Lift	2	BMX1206/8				
N	Note: BMX1206/8 Shocks Only, No Suited Coils.						

	COIL SPF	RIN	IGS	
	100mm / 4" Lift 0-300kg load	1	TDC732/4	\$ Pr
	100mm / 4" Lift CONSTANT 300kg load	1	TDC732/4H	\$ Pr
MIAAAA	125mm / 5" Lift 0-300kg load	1	TDC732/5	\$ Pr
	125mm / 5" Lift CONSTANT 300kg load	1	TDC732/5H	\$ Pr
	150mm / 6" Lift 0-300kg load	1	TDC732/6	\$ Pr
	150mm / 6" Lift CONSTANT 300kg load	1	TDC732/6H	\$ Pr

TRANSMISSION SPACER						
H	Transmission spacer	1	TDSP-004/2	\$	Ea	



GQ, GU (Y60, Y61) - 4", 5", 6" LIFT 02/1988 - 2016 EST. LIFT FRONT: 100MM,125MM,150MM | REAR: 100MM,125MM,150MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000							
	Adjustable - RHD	1	TDPR-004	\$	Ea		
	Adjustable - LHD	1	TDPR-014	\$	Ea		
~	PANHARD ROD	s-	GU WAGON 02/20	000	ON		
	Adjustable - RHD	1	TDPR-012	\$	Ea		
	Adjustable - LHD	1	TDPR-016	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
- AL	PANHARI L GQ & GU UTE, GU	D R WA	ODS GON PRE 02/2000			
·	Adjustable - All	1	TDPR-005	\$	Ea	

PANH	IARD RODS - GU	WA	GON 02/2000 ON	
	Adjustable - All	1	TDPR-013	\$ Ea

STEERING DAMPERS - WITH MOUNTING BRACKETS						
-	Return to Center	1	SS5613-XHD	\$	Ea	
○──₩₩₩₩ ‡	9 Stage Adjustable	1	SV5613/4	\$	Ea	

	OFFSET KI	NG	PINS	
	0.5 Degree	1	NAK-005	\$ Ea
	0.75 Degree	1	NAK-075	\$ Ea
	1.0 Degree	1	NAK-001	\$ Ea

BRA	KE HOSE KITS - U	P 1	O 2002 - GQ / GU	
	Non ABS Rubber hose	1	TDBH-001	\$ Ea
	Non ABS Braided hose	1	TDBH-194	\$ Ea
BRA	KE HOSE KITS - 1	199	8 ON - GU ONLY	
	ABS rubber hose	1	TDBH-390	\$ Ea
	ABS braided hose	1	TDBH-190	\$ Ea
•	ABS & Stability rubber hose	1	TDBH-400	\$ Ea

F	RONT INDIVIDUAL	_ C	OMPONENTS	
	Front Radius rod to Chassis	1	TDUK-041	\$ Kt
	Front Radius rod to diff	1	TDUK-050	\$ Kt
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$ Kt
	Panhard rod bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$ Kt
	Panhard rod bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$ Kt

F	REAR INDIVIDUAL	C	OMPONENTS	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$ Kt
	Upper & Lower Trailing Arm bush kit	2	TDUK-052	\$ Kt
	Panhard rod bush (TDPR-013) - Diff end	1	TDUK-055	\$ Kt
	Panhard rod bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$ Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK))
	Fits top & bottom pin	4	TW967	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top eyering	1	ADJ00191	\$	Ea
8	Fits bottom eyering	1	415024	\$	Ea




NISSAN PATROL GQ/GU CAB CHASSIS (LEAF/LEAF) 02/1988 - 1997 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane bush kit	1	Kt
U-Bolt kit	2	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pins (Optional)	1	Ea

	REAR SUSPENSION	ON CHECK LIST			
You need to order the following items for the rear end of your vehicle.					
		Shock Absorber	2	Ea	
		Leaf Spring	2	Ea	
	Urethane bush kit	1	Kt		
0		U-Bolt kit	2	Kt	
II		Greaseable Shackle kit	1	Kt	
ĬĬ ■■		Greaseable Pin kit	1	Kt	
0 0		Bellows Airbags (Optional)	1	Kt	
CONTENT	DESCRIPTION	≿ PAPT NO	DD	D	

REAR

CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41108					
	50mm Lift	2	FC41113	\$ Ea				
ľ	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER				
	OE Height	2	BM401108	\$ Ea				
0	50mm Lift	2	BM401113	φ Εα				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	50mm Lift / 2" Lift	2	FC41404				
ľ	75mm Lift / 3" Lift	2	FC41404/3	\$ Ea			
	100mm Lift / 4" Lift	2	FC41404/4				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER			
8	50mm Lift	2	BM401404	\$ Ea			

LEAF SPRINGS					
	Up to Steel Bar	1	FS37-LH	\$	Ea
		1	FS37-RH	\$	Ea
	Bar & Winch	1	FS37H-LH	\$	Ea
		1	FS37H-RH	\$	Ea
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered					

	LEAF SPI	RIN	IGS		
	0-300kg load	2	BPN-010	\$	Ea
	CONSTANT 300kg load	2	BPN-010H	\$	Ea
	CONSTANT 500kg load	1	FS39M-LH	\$	Ea
		1	FS39M-RH	\$	Ea
	CONSTANT GVM - Mine Spec	1	FS38M-LH	\$	Ea
		1	FS38M-RH	\$	Ea
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered					

STEERING DAMPERS - EYE/EYE MOUNTING						
	Replacement damper	1	EXT5005	\$	Ea	
~~~~~~~ ±	Return to Center	1	SS5005-P/S	\$	Ea	
STEE	RING DAMPERS -	PI	N/PIN MOUNTING			
	Replacement damper	1	EXT5613	\$	Ea	
<u>~</u> ±	Return to Center	1	SS5613-P/S	\$	Ea	
○ €	9 Stage Adjustable	1	SV5613	\$	Ea	

AIR ASSIST - BELLOWS							
	Bellows Bag - 50mm lift	1	TDAA-110	\$	Kt		
Note: Sepa	Note: Separate Air Assist components can be viewed on page 14.						
AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	EM			
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		



NISSAN PATROL GQ/GU CAB CHASSIS (LEAF/LEAF) 02/1988 - 1997 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	ı	RRP		
OFFSET KING PINS							
	0.5 Degree	1	NAK-005	\$	Ea		
	0.75 Degree	1	NAK-075	\$	Ea		
	1.0 Degree	1	NAK-001	\$	Ea		

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
				<u>'</u>	

FRONT INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-011	\$	Kt		
\bigcap	U-Bolt kit	2	TDUB-011	\$	Kt		
	Greaseable Shackle kit	1	TDGS-357	\$	Kt		
**************************************	Greaseable Pin kit	1	TDGP-667	\$	Kt		

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt	
\cap	U-Bolt kit	2	TDUB-025	\$	Kt	
	Greaseable Shackle kit	1	TDGS-357	\$	Kt	
	Greaseable Pin kit	1	TDGP-667	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front top pin	2	TW959	\$	Ea	
8	Front bottom eyering	1	ADJ00191	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear bottom pin	2	TW959	\$	Ea		
8	Rear top eyering	1	ADJ00191	\$	Ea		



PATROL GQ/GU CAB CHASSIS 1988-2016

(COIL/COIL)



T988-2016 EST. LIFT FRONT: 50MM | REAR: 50MM

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) 1 Κt Steering Damper (Optional) 1 Ea Offset King Pins (Optional) Ea

CONTENT	DESCRIPTION	αTY	PART NO	RF	₹P			
	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41047	\$	Ea			
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R			
٥	Up to 50mm Lift	2	BM401047	\$	Ea			
	45MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R			
8	Only 50mm Lift	2	BMX1047/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift	2	TDR1047B	\$	Ea			

		_				
STEERING DAMPERS - GQ PIN/PIN ONLY						
	Replacement damper	1	EXT5613	\$	Ea	
○──₩₩₩₩ ,±	Return to Center	1	SS5613-P/S	\$	Ea	
○ (9 Stage Adjustable	1	SV5613	\$	Ea	
STEERING DAMPERS - GU PIN/PIN ONLY						
	Replacement damper	1	EXT5000	\$	Ea	

COIL SPRINGS

TDC734L

TDC734HL

SS5000-P/S

SV5000

\$

Ea

Ea

Pr

Up to Steel Bar

Return to Center

9 Stage Adjustable

PANHARD RODS					
~	Adjustable RHD	1	TDPR-004	\$	Ea
~	Adjustable LHD	1	TDPR-014	\$	Ea

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
0.0	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Panhard Rod (Optional)	1	Ea					
⊢∷II≾≾	Coil Insert Airbags (Optional)	1	Kt					
BB								
0 0								

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41206	\$ Ea				
	40MM ADJUSTA	\ΒL	E - SHOCK ABSO	RBER				
	Up to 50mm Lift	2	BM401206	\$ Ea				
	45MM ADJUSTABLE - SHOCK ABSORBER							
8	Only 50mm Lift	2	BMX1206/2	\$ Ea				
RALPH - SHOCK ABSORBER								
	Up to 50mm Lift	2	TDR1206	\$ Ea				

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC749HL	\$	Pr
WVVVV	0-300kg load CONSTANT 300kg load	1	TDC749VHL	\$	Pr

PANHARD RODS					
~	Adjustable	1	TDPR-005	\$ 315 Ea	



GQ/GU CAB CHASSIS 1988-2016 EST. LIFT FRONT: 50MM | REAR: 50MM

(COIL/COIL)



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
OFFSET KING PINS							
	0.5 Degree	1	NAK-005	\$	Ea		
	0.75 Degree	1	NAK-075	\$	Ea		
	1.0 Degree	1	NAK-001	\$	Ea		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	AIR ASSIST - COIL INSERT						
	Coil insert Airbags - 50mm Lift	1	TDAA-008	\$	Kt		
Note: Sepa	arate Air Assist compone	ents	can be viewed on page	14.			
AIR ASSIS	AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt		

CASTOR CORRECTION					
	2 Degree	1	TDUK-054/2	\$	Kt

FRONT INDIVIDUAL COMPONENTS					
	Front Radius rod to Chassis	1	TDUK-041	\$	Kt
	Front Radius rod to diff	1	TDUK-050	\$	Kt
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt
	15mm Urethane Coil Springs spacer	1	TDUK-1734/15	\$	Ea
	30mm Urethane Coil Springs spacer	1	TDUK-1734/30	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	Trailing arm bush kit	2	TDUK-052	\$	Kt	
0	15mm Urethane Spring spacer	1	TDUK-1736/15	\$	Ea	
	30mm Urethane Spring spacer	1	TDUK-1736/30	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pin	4	TW967	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top eyering	1	ADJ00191	\$	Ea
8	Fits bottom eye	1	415024	\$	Ea




(COIL/LEAF)



FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle



s for the front end of your ve	inicie.	٠
Shock Absorber	2	Ea
Coil Springs	1	Pr
Panhard Rod (Optional)	1	Ea
Castor Correction (Optional)	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pins (Optional)	1	Ea

your vehicle	
your vehicle	
•	•
er 2	Ea
2	Ea
kit 1	Kt
2	Kt
de kit 1	Kt
kit 1	Kt
otional) 1	Kt
	2

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
	50mm Lift / 2" Lift	2	FC41047				
	75mm Lift / 3" Lift	2	FC41047/3	\$ Ea			
	100mm Lift / 4" Lift	2	FC41047/4				
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
<u> </u>	50mm Lift / 2" Lift	2	BM401047	-\$ Ea			
	75mm Lift / 3" Lift	2	BM401047/3	\$ Ea			
	45MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
	50mm Lift / 2" Lift	2	BMX1047/2				
8	75mm Lift / 3" Lift	2	BMX1047/3	\$ Ea			
	100mm Lift / 4" Lift	2	BMX1047/4/5				
RALPH - SHOCK ABSORBER							
	Up to 50mm Lift	2	TDR1047B	\$ Ea			

CONTENT	DESCRIPTION	Ę	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	50mm Lift / 2" Lift	2	FC41404				
	75mm Lift / 3" Lift	2	FC41404/3	\$ Ea			
	100mm Lift / 4" Lift	2	FC41404/4				
	40MM ADJUSTA	\BL	E - SHOCK ABSO	RBER			
	Up to 50mm Lift	2	BM401404	\$ Ea			
	45MM ADJUSTA	\Bl	E - SHOCK ABSO	RBER			
	50mm Lift / 2" Lift	2	BMX1404/2				
8	75mm Lift / 3" Lift	2	BMX1404/3	\$ Ea			
	100mm Lift / 4" Lift	2	BMX1404/4				
RALPH - SHOCK ABSORBER							
	Up to 50mm Lift	2	TDR1404	\$ Ea			

COIL SPRINGS					
MIAAAA	Up to Steel Bar	1	TDC734L	\$	Pr
	Bar & Winch	1	TDC734HL	\$	Pr

LEAF SPRINGS						
	0-300kg load	2	BPN-010	\$	Ea	
	CONSTANT 300kg load	2	BPN-010H	\$	Ea	
	CONSTANT 500kg load	1	FS39M-LH	\$	Ea	
	CONSTANT SOURG IOAU	1	FS39M-RH	\$ E: \$ E: \$	Ea	
	CONSTANT GVM -	1	FS38M-LH	\$	Ea	
	Mine Spec	1	FS38M-RH	\$	Ea	

Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered



GU CAB CHASSIS 1997 - 2016 LIFT FRONT: 50MM | REAR: 50MM

(COIL/LEAF)



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
STEERING DAMPERS - GQ PIN/PIN ONLY						
	Replacement damper	1	EXT5613	\$	Ea	
<u> </u>	return -to-Center	1	SS5613-P/S	\$	Ea	
O(9 Stage Adjustable	1	SV5613	\$	Ea	
STE	ERING DAMPERS	- G	U PIN/PIN ONLY			
	Replacement damper	1	EXT5000	\$	Ea	
○──₩₩₩₩ ,±	return -to-Center	1	SS5000-P/S	\$	Ea	
00	9 Stage Adjustable	1	SV5000	\$	Ea	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

PANHARD RODS						
~	Adjustable panhard rod - RHD	1	TDPR-004	\$	Ea	
~	Adjustable panhard rod - LHD	1	TDPR-014	\$	Ea	

OFFSET KING PINS						
	0.5 Degree	1	NAK-005	\$	Ea	
	0.75 Degree	1	NAK-075	\$	Ea	
	1.0 Degree	1	NAK-001	\$	Ea	

CASTOR CORRECTION					
	2 Degree	1	TDUK-054/2	\$	Kt
	3 Degree	1	TDUK-054/3	\$	Kt

AIR ASSIST - BELLOWS						
	Bellows Bag - 50mm lift	1	TDAA-111	\$	Kt	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.		
AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	ΞM		
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
	Front Radius rod to Chassis	1	TDUK-041	\$	Kt	
	Front Radius rod to diff	1	TDUK-050	\$	Kt	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
0	15mm Urethane Coil Springs spacer	1	TDUK-1734/15	\$	Ea	
	30mm Urethane Coil Springs spacer	1	TDUK-1734/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt	
\cap	U-Bolt kit	2	TDUB-023	\$	Kt	
	Greaseable Shackle kit	1	TDGS-357	\$	Kt	
	Greaseable Pin kit	1	TDGP-667	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW967	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering	1	ADJ00191	\$	Ea	
	Fits bottom pin	2	TW959	\$	Ea	



NISSAN
PATROL
Y62 (NON HYDRAULIC ONLY)
2013 ON
EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO		RRP		
A	SSEMBLED STRU	TS	- FOAM CELL				
Assembl	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut t	ор			
	Up to Steel Bar - 40mm lift	2	NIS-062/02	\$	Ea		
	With Steel Bar & Winch - 40mm lift	2	NIS-062/03	\$	Ea		
	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE		
_	Assembled struts are n	nade	up of: 1 x strut, 1 x coil 1	. x str	ut top		
	Up to Steel Bar - 40mm lift	2	NIS-062/07	\$	Ea		
•	With Steel Bar & Winch - 40mm lift	2	NIS-062/08	\$	Ea		
Ū	ASSEMBLED ST	RU	TS - 45MM ADJU	STA	BLE		
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
	Up to Steel Bar - 40mm lift	2	NIS-062/10	\$	Ea		
	With Steel Bar & Winch - 40mm lift	2	NIS-062/11	\$	Ea		
	STRUT - FO	ΑM	CELL				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404750	\$	Ea		
I	STRUT -	401	MM ADJUSTABLE				
1	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404750	\$	Ea		
Ţ	STRUT -	451	MM ADJUSTABLE				
0	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BMX454750	\$	Ea		
	154750 (45mm Adjustabl with either TDC791L or T						

REAR									
REAR SUSPENSION	REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.									
 	Shock Absorber	2	Ea						
	Coil Springs	1	Pr						
	Coil Insert Airbags (Optional)	1	Kt						

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	Up to 40mm Lift	2	FC41220	\$ Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER
	Up to 40mm Lift	2	BM401220	\$ Ea
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER
	Up to 40mm Lift	2	BMX1220/2	\$ Ea



NISSAN PATROL Y62 (NON HYDRAULIC ONLY) 2013 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
COIL SPRINGS							
	Up to Steel Bar - 40mm lift	1	TDC790L	\$	Pr		
	With Bar & Winch - 40mm lift	1	TDC790HL	\$	Pr		
	Up to Steel Bar - 40mm lift / BMX only	1	TDC791L	\$	Pr		
	With Bar & Winch - 40mm lift / BMX only	1	TDC791HL	\$	Pr		

REAR						
CONTENT	DESCRIPTION	۵T	PART NO	RRP		
COIL SPRINGS						
	0-120kg load	1	TDC795	\$	Pr	
	CONSTANT 120kg - 300kg load	1	TDC795L	\$	Pr	
	CONSTANT 300kg load	1	TDC795HL	\$	Pr	

F	RONT INDIVIDUAL	_ C	OMPONENTS	
Ŧ.	Strut Top	2	NIS-062	\$ Ea

	Coil Insert bag - OEM Height	1	TDAA-022	\$	Kt	
	Coil Insert bag - 40mm lift	1	TDAA-023	\$	Kt	
Note: Sep	Note: Separate Air Assist components can be viewed on page 14.					
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYST	ЕМ		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	


AIR ASSIST - COIL INSERT

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ì	Front bottom eyering	1	4WAY-002	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
•	Fits top pin-upper	1	RETAINER-W	\$	Ea
	Fits top pin-lower	1	RETAINER-X	\$	Ea
ŧ	Fits bottom eyering	1	ADJ27805	\$	Ea







REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
İ İ Ş	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
Î	Up to 30mm Lift	2	BD2057T	\$ E	а	
	FOAM CELI		SHOCK ABSORBE	ER		
	Up to 30mm Lift	2	FC42057B	\$ E	а	

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
NIT	ROGEN GAS - SI	10	CK ABSORBER		
	Up to 30mm Lift	2	BD1388T	\$ Ea	
Ě	FOAM CELL - SHOCK ABSORBER				
	Up to 30mm Lift	2	FC41388	\$ Ea	
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER	
J	Up to 30mm Lift	2	BM401388	\$ Ea	

	TORSION	В	ARS		
-	26mm/1232mm	1	4WTB-1458	\$	Pr
Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

	COIL SPF	RIN	IGS	
MIAAAA	0-300kg load	1	TDC739	\$ Pr
	0-300kg load CONSTANT 300kg load	1	TDC739H	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REP	PLACEMENT BUS	SHE	ES (QTY PER SHO	OCK)	
	Fits top & bottom eyering	2	404702	\$	Ea



THIS PAGE IS INTENTIONALLY BLANK



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	ор			
	No Accessories	1	DOD-003-LH	¢.	Fa		
	- 50mm lift	1	DOD-003-RH	-\$	Ea		
_	Bar / Bar & Winch	1	DOD-004-LH	-\$			
**	- 50mm lift	1	DOD-004-RH	Ф	Ea		
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABL	E		
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
	No Accessories - 50mm lift	1	DOD-001-LH	-\$	Ea		
· ·		1	DOD-001-RH	Ф	Ea		
	Bar / Bar & Winch - 50mm lift	1	DOD-002-LH	-\$	Ea		
		1	DOD-002-RH	Ф	Ea		
	STRUT - FO	ΑN	CELL				
I	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404927	\$	Ea		
I	STRUT -	401	MM ADJUSTABLE				
Ţ	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404927	\$	Ea		

	COIL SPE	AII S	IGS				
	No Accessories - 50mm lift	1	TDC1024	\$	Pr		
	Bar & Bar & Winch - 50mm lift	1	TDC1025	\$	Pr		
The RAM WARLOCK comes standard with a 25mm (1") lift. Fitting a Tough Dog Suspension lift kit to this vehicle will give an estimated 25mm (1") additional lift, not the advertised 50mm							

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
* *	Shock Absorber	2	Ea				
Ⅲ ≹≹	Coil Springs	1	Pr				
	Sway bar bracket	1	Ea				
ll ≾ ≩	Panhard Rod (Optional)	1	Ea				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
ů	Up to 50mm Lift	2	FC43033	\$ Ea				
	40MM ADJUSTA	AB L	LE - SHOCK ABSO	RBER				
0	Up to 50mm Lift	2	BM403033	\$ Ea				

PANHARD RODS						
		Adjustable	1	TDPR-026	\$	Ea

COIL SPRINGS						
	0-300kg load	1	TDC1026	\$	Pr	
	CONSTANT 300kg load	1	TDC1027	\$	Pr	
	CONSTANT 500kg load	1	TDC1028	\$	Pr	
AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-024	\$	Kt	
	Coil Insert bag - 50mm lift	1	TDAA-025	\$	Kt	
Note: Sep	arate Air Assist compone	nts	can be viewed on page	14.		
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYS	TEM		
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

FRONT INDIVIOUAL COMPONENTS						
LO	Strut Top	2	DOD-4927	\$	Ea	

REAR INDIVDUAL COMPONENTS						
○ • ○ •	Swaybar relocation bracked - Must be fitted	1	TDSP-021	\$	Ea	

GVM UPGRADE



RAM 1500 - DS

'QUAD CAB' (EXPRESS) - 2017 ON 'CREW CAB' (EXPRESS, WARLOCK, LARAMIE) - 2017 ON 3450_{KG*}

3889_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 439KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1769KG	1769KG				
REAR AXLE RATING	1769KG	2120KG				
GROSS VEHICLE MASS (GVM)	3450KG	3889KG				
TOWING CAPACITY (BRAKED)	4500KG	4500KG				
GROSS COMBINED MASS (GCM)	7237KG	7237KG				
Payload increase is based on model variant.						

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

'QUAD CAB' (EXPRESS) - 2017 ON

'CREW CAB' (EXPRESS, WARLOCK, LARAMIE) - 2017 ON

DESCRIPTION	GVM UPGRADE	PART NO	RRP
FRONT: NO ACCESSORIES REAR: 200KG MIN. LOAD	3889KG	TDGVM-054	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
A	SSEMBLED STRU	TS	- FOAM CELL			
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор		
	No Accessories - 50mm lift	1	DOD-007	\$	Ea	
*	With Bar & Winch - 50mm lift	1	DOD-008	\$	Ea	
3	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE	
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top					
8	No Accessories - 50mm lift	1	DOD-005	\$	Ea	
	With Bar & Winch - 50mm lift	1	DOD-006	\$	Ea	
	STRUT - FO	ΑN	CELL			
I	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404933	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
Ţ	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404933	\$	Ea	

	No Accessories - 50mm lift	1	TDC1050	\$ Pr
WVVV F	With Bar & Winch - 50mm lift	1	TDC1051	\$ Pr

COIL SPRINGS

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Sway bar bracket	1	Ea					
II≾≾	Panhard Rod (Optional)	1	Ea					
	Coil Insert Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
٥	Up to 50mm Lift	2	FC43042	\$ Ea		
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER		
8	Up to 50mm Lift	2	BM403042	\$ Ea		

PANHARD RODS					
o 	Adjustable	1	TDPR-026	\$	Ea

COIL SPRINGS					
	0-300kg load	1	TDC1052	\$	Pr
	CONSTANT 300kg load	1	TDC1053	\$	Pr
	CONSTANT 500kg load		TDC1054	\$	Pr

	AIR ASSIST - C	Oll	L INSERT		
	Coil Insert bag - OEM Height	1	TDAA-027 \$	Kt	
	Coil Insert bag - 50mm lift	1	TDAA-028 \$	Kt	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page 14	4.	
AIR ASSIS	ST - COIL INSERT	WI	RELESS AIR SYST	EM	
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002 \$. Kt	
REAR INDIVIOUAL COMPONENTS					
0 • 0 •	Swaybar relocation bracket - Must be fitted	1	TDSP-026 \$	Ea	

FRONT INDIVIOUAL COMPONENTS						
 0	Strut Top	2	DOD-4933	\$	Ea	

FITTING SHEET (LOCATED PAGE 278) MUST BE COMPLETED WHEN SUSPENSION FITTED. FAILURE TO COMPLY MAY AFFECT WARRANTY.

GVM UPGRADE



RAM 1500 - DT
DT SERIES - NON AIR SUSPENSION - 2019 ON

3450_{KG*}

4000_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO **550KG**
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1769KG	1769KG				
REAR AXLE RATING	1860KG	2231KG				
GROSS VEHICLE MASS (GVM)	3450KG	4000KG				
TOWING CAPACITY (BRAKED)	4500KG	4500KG				
GROSS COMBINED MASS (GCM)	7713KG	7713KG				

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER					
DT SERIES - NON AIR SUSPENSION - 2019 ON					
DESCRIPTION	GVM UPGRADE	PART NO	RRP		
FRONT: NO ACCESSORIES REAR: 300KG MIN. LOAD	4000KG	TDGVM-074			



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



FRONT: 40MM | REAR: 40MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Springs 1 Swaybar Link Ea Steering Dampers (Optional) 1 Ea

REAR REAR SUSPENSION CHECK LIST You need to order the following items for the rear end of your vehicle. 2 Ea Shock Absorber Pr Coil Springs Swaybar Link Ea Bellows Airbags (Optional) Κt

Note: The development of this kit was completed on a ASV converted vehicle. Part number BMX3506 must be used to limit suspension droop due to sterring pitman arm contacting sway bar link. Do not use Part number BMX3509 if steering box/pitman arm is mounted on the R/H Side chassis rail.

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
45MN	/I ADJUSTABLE -	SH	OCK ABSORBER		
o o	Up to 40mm Lift	2	BMX3506	\$ Ea	

Front lower shock mount is only partially welded from factory. It is required that a full weld around the entire mount is completed to avoid failure.

CONTENT	DESCRIPTION	QTY		RRP	
45MI	M ADJUSTABLE -	SH	OCK ABSORBER		
	Up to 40mm Lift	2	BMX3504	\$	Ea

COIL SPRINGS						
	40mm lift	1	TDC1032	\$	Pr	

	STEERING D	A	MPERS	
<u> </u>	Return to Center damper	1	SS5930-P/S	\$ Ea
•••••• •	9 Stage adjustable damper	1	SV5930	\$ Ea

	COIL SPF	RIN	IGS	
MILLAAAA	0-400kg load	1	TDC1033	\$ Pr
WVVV Y	0-400kg load CONSTANT 400kg load	1	TDC1034	\$ Pr

AIR ASSIST - BELLOWS							
22	Bellows airbag kit - OEM Height	1	TDAA-127	\$	Kt		
	Bellows airbag kit - 50mm Lift	1	TDAA-128	\$	Kt		


AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM							
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt		

FRONT INDIVIDUAL COMPONENTS								
	Swaybar Links	1	TDSP-024	\$	Ea			
	Required for all lifted vehicles.							

REAR INDIVIDUAL COMPONENTS							
	Swaybar Links	1	TDSP-022	\$	Ea		
Required for all lifted vehicles.							



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Dampers (Optional) 1 Ea



Note: The development of this kit was completed on a ASV converted vehicle. Part number BMX3509 must be used if steering box is mounted on the LH chassis rail only.

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
45MM ADJUSTABLE - SHOCK ABSORBER									
	Up to 40mm Lift	2	BMX3509	\$ Ea					

Front lower shock mount is only partially welded from factory. It is required that a full weld around the entire mount is completed to avoid failure.

CONTENT 45MM	DESCRIPTION J. ADJUSTABLE -	ZH SH	PART NO	RRP	
	Up to 40mm Lift	2	BMX3510	\$	Ea

COIL SPRINGS							
	40mm lift	1	TDC1032	\$	Pr		

STEERING DAMPERS						
<u></u>	Return to Center damper	1	SS5930-P/S	\$	Ea	
06	9 Stage adjustable	1	SV5930	\$	Ea	

COIL SPRINGS						
MILLAAAA	0-400kg load	1	TDC1033	\$	Pr	
	0-400kg load CONSTANT 400kg load	1	TDC1034	\$	Pr	

AIR ASSIST - BELLOWS


	Bellows airbag kit - OEM Height	1	TDAA-127	\$	Kt				
	Bellows airbag kit - 50mm Lift	1	TDAA-128	\$	Kt				
Note: Sep	Note: Separate Air Assist components can be viewed on page 14.								
AIR ASS	AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt				

REAR INDIVIDUAL COMPONENTS							
oo	Swaybar Links	1	TDSP-029	\$	Ea		
Required for all lifted vehicles.							



08/1996-2007 EST. LIFT FRONT: 35MM | REAR: 35MM





REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
ÌÌ₹₹	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 35mm Lift	2	BD2057T	\$ Ea			

DESCRIPTION	۵Ţ	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER							
OE Height	2	BD1104T	\$ Ea				
Up to 35mm Lift	2	BD1105T	ъ са				
40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
OE Height	2	BM401104	\$ Ea				
Up to 35mm Lift	2	BM401105	\$ Ea				
7	OE Height Up to 35mm Lift 40MM ADJUSTA OE Height	OE Height 2 Up to 35mm Lift 2 40MM ADJUSTABL OE Height 2	OE Height 2 BD1104T Up to 35mm Lift 2 BD1105T 40MM ADJUSTABLE - SHOCK ABSO OE Height 2 BM401104				

TORSION BARS					
	26mm / 1232mm	1	4WTB-1800	\$	Pr
Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC100	\$	Pr
	0-300kg load CONSTANT 300kg load	1	TDC100H	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	404702	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK



SUZUKI JIMNY SN413 (JB33, 43, 48) 10/1998-2018



EST. LIFT FRONT: 40MM | REAR: 40MM | OPTIONAL FOR 40,60,80MM LIFT

FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Caster Correction 1 Kt Panhard Rod 1 Ea Steering Damper (Optional) 1 Ea

• • • - •		Sto	eering Damper (Optional)) 1	Ea		
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC31000	\$	Ea		
	60 & 80mm Lift	2	FC31001	\$	Ea		

COIL SPRINGS - 10/1998-2005 1.3L						
amm	40mm Lift	1	TDC836	\$	Pr	
	60mm Lift	1	TDC838L	\$	Pr	
	Up to Steel Bar - 80mm lift	1	TDC824	\$	Pr	
	With Steel Bar & Winch - 80mm lift	1	TDC824H	\$	Pr	
C	OIL SPRINGS - 20	05	ON VVT 1.3L			
	40mm Lift	1	TDC838L	\$	Pr	
	60mm Lift	1	TDC824	\$	Pr	
	80mm Lift	1	TDC824H	\$	Pr	

CASTER CORRECTION					
©	3 Degree - for 60 & 80mm lifts	1	TDUK-063	\$	Kt

PANHARD RODS						
·	RHD Adjustable - for 60 & 80mm lifts	1	TDPR-009	\$	Ea	
·	LHD Adjustable - for 60 & 80mm lifts	1	TDPR-011	\$	Ea	

STEERING DAMPERS						
	Replacement damper	1	SD5610	\$	Ea	
<u>~</u> ±,	Return to Center	1	SS5610-M/S	\$	Ea	
O	9 Stage Adjustable	1	SV5610	\$	Ea	
Note: Includes mounting brackets.						

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
å å 3 3	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
1133	Panhard Rod	1	Ea					
1133	Brake Hose Kit	1	Ea					
• • • • • • • • • • • • • • • • • • •								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC31004	\$	Ea			
	60 & 80mm Lift	2	FC31006	\$	Ea			

COIL SPRINGS						
	40mm Lift	1	TDC837	\$	Pr	
	60mm Lift	1	TDC839L	\$	Pr	
	80mm lift	1	TDC825	\$	Pr	
	80mm Lift - Overseas model	1	TDC826	\$	Pr	

	PANHARI	R	ODS	
o o	Adjustable-for 60 & 80mm lifts	1	TDPR-010	\$ Ea

BRAKE HOSE KITS					
	Rubber - 60 & 80mm lift / front + rear hose	1	TDBH-199	\$	Ea



SUZUKI JIMNY SN413 (JB33, 43, 48) 10/1998-2018 EST. LIFT FRONT: 40MM | REAR: 40MM | OPTIONAL FOR 40,60,80MM LIFT



FRONT						
CONTENT	DESCRIPTION	QT≺	PART NO		RRP	
FRONT INDIVIDUAL COMPONENTS						
	Radius rod bushes	1	TDUK-039	\$	Kt	
T	Panhard rod bush kit -TDPR-009, 010, 011	1	TDUK-030	\$	Kt	
	ABS relocation	1	TDSK-022	\$	Ea	
Note: Must be fitted to all Kits.						

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RF	ξ P	
F	REAR INDIVIDUAL COMPONENTS					
	Trailing arm bushes	1	TDUK-039	\$	Kt	
	Panhard rod bush kit -TDPR-009, 010, 011	1	TDUK-030	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	402267	\$	Ea	
	Fits bottom eyering	1	412773	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top eyering	1	412773	\$	Ea



SUZUKI JIMNY JB74 2019 ON



EST. LIFT FRONT: 40MM | REAR: 40MM



K						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
Shock Absorber	2	Ea				
Coil Springs	1	Pr				
Brake Hose	1	Ea				
Headlight module bracket	1	Ea				
	S for the rear end of your ve Shock Absorber Coil Springs Brake Hose	Shock Absorber 2 Coil Springs 1 Brake Hose 1				

CONTENT	DESCRIPTION	QTY	PART NO	RRP	•			
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC31000	\$	Ea			

CONTENT	DESCRIPTION	QT	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC31002	\$ Ea				

COIL SPRINGS						
	40mm Lift	1	TDC1000	\$	Pr	
Fit T	Fit TDUK-084 if vehicle has a bar & Winch-all heights.					

COIL SPRINGS						
	40mm Lift	1	TDC1003	\$	Pr	

CASTER CORRECTION						
©	3 Degree	1	TDUK-063	\$	Kt	

BRAKE HOSE KITS						
	1x Rubber Hose L/H Rear - 40mm lift	1	TDBH-403	\$	Ea	
Note: Must be fitted to all Kits.						

STEERING DAMPERS						
-	Replacement Damper	1	EXT5928	\$	Ea	
~──₩₩₩₩ ,±	Return-to-Center	1	SS5928-P/S	\$	Ea	
○ ○	9 Stage Adjustable	1	SV5928	\$	Ea	
Note: Includes mounting brackets.						



SUZUKI JIMNY JB74 2019 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FRONT INDIVIDUAL COMPONENTS							
	Radius rod bushes - no adjustament	1	TDUK-039	\$	Kt		
	Coil spacer - Fit with Bar & winch	1	TDUK-084	\$	Kt		
	ABS relocation & Vacuum hose	1	TDSP-016	\$	Ea		
	Note: Must be fitted to all Kits.						
i 🔂	Crossmember drop kit	1	TDSP-018	\$	Ea		
Note: Must be fitted to all Kits.							

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
REAR INDIVIDUAL COMPONENTS						
	Radius rod bushes - no adjustament	1	TDUK-039	\$	Kt	
	Headlight module bracket	1	TDSP-017	\$	Ea	
Note: Must be fitted to all Kits.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	402267	\$	Ea	
	Fits bottom eyering	1	412773	\$	Ea	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	1	412773	\$	Ea

FOR GVM UPGRADES, SEE PAGE 194



SUZUKI JB74 JIMNY

COMING SOON



DESCRIPTION

Whether it's road, track, or trail, Jimny has a reputation for being battle-tough in any terrain. Lightweight but incredibly capable, comfortable yet resilient, and more versatile than a Swiss Army knife, take more on your next adventure with a Tough Dog GVM Upgrade!

WHAT YOU GET:

COMING SOON

VEHICLE SPECIFICATIONS

ORIGINAL EQUIPMENT

TOUGH DOG

COMING SOON



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



THIS PAGE IS INTENTIONALLY BLANK




SUZUKI JIMNY JB74 2019 ON



EST. LIFT FRONT: 60MM - 80MM | REAR: 60MM - 80MM

Ea



Steering Damper (Optional)

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
	Panhard Rod	1	Ea			
	Brake Hose Kit	1	Ea			
1133 <u> </u>	Headlight module bracket	1	Ea			
▼ ▼						

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	60 & 80mm Lift	2	FC31001	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	60 & 80mm Lift	2	FC31003	\$ Ea			

COIL SPRINGS					
MIAAAA	60mm Lift	1	TDC1001	\$	Pr
	80mm Lift	1	TDC1002	\$	Pr
Fit TDUK-084 if vehicle has a Bar & Winch - all heights.					

	COIL SP	RIN	IGS	
MIAAAA	60mm Lift	1	TDC1004	\$ Pr
	80mm Lift	1	TDC1005	\$ Pr

PANHARD RODS					
·	Adjustable - for 60 & 80mm lifts	1	TDPR-021	\$	Ea
•	Adjustable - for 60 & 80mm lifts - LHD	1	TDPR-023	\$	Ea

	PANHARD	R	ODS	
· · ·	Adjustable - for 60 & 80mm lifts	1	TDPR-010	\$ Ea

CASTER CORRECTION					
©	3 Degree - for 60 & 80mm lifts	1	TDUK-063	\$	Kt

BRAKE HOSE KITS					
	4x Rubber Hose - 60 & 80mm lift	1	TDBH-401	\$	Ea
	4x Braided Hose - 60 & 80mm lift	1	TDBH-402	\$	Ea
Note: Must be fitted to all Kits.					

STEERING DAMPERS						
-	Replacement Damper	1	EXT5928	\$	Ea	
<u>~</u> ±	Return to Center	1	SS5928-P/S	\$	Ea	
O@	9 Stage Adjustable	1	SV5928	\$	Ea	
Note: Includes mounting brackets.						



SUZUKI JIMNY JB74 2019 ON



EST. LIFT FRONT: 60MM - 80MM | REAR: 60MM - 80MM

FRONT								
CONTENT	DESCRIPTION	QTY	PART NO		RRP			
FRONT INDIVIDUAL COMPONENTS								
	Radius Rod bushes - no adjustament	1	TDUK-039	\$	Kt			
	Panhard rod bush kit - TDPR-021,023	1	TDUK-031	\$	Kt			
	Coil spacer - Fit with Bar & Winch	1	TDUK-084	\$	Kt			
	ABS relocation & Vacuum hose	1	TDSP-016	\$	Ea			
	Note: Must be fitted to all Kits.							
i 🔂	Crossmember drop kit	1	TDSP-018	\$	Ea			
Note: Must be fitted to all Kits.								

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
REAR INDIVIDUAL COMPONENTS						
	Radius rod bushes - no adjustament	1	TDUK-039	\$	Kt	
	Panhard rod bush kit -TDPR-010	1	TDUK-030	\$	Kt	
	Headlight module bracket	1	TDSP-017	\$	Ea	
Note: Must be fitted to all Kits.						

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	OCK	()
	Fits top pin	2	402267	\$	Ea
	Fits bottom eyering	1	412773	\$	Ea

REAR RE	PLACEMENT BUS	SHE	ES (QTY PER SH	OCK)	
	Fits top & bottom eyering	1	412773	\$	Ea



SUZUKI

LJ50, LJ80, LJ81, SIERRA (\$J40, \$J50, \$J51, \$J70), MARUTI (MG410) LEAF SPRING

974-2000 ST. LIFT FRONT: 50MM | REAR: 50MM



Ea

Kt


Κt

Kt

FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	2	Kt
Greaseable Shackle kit	1	Kt
Steering Damper (Optional)	1	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP						
NITROGEN GAS - SHOCK ABSORBER										
	Up to 50mm Lift	2	BD1102T	\$ Ea						


LEAF SPRINGS							
	Up to Steel bar - 50mm lift	1	T61-LH	•	Ea		
	- 50mm lift	1	T61-RH	٦٥	⊏a		

STEERING DAMPERS								
-	Replacement damper		SD14030	\$	Ea			
<u></u>	Return to Center		SS5611-M/S	\$	Ea			

FRONT INDIVIDUAL COMPONENTS									
	Urethane Shackle bush kit	TDUK-013	\$	Kt					
\bigcap	U-Bolt Kit - P/S Fits F/LH SJ413, MG410 (W/T)	1	TDUB-014	\$	Kt				
\cap	U-Bolt Kit - D/S Fits F/RH SJ413, MG410 (W/T)	1	1 TDUB-013		Kt				
\cap	U-Bolt Kit Fits LJ50, LJ80, LJ81, SJ410, MG410 (N/T)	2	2 TDUB-041		Kt				
	Greaseable Shackle kit		TDGS-656	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)									
	Fits top Pin		TW959	\$	Ea				
	Fits bottom eyering		404702	\$	Ea				

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2					



CONTENT	DESCRIPTION		PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
Å	LJ80 & 80V - OEM height	2	BD1102T					
	LJ80 & 80V - 50mm lift	2	BD1104T	\$ Ea				
	OE height	2	BD1364T	у са				
	50mm Lift	2	BD1366T					

LEAF SPRINGS						
	50mm Lift	1	T62-LH	¢	Ea	
	50mm Liit	1	T62-RH	D	⊏a	

REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle bush kit	1	TDUK-013	\$	Kt				
Ω	U-Bolt Kit Fits SJ413, MG410 (W/T)	2	TDUB-014	\$	Kt				
\cap	U-Bolt Kit Fits LJ50, LJ80, LJ81, SJ410, MG410 (N/T)	2 TDUB-041		\$	Kt				
	Greaseable Shackle kit		TDGS-656	\$	Kt				

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top & bottom eyering (For 1364, 1366)		404702	\$	Ea			
	Fits top pin (For 1102, 1104)		TW959	\$	Ea			
	Fits bottom eyering (For 1102, 1104)	1	404702	\$	Ea			





REAR

REAR SUSPENSION CHECK LIST

NITROGEN GAS - SHOCK ABSORBER

2

FC31005

Ea

FRONT FRONT SUSPENSION CHECK LIST You

	\$\$		Strut	2	Ea				
			Coil Springs	1	Pr				
8 8		St	eering Damper (Optional)	1	Ea				
CONTENT	DESCRIPTION	QTY	PART NO)				
NITROGEN GAS - STRUT									
Q									

u need to order the following items for the front end of your vehicle.				You need to o	order the following item	s for the rear end of your v	ehicle.		
2 2		Christ			2 2		Shock Absorber	2	Ea
	33	Strut	2	Ea		\$\$	Coil Springs	1	Pr
11		Coil Springs	1	Pr			Panhard Rod (Optional)	1	Ea
8 8		Steering Damper (Optional)	1	Ea	8 8				
		<u> </u>					 		
ONTENT	DESCRIPTION	PART NO	RR	Р	CONTENT	DESCRIPTION	FART NO	RRF)

CONTENT	DESCRIPTION	G	PART NO	K	RP			
NITROGEN GAS - STRUT								
	OE Height - Shock only	2	BDS4613	\$	Ea			
	30mm Lift - Shock Includes Camber Bolt	2	BDS4000LR	\$	Ea			

COIL SPRINGS									
	88-97 1.6L SWB	1	TDC814	\$	Pr				
	91-97 1.6L LWB & 97-99 2.0L SWB	1	TDC816	\$	Pr				
	95-03/98 2.0L V6 LWB	1	TDC818	\$	Pr				
WVVVV	98-05 1.6L SWB & 2.0L LWB	1	TDC834SL	\$	Pr				
	98-05 2.5L V6 LWB	1	TDC834	\$	Pr				
	01-06 2.7L V6 XL7 LWB	1	TDC834H	\$	Pr				

			COIL SP	RIN	IGS	
TDC814	\$ Pr		88-03/98 SWB	1	TDC815	\$ Pr
TDC816	\$ Pr	M • • • • • •	91-03/98 LWB	1	TDC817	\$ Pr
TDC818	\$ Pr		04/98-07/05 SWB	1	TDC835SL	\$ Pr
TDC834SL	\$ Pr		04/98-07/05 LWB	1	TDC835	\$ Pr
TDC834	\$ Pr		07/01-06 XL-7 Only	1	TDC838	\$ Pr
TD 000 411		·			·	

Up to 30mm Lift

	STEERING DAMPERS						
ſ		07/1988-1998 Return to Center	1	SS5614-M/S	\$	Ea	

	PANHARI	D F	ROD	
·	Adjustable Suits 1988 - 2006	1	TDPR-024	\$ Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	4W-SPF420-02	\$	Ea		




THIS PAGE IS INTENTIONALLY BLANK



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
A	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	р			
	Un to Stool Par	1	TOY-026/03-LH	\$ Ea			
	Up to Steel Bar	1	TOY-026/03-RH	Ф Са			
<u>.</u>	With Steel Bar & Winch	1	TOY-026/04-LH	\$ Ea			
		1	TOY-026/04-RH	ъ ⊏а			
*	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x strut top			
	Up to Steel Bar	1	TOY-026/01-LH	\$ Ea			
0	Op to Steer Bar	1	TOY-026/01-RH	Ф Са			
	With Steel Bar &	1	TOY-026/02-LH	\$ Fa			
	Winch	1	TOY-026/02-RH	\$ Ea			



COIL SPI	RIN	IGS	
 OE Height	1	TDC974S	\$ Pr
Up to Steel Bar	1	TDC974	\$ Pr
With Steel Bar & Winch	1	TDC974H	\$ Pr

F	RONT INDIVIDUAL	_ C	OMPONENTS	
1	Strut Top	2	TOY-1083	\$ Ea

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SH	оск	()
Î	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR									
REAR SUSPENSIO	N CHECK LIST								
You need to order the following items	s for the rear end of your ve	hicle.							
	Shock Absorber	2	Ea						
	Coil Springs	1	Pr						

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
ě	Up to 40mm Lift	2	FC41113	\$ Ea					
	40MM ADJUSTA	\BI	LE - SHOCK ABSC	RBER					
8	Up to 40mm Lift	2	BM401113	\$ Ea					

COIL SPRINGS					
	0-300kg load	1	TDC912	\$	Pr
	CONSTANT 300kg load	1	TDC912L	\$	Pr
	CONSTANT 500kg load		TDC912HL	\$	Pr


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
8	Fits bottom eyering	1	ADJ00191	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) Pr 1

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	f: 1 x	strut, 1 x coil 1 x strut t	ор				
	No Accessories	1	TOY-026/03-LH	-\$ Ea				
		1	TOY-026/03-RH	Ф La				
	With Steel Bar	1	TOY-027/06-LH	-\$ Ea				
	Willi Steel Bai	1	TOY-027/06-RH	Ф La				
	With Bar & Winch	1	TOY-027/07-LH	-\$ Ea				
***		1	TOY-027/07-RH	Ф Са				
	ASSEMBLED ST	RU	TS - 40MM ADJU	STABLE				
3	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	No Accessories	1	TOY-026/01-LH	-\$ Ea				
•		1	TOY-026/01-RH	Ф La				
	With Steel Bar	1	TOY-027/02-LH	-\$ Ea				
	With Steel Dai	1	TOY-027/02-RH	Ф La				
	With Bar & Winch	1	TOY-027/03-LH	-\$ Ea				
	WILLI DAI & WILLCH	1	TOY-027/03-RH	ф Са				
	STRUT - FO	ΑM	CELL					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ Ea				
I	STRUT -	401	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$ Ea				



CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
°	Up to 40mm Lift	2	FC43016	\$ Ea
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER
8	Up to 40mm Lift	2	BM403016	\$ Ea

COIL SPRINGS					
	No Accessories	1	TDC974	\$	Pr
	Up to Steel Bar	1	TDC983	\$	Pr
	With Steel Bar & Winch	1	TDC974H	\$	Pr

COIL SPRINGS					
	0-300kg load	1	TDC913L	\$	Pr
	CONSTANT 300kg load	1	TDC913HL	\$	Pr
	CONSTANT 500kg load		TDC913VHL	\$	Pr

PANHARD ROD					
	Adjustable	1	TDPR-020	\$	Ea





TDSP-010

\$

Ea

FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RR	P		
	UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-002	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-016	\$ F			
	Coil insert Bag - 35mm lift	1	TDAA-007	\$ F			
Note: Separate Air Assist components can be viewed on page 14.							

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS							
Bush Kit to fit one UCA - for TDCA-002	1	TDSK-001	\$	Ea			
Ball joint kit to fit one UCA - for TDCA-002	1	TDSK-002	\$	Ea			

FRONT INDIVIDUAL COMPONENTS						
1	Strut Top	2	TOY-1083	\$	Ea	

	Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	
REAR INDIVIDUAL COMPONENTS						

Note: Must be fitted to all kits.

Transmission Spacer

kit

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits bottom eyering	1	415024	\$	Ea	



IFS/LEAF REAR 11/1985-1989 LIFT FRONT: 50MM | REAR: 50MM



FRONT								
FRONT SUSPENSION	FRONT SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.								
	Shock Absorber	2	Ea					
	Torsion Bar	1	Pr					
	Steering Damper (Optional)	1	Ea					
			_					

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 50mm Lift	2	FC41127B	\$ Ea					

TORSION BAR					
-	26mm / 1064mm	1	4WTB-1646	\$	Pr
Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

STEERING DAMPERS					
	Replacement damper	1	EXT5510	\$	Ea
<u></u>	Return to Center	1	SS5510-P/S	\$	Ea

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Urethane Shackle bush kit	1	Kt			
	U-Bolt kits	1	Kt			
▋▋ □ ■ 	Greaseable Shackle kit	1	Kt			
0 0	Greaseable Pin kit	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1350T	-\$ Ea			
	50mm Lift	2	BD1377T	\$ Ea			
	FOAM CELI	L -	SHOCK ABSORBI	ĒR			
	OE Height	2	FC41350	-\$ Ea			
	50mm Lift	2	FC41377	Ф Еа			
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER			
	OE Height	2	BM401350	-\$ Ea			
	50mm Lift	2	BM401377	φ ⊏а			

	LEAF SPI	RIN	IGS			
	0-300kg load	1	T46C-LH	\$	Ea	
	0-300kg load	1	T46C-RH	\$	Ea	
	CONSTANT 300kg load	1	T46L-LH	\$	Ea	
	CONSTANT 300kg load	1	T46L-RH	\$	Ea	
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered						

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-015	\$	Kt	
\cap	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-386	\$	Kt	
§	Greaseable Pin kit	1	TDGP-385	\$	Kt	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top and bottom eyering	2	ADJ00191	\$	Ea	



4RUNNER IFS/COIL REAR 1989-1996 EST. LIFT FRONT: 50MM | REAR: 50MM





REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
ii >>	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
ii ss	Panhard Rod (Optional)	1	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 50mm Lift	2	FC41127B	\$ Ea					

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41108	\$ Ea			
	50mm lift	2	FC41113	ф са			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
8	OE Height	2	BM401108	\$ Ea			
	50mm lift	2	BM401113	ф Еа			

TORSION BAR					
	26mm / 1064mm	1	4WTB-1646	\$	Pr
Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.					

COIL SPF	RIN	IGS	
OE Height	1	TDC946S	\$ Pr
0-300kg load	1	TDC946	\$ Pr
CONSTANT 300kg load	1	TDC946H	\$ Pr

STEERING DAMPERS					
-	Replacement damper	1	EXT5510	\$	Ea
<u>~ #######</u>	Return to Center	1	SS5510-P/S	\$	Ea

PANHARD ROD					
o———•	Adjustable	1	TDPR-008	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	ea	
8	Fits bottom eyering	1	ADJ00191	\$	Ea	





FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Leaf Springs 2 Ea Leaf Springs Fitment Kit 1 Kt Steering Damper (Optional) 1 Ea

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Leaf Spring Fitment Kit	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1134T	-\$ Ea			
	50mm Lift	2	BD1109T	φ La			
	FOAM CEL	L -	SHOCK ABSORB	ER			
	OE Height	2	FC41134	¢ 5-			
	50mm Lift	2	FC41109	-\$ Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	ORBER			
	OE Height	2	BM401134				
	50mm Lift	2	BM401109	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ПИ	NITROGEN GAS - SHOCK ABSORBER						
	OE Height - 04/1979 - 1983	2	BD1382T				
	50mm Lift - 04/1979 - 1983	2	BD1388T	s Ea			
	OE Height - 11/1983 - 1997	2	BD1350T	у са			
	50mm Lift - 11/1983 - 1997	2	BD1377T				
	FOAM CEL	L -	SHOCK ABSORBE	ER			
ě	OE Height - 04/1979 - 1983	2	FC41382				
	50mm Lift - 04/1979 - 1983	2	FC41388	ф Г -			
I	OE Height - 11/1983 - 1997	2	FC41350	\$ Ea			
8	50mm Lift - 11/1983 - 1997	2	FC41377				
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	OE Height - 04/1979 - 1983	2	BM401382				
	50mm Lift - 04/1979 - 1983	2	BM401388				
	OE Height - 11/1983 - 1997	2	BM401350	\$ Ea			
	50mm Lift - 11/1983 - 1997	2	BM401377				

	LEAF SF	PRI	NG		
	Up to Steel bar	1	T75-LH	\$	Ea
		1	T75-RH	\$	Ea
	Steel Bar & Winch	1	T78-LH	\$	Ea
		1	T78-RH	\$	Ea
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered					

LEAF SPRINGS					
	0-300kg load	1	T46C-LH	\$	Ea
	0-300kg load	1	T46C-RH	\$	Ea
	CONSTANT 300kg load	1	T46L-LH	\$	Ea
	CONSTANT 300kg load	1	T46L-RH	\$	Ea
	CONSTANT 500kg load	2	BP-002-XHD	\$	Ea
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered					

	LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit			TDUK-014				
\cap	U-Bolt kit			TDUB-015				
\cap	U-Bolt kit		TDE1/ 000	TDUB-016	6 17.			
	Greaseable Shackle kit	1	TDFK-023	TDGS-384	\$ Kt			
	Greaseable Pin kit			TDGP-385				
	Adjustable Diff Locator			TDDL-001				

LEAF SPRING FITMENT KIT						
	Urethane Shackle bush kit			TDUK-015		
\cap	U-Bolt kit			TDUB-016		
	Greaseable Shackle kit	1	TDFK-022	TDGS-386	\$ Kt	
**************************************	Greaseable Pin kit			TDGP-385		





FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP			
	STEERING DAMPERS						
•	Replacement damper	1	EXT5500	\$	Ea		
<u> </u>	Return to Center	1	SS5500-M/S	\$	Ea		
<u>~</u>	Return to Center	1	SS5500-P/S	\$	Ea		
O@	9 Stage Adjustable	1	SV5500	\$	Ea		

	REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

F	FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-014	\$	Kt		
\bigcap	U-Bolt kit D/S	1	TDUB-015	\$	Kt		
\bigcap	U-Bolt kit P/S	1	TDUB-016	\$	Kt		
	Greaseable Shackle kit	1	TDGS-384	\$	Kt		
	Greaseable Pin kit	1	TDGP-385	\$	Kt		
0	Adjustable Diff Locator	1	TDDL-001	\$	Ea		
Fits with all kits							


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-015	\$	Kt	
\bigcap	U-Bolt kit	2	TDUB-016	\$	Kt	
T	Greaseable Shackle kit	1	TDGP-385	\$	Kt	
	Greaseable Pin kit	1	TDGS-386	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412773	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top and bottom eyering For #1350, #1377	2	ADJ00191	\$	Ea	
	Fits top and bottom eyering For #1382, #1388	2	404702	\$	Ea	







REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Leaf Spring Fitment Kit	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	50mm Lift	2	FC41127B	
8	100mm Lift	2	FC41127/4B	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1350T	\$ Ea			
٩	50mm lift	2	BD1377T	ў Еа			
	FOAM CELI	L -	SHOCK ABSORBE	ER			
	OE Height	2	FC41350				
	50mm lift	2	FC41377	\$ Ea			
8	100mm lift	2	FC41377/4				
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
	OE Height	2	BM401350	\$ Ea			
	50mm lift	2	BM401377	\$ Ea			

TORSION BAR						
	26mm / 1064mm	1	4WTB-1646	\$	Pr	
Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.						

LEAF SPRINGS						
	0-300kg load	2	BP-007	\$	Ea	
	CONSTANT 300kg load	2	BP-007H	\$	Ea	
	CONSTANT 500kg load	2	BP-007HH	\$	Ea	

STEERING DAMPERS						
•	Replacement damper	1	EXT5510	\$	Ea	
<u> </u>	Return to Center	1	SS5510-P/S	\$	Ea	

LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit			TDUK-065			
\cap	U-Bolt kit	1		TDUB-016	¢ 1/+		
	Greaseable Shackle kit		TDFK-024	TDGS-386/1	\$ Kt		
**************************************	Greaseable Pin kit			TDGP-668			






FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		


REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
F	REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-065	\$	Kt		
\cap	U-Bolt kit	2	TDUB-016	\$	Kt		
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top and bottom eyering	2	ADJ00191	\$	Ea









CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
٥	50mm Lift	2	FC41127B						
	100mm Lift	2	FC41127B/4	\$ Ea					

DESCRIPTION	₫	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER							
OE Height - RHS	1	BD1350T					
OE Height - LHS	1	BD1377T	\$ Ea				
50mm lift	2	BD1377T					
FOAM CEL	L -	SHOCK ABSORBI	≣R				
OE Height - RHS	1	FC41350					
OE Height - LHS	1	FC41377	<u> </u>				
50mm lift	2	FC41377	\$ Ea				
100mm lift	2	FC41377/4					
40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
OE Height - RHS	1	BM401350					
OE Height - LHS	1	BM401377	\$ Ea				
50mm lift	2	BM401377	1				
	PROGEN GAS - SHOE Height - RHS OE Height - LHS 50mm lift FOAM CELI OE Height - RHS OE Height - LHS 50mm lift 100mm lift 40MM ADJUSTA OE Height - RHS OE Height - RHS OE Height - RHS	ROGEN GAS - SHOO OE Height - RHS 1 OE Height - LHS 1 50mm lift 2 FOAM CELL - OE Height - RHS 1 OE Height - LHS 1 50mm lift 2 40MM ADJUSTABLE 0 OE Height - RHS 1 OE Height - LHS 1	ROGEN GAS - SHOCK ABSORBER OE Height - RHS 1 BD1350T OE Height - LHS 1 BD1377T 50mm lift 2 BD1377T FOAM CELL - SHOCK ABSORBI OE Height - RHS 1 FC41350 OE Height - LHS 1 FC41377 50mm lift 2 FC41377 100mm lift 2 FC41377/4 40MM ADJUSTABLE - SHOCK ABSORBI OE Height - RHS 1 OE Height - LHS 1 BM401350 OE Height - LHS 1 BM401377				

TORSION BAR						
	26mm / 1064mm	1	4WTB-1646	\$	Pr	
Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm droop is maintained.						

	LEAF SPI	3 11	IGS		
	0-300kg load	1	T79C-LH	6	Ea
		1	T79C-RH	\$	Ea
	CONSTANT 300kg load	1	T79L-LH	6	Ea
		1	T79L-RH	\$	Ea
	CONSTANT 500kg load	1	T79LL-LH	•	Г.
		1	T79LL-RH	\$	Ea
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered					

LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit			TDUK-038			
\cap	U-Bolt kit		TDFK-025	TDUB-016			
43 de s	Greaseable Shackle kit	1		TDGS-386/1	\$ Kt		
	Greaseable Pin kit			TDGP-668			





CONTENT	DESCRIPTION	QTY	PART NO		RRP		
STEERING DAMPERS							
	HD Steering Damper	1	EXT5510	\$	Ea		
·	Return to Center	1	SS5513-P/S	\$	Ea		
·	9 Stage Adjustable	1	SV5513	\$	Ea		

CONTENT	DESCRIPTION	αTY	PART NO	RRP

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-038	\$	Kt	
\bigcap	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt	
E	Greaseable Pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top and bottom eyering	2	ADJ00191	\$	Ea





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 1 Ea Upper Control Arms (Optional) 1 Pr

		Upp	per Control Arms (Option	al) 1 Pr			
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	Un to Stool har	1	TOY-026/03-LH	-\$ Ea			
	Up to Steel bar	1	TOY-026/03-RH	ф са			
	With Steel Bar	1	TOY-026/04-LH	-\$ Ea			
	& Winch	1	TOY-026/04-RH	тъ са			
*	OE Height	1	TOY-026/06-LH	-\$ Ea			
3		1	TOY-026/06-RH	р са			
•	ASSEMBLED ST	ΓRU	TS - 40MM ADJUS	STABLE			
	Assembled struts are r	nade	up of: 1 x strut, 1 x coil 1	x strut top			
Ū	Up to Steel bar	1	TOY-026/01-LH	-\$ Ea			
	Op to Steet bar	1	TOY-026/01-RH	р са			
	With Steel Bar	1	TOY-026/02-LH	-\$ Ea			
	& Winch	1	TOY-026/02-RH	р са			
STRUT - FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ Ea			

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbag (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41350	\$ Ea		
	40mm Lift	2	FC41376			
	40MM ADJUSTA	BL	LE - SHOCK ABSO	RBER		
8	OE Height	2	BM401350	\$ Ea		
	40mm Lift	2	BM401376	ф Ба		

COIL SPRINGS					
	OE Height	1	TDC974S	\$	Pr
	Up to Steel Bar	1	TDC974	\$	Pr
	With Steel Bar & Winch	1	TDC974H	\$	Pr

Up to 40mm Lift - Strut Only/ No Coil/ No Strut top

STRUT - 40MM ADJUSTABLE

BM404600

\$

Ea

2

LEAF SPI	RIN	IGS	
0-300kg load	2	T80C	\$ Ea
CONSTANT 300kg load	2	T80L	\$ Ea
CONSTANT 500kg load	2	T80LL	\$ Ea





FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit U-Bolt kit Greaseable Shackle kit Greaseable Pin kit	1	TDFK-026	\$	Kt		

UPPER CONTROL ARMS						
こと	Upper Control Arms	1	TDCA-002	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS						
	Bellows Bag Kit - OE Height	1	TDAA-134	\$	Kt	
	Bellows Bag Kit - 25mm Lift	1	TDAA-105	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-002	1	TDSK-001	\$	Ea	
Ball joint kit to fit one UCA - for TDCA-002	1	TDSK-002	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
T :0	Strut Top	2	TOY-1083	\$	Ea	
•• ••	Sway Bar Spacer kit - 76mm hole spacing	1	TDSP-011	\$	Ea	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM					
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

REAR INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit	1	TDUK-067	\$	Kt	
\cap	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-389	\$	Kt	
	Greaseable Pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ī	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top and bottom eyering	2	ADJ00191	\$	Ea





Note: The new 2022 Toyota Hilux Rogue Wide Track from October 2022 onwards is not compatible with the Tough Dog suspension kits offered. It is wider than the current Hilux Rogue on offer. We currently do not have suspension for the October 2022 onwards Toyota Hilux Rogue Wide Track

current Hilux Rogue on offer. We currently do not have suspens					
FRONT					
FRONT SUSPENSION	ON CHECK LIST				
You need to order the following items for the front end of your vehicle.					
	Assembled struts	2	Ea		
宝宝 コララ	OR				
▋▋▗▍▍⋛⋛	Struts	2	Ea		
## OR 	Coil Springs	1	Pr		
11 1155	Strut Top (Optional)	1	Ea		
	Upper Control Arms (Optional)	1	Pr		

	REAR SUSPENSION CHECK LIST							
You need to or	You need to order the following items for the rear end of your vehicle.							
		Shock Absorber	2	Ea				
	عي.	Leaf Springs	2	Ea				
0		Leaf Spring Fitment Kit	1	Kt				
TT		Bellows Airbag (Optional)	1	Kt				
▎▕▋▋▋█▗								
0 0								
		>						
CONTENT	DESCRIPTION	≒ PART NO	RRI	2				

REAR

		1	· · ·		_
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
А	SSEMBLED STRU	TS	- FOAM CELL		
Assembl	ed struts are made up of	:1x	strut, 1 x coil 1 x strut to	ор	
	Up to Steel bar	1	TOY-027/05-LH	¢	.]
	- OE Height	1	TOY-027/05-RH	-\$ E	ā
	No Accessories	1	TOY-027/06-RH	Φ -	
		1	TOY-027/06-LH	-\$ E	a
	With Steel Bar	1	TOY-027/07-LH	-\$ E	a
		1	TOY-027/07-RH	φ	.a
.4.	With Steel Bar &	1	TOY-027/08-LH	-\$ E	a
3	Winch	1	TOY-027/08-RH	Э ⊏	a
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE	
*	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x strut top	,
8	Up to Steel bar	1	TOY-027/01-LH	-\$ E	a
	- OE Height	1	TOY-027/01-RH	Ф	a
	No Appending	1	TOY-027/02-RH	-\$ E	a
	No Accessories	1	TOY-027/02-LH	Э =	а
	With Steel Bar	1	TOY-027/03-LH	¢	a
	With Steel Bai	1	TOY-027/03-RH	-\$ E	a
	With Steel Bar &	1	TOY-027/04-LH	-\$ E	a
	Winch	1	TOY-027/04-RH	φ	.a
	STRUT - FO	ΑM	CELL		
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ E	a
I	STRUT -	40ľ	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$ E	ā

OOMILM	DECOMI HON	Q	TARTINO	144
NIT	ROGEN GAS - SH	100	CK ABSORBER	
	40mm lift - Comfort Use Only	2	BD3015T	\$ Ea
	FOAM CELI		SHOCK ABSORBI	ER
	OE Height only	2	FC43014	\$ Ea
	40mm lift - Super Soft	2	FC43036	\$ Ea
	40mm Lift	2	FC43015	\$ Ea
Ì	Shock control is not s or 800kg load leaf sp Use this shock	uita ring only	le for Supper Soft Comfo able for CONSTANT 300k (s. Do not use with these (with 0-300kg load sprii	g, 500kg, springs. ngs
I	40MM ADJUSTA	BI	LE - SHOCK ABSC	KBEK
	OE Height	2	BM403014	\$ Ea
	40mm Lift	2	BM403015	ъ ⊏а

FOR GVM UPGRADES, SEE PAGE 216





Note: The new 2022 Toyota Hilux Rogue Wide Track from October 2022 onwards is not compatible with the Tough Dog suspension kits offered. It is wider than the current Hilux Rogue on offer. We currently do not have suspension for the October 2022 onwards Toyota Hilux Rogue Wide Track

FRONT										
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP					
COIL SPRINGS										
	OE Height	1	TDC983S	\$	Pr					
M 1 A A A A	No Accessories	1	TDC983	\$	Pr					
	With Steel bar	1	TDC974H	\$	Pr					
	With Steel Bar & Winch	1	TDC974HH	\$	Pr					

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
LEAF SPRINGS									
	0-300kg load	2	T81C	\$	Ea				
م ہ	CONSTANT 300kg load	2	T81L	\$	Ea				
	CONSTANT 500kg load - Use TDUB-016HD	2	T81LL	\$	Ea				
	CONSTANT 800kg load - Use TDUB-016HD	2	T81XHD	\$	Ea				

LEAF SPRING FITMENT KIT - SUITS T81C									
	Urethane Shackle bush kit			TDUK-067					
	U-Bolt kit	1	TDFK-027	TDUB-016	\$ Kt				
\cap	Greaseable Shackle kit		1D1 K-027	TDGS-392	φ Κι				
1 1	Greaseable Pin kit			TDGP-668					
	LEAF SPRING FIT	MI	ENT KIT -	SUITS L	L & XHD				
	Urethane Shackle bush kit			TDUK-067					
	U-Bolt kit	1	TDFK-028	TDUB-016HD	\$ Kt				
	Greaseable	1	1 D1 11-020	TDGS-392	ψ Κι				
§	Shackle kit			1000-332					

UPPER CONTROL ARMS									
UU	Upper Control Arms	1	TDCA-002	\$	Pr				

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - BELLOWS									
	Bellows Bag kit - OEM Height	1	TDAA-122	\$	Kt				
	Bellows Bag kit - 40mm Lift	1	TDAA-113	\$	Kt				
Note: Separate Air Assist components can be viewed on page 14.									

UPPER CON	TROL ARMS - REP	L/	ACEMENT COMPO	NEN.	TS
	Bush Kit to fit one UCA - for TDCA-002	1	TDSK-001	\$	Ea
	Ball joint kit to fit one UCA - for TDCA-002	1	TDSK-002	\$	Ea

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS									
Bush Kit to fit	one UCA A-002	TDSK-	001	\$	Ea				
Ball joint kit t UCA - for TE	to fit one OCA-002 1	TDSK-	002	\$	Ea				

FRONT INDIVIDUAL COMPONENTS								
·L·O	Strut Top	2	TOY-1083	\$	Ea			
•• ••	Sway Bar Spacer kit - 86mm hole spacing	1	TDSP-023	\$	Ea			

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM										
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt					

PEAR INDIVIDUAL COMPONENTS

Į.	CEAR INDIVIDUAL	C	DIMPUNENTS	
	Urethane Shackle bush kit	1	TDUK-067	\$ Kt
\bigcap	U-Bolt kit	2	TDUB-016	\$ Kt
\cap	U-Bolt kit Fits with T81LL & T81XHD	2	TDUB-016HD	\$ Kt
	Greaseable Shackle kit	1	TDGS-392	\$ Kt
	Greaseable Pin kit	1	TDGP-668	\$ Kt
•	Driveshaft Spacer kit	1	TDSP-010	\$ Ea

Note: Fit driveshaft spacer kit if vibration occurs

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
å	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top and bottom eyering	2	ADJ00191	\$	Ea	

GVM UPGRADE



TOYOTA HILUX N80

4x2/4x4 'SINGLE CAB' GUN125R (WORKMATE)/GUN126R (SR) - 2015 ON 4x2/4x4 'EXTRA CAB' GUN125R (WORKMATE)/GUN126R (SR, SR5) - 2015 ON 4x2/4x4 'DOUBLE CAB' GUN125R (WORKMATE)/GUN126R (SR, SR5) - 2015 ON 2950_{KG*}

3510_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 610KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS				
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG		
FRONT AXLE RATING	1450KG	1510KG		
REAR AXLE RATING	1700KG	2000KG		
ORIGINAL GVM 4X4	3000KG - 3100KG	3510KG		
ORIGINAL GVM 4X2	2900KG - 3100KG	3510KG		
TOWING CAPACITY (BRAKED)	3500KG	3500KG*		
GROSS COMBINED MASS (GCM) 4X4	5850KG*	5850KG*		
GROSS COMBINED MASS (GCM) 4X2	5650KG**	5650KG**		

Towing & GCM are not altered by Tough Dog GVM upgrades.
 Payload increase is based on model variant.
 *4x4 From 09/2020, **4x2 From 09/2020

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

4X2, 4X4 SINGLE CAB (SR) EXTRA CAB (SR5), GUN125R (WORKMATE), GUN126R

4X2/4X4 'EXTRA CAB' GUN125R (WORKMATE)/GUN126R (SR, SR5) - 2015 ON

4X2/4X4 'DOUBLE CAB' GUN125R (WORKMATE)/GUN126R (SR, SR5) - 2015 ON

DESCRIPTION	GVM UPGRADE	PART NO	RRP
FRONT: BAR & WINCH REAR: 300KG MIN. LOAD	3510KG	TDGVM-046	
FRONT: NO ACCESSORIES REAR: 300KG MIN. LOAD	3510KG	TDGVM-047	
FRONT: BAR & WINCH REAR: 600KG MIN. LOAD	3510KG	TDGVM-048	
FRONT: NO ACCESSORIES REAR: 600KG MIN. LOAD	3510KG	TDGVM-049	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

Note: The 4X2 Tough Dog rear suspension upgrade allows a vehicle to maintain factory ride height while carrying heavy payloads for extended periods of time. The suspension upgrade is not designed to increase the vehicle's ride height like traditional Tough Dog suspension solutions, instead these solutions assist the vehicle to carry its maximum OEM payload without suspension sag.

REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
F	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41350	\$	Ea		

LEAF SPRINGS - 25MM EYERING					
	0-1000kg load	2	T82	\$	Ea

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle bush kit	1	TDUK-086	\$	Kt
\cap	U-Bolt kit	2	TDUB-017	\$	Kt




TOYOTA LANDCRUISER 40, 42 SERIES 12/1977-1984 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT

FRONT SUSPENSION CHECK LIST


You need to order the following items for the front end of your vehicle.



Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	2	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt
Steering Damper (Optional)	1	Ea

REAR
REAR SUSPENSION CHECK LIST

You need to order the following items for the rear end of your vehicle.



•		
Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Ki
U-Bolt kits	2	Ki
Greaseable Shackle kit	1	Kı
Greaseable Pin kit	1	Kı

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
٥	OE Height	2	FC41364	\$ Ea
	50mm Lift	2	FC41366	\$ Ea
•	40MM ADJUSTA	λBI	E - SHOCK ABSO	RBER
ŏ	OE Height	2	BM401364	\$ Ea
	50mm Lift	2	BM401366	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP
	FOAM CELL - SHO	CK	ABSORBER	
	OE Height - FJ40, FJ42 Chassis # 19114	2	FC41366	-\$ Ea
	50mm Liftt - FJ40, FJ42 Chassis # 19114	2	FC41382	ъ са
	OE Height - FJ40, FJ42 Chassis #19115 On	2	FC41382	6 5
<u> </u>	50mm Liftt - FJ40, FJ42 Chassis #19115 On	2	FC41388	-\$ Ea
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER
8	OE Height - FJ40, FJ42 Chassis # 19114	2	BM401366	-\$ Ea
	50mm Liftt - FJ40, FJ42 Chassis # 19114	2	BM401382	ъ са
	OE Height - FJ40, FJ42 Chassis #19115 On	2	BM401382	-\$ Ea
	50mm Liftt - FJ40, FJ42 Chassis #19115 On	2	BM401388	-\$ Ea

ı	LEAF SPRINGS - 2	25N	MM EYERING		
مر یہ	Up to Steel Bar	2	BP-009	\$	Ea
	With Steel Bar & Winch	2	BP-009H	\$	Ea
FRONT IN	DIVIDUAL COMPO	NE	ENTS - 25MM EYE	RIN	G
	Urethane Shackle bushes	1	TDUK-016	\$	Kt
\bigcap	U-Bolt kit	2	TDUB-017	\$	Kt
	Greaseable Shackle kit	1	TDGS-343	\$	Kt
	Greaseable Pin kit	1	TDGP-346	\$	Kt

LEAF SPRINGS - 25MM EYERING						
o	0-300kg load	2	BP-010	\$	Ea	
	CONSTANT 300kg load	2	BP-010H	\$	Ea	
REAR IND	IVIDUAL COMPO	ΝE	NTS - 25MM EYEF	RING	5	
	Urethane Shackle bushes	1	TDUK-016	\$	Kt	
\bigcirc	U-Bolt kit	2	TDUB-017	\$	Kt	
	Greaseable Shackle kit	1	TDGS-343	\$	Kt	
	Greaseable Pin kit	1	TDGP-346	\$	Kt	



TOYOTA LANDCRUISER 40, 42 SERIES 12/1977-1984 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
LEAF SPRINGS - 35MM EYERING					
م یہ	Up to Steel Bar	2	BP-011	\$	Ea
	With Steel Bar & Winch	2	BP-011H	\$	Ea
FRONT IN	DIVIDUAL COMPO	NE	ENTS - 35MM EYE	RIN	O
	Urethane Shackle bushes	1	TDUK-012	\$	Kt
\bigcap	U-Bolt kit	2	TDUB-017	\$	Kt
	Greaseable Shackle kit	1	TDGS-348	\$	Kt
	Greaseable Pin kit	1	TDGP-351	\$	Kt

REAR						
CONTENT	DESCRIPTION	QΤΥ	PART NO		RRP	
١	LEAF SPRINGS - 3	5N	IM EYERING			
مر يه	0-300kg load	2	BP-012	\$	Ea	
	CONSTANT 300kg load	2	BP-012H	\$	Ea	
REAR INC	DIVIDUAL COMPO	NE	NTS - 35MM EYER	IIN	G	
	Urethane Shackle bushes	1	TDUK-012	\$	Kt	
\cap	U-Bolt kit	2	TDUB-017	\$	Kt	
	Greaseable Shackle kit	1	TDGS-348	\$	Kt	
-	Greaseable Pin kit	1	TDGP-351	\$	Kt	

STEERING DAMPERS						
-	Replacement Damper	1	EXT5511	\$	Ea	
<u></u>	Return to Center (Non Power Steer)	1	SS5511-M/S	\$	Ea	
<u></u>	Return to Center (Power Steer)	1	SS5511-P/S	\$	Ea	
Note: RTC Stands for Return to Centre.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	




LIFT FRONT: 50MM | REAR: 50MM



FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items



	J. (J. 1 – J.)							
S	s for the front end of your vehicle.							
	Shock Absorber 2							
	Leaf Spring	2	Ea					
	Urethane Shackle bushes	1	Kt					
	U-Bolt kits	2	Kt					
	Greaseable Shackle kit	1	Kt					
	Greaseable Pin kit	1	Kt					
	Steering Damper (Optional)	1	Ea					

CONTENT	DESCRIPTION	ğ	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	OE Height	2	FC41364	\$	Ea			
	50mm Lift	2	FC41366	\$	Ea			
	40MM ADJUSTA	BL	.E - SHOCK ABSO	RBE	R			
8	OE Height	2	BM401364	\$	Ea			
	50mm Lift	2	BM401366	\$	Ea			

LEA	F SPRINGS - 45 SE	ERI	ES - 30MM EYES		
مر یہ	Up to Steel Bar	2	BP-013	\$	Ea
	With Steel Bar & Winch	2	BP-013H	\$	Ea
FRONT	INDIVIDUAL COM	PO	NENTS - 45 SERIE	S	
	Urethane Shackle bushes	1	TDUK-016	\$	Kt
	U-Bolt kit	1	TDUB-017	\$	Kt
\bigcap	U-Bolt kit	1	TDUB-018	\$	Kt
	Greaseable Shackle kit	1	TDGS-343	\$	Kt
	Greaseable Pin kit	1	TDGP-346	\$	Kt

LEA	F SPRINGS - 47 SE	ERI	ES - 35MM EYES		
مر یہ	Up to Steel Bar	2	BP-015	\$	Ea
	With Steel Bar & Winch	2	BP-015H	\$	Ea
FRONT	INDIVIDUAL COM	PO	NENTS - 47 SERIE	ES	
	Urethane Shackle bushes	1	TDUK-012	\$	Kt
\cap	U-Bolt kit	1	TDUB-017	\$	Kt
\bigcap	U-Bolt kit	1	TDUB-018	\$	Kt
	Greaseable Shackle kit	1	TDGS-348	\$	Kt
	Greaseable Pin kit	1	TDGP-351	\$	Kt

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following item	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Urethane Shackle bushes	1	Kt				
	U-Bolt kits	2	Kt				
▋▋▇█▝▔⋂≕┿	Greaseable Shackle kit	1	Kt				
→ • • · · · · · · · · · · · · · · · · ·	Greaseable Pin kit	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	ı	RRP				
F	FOAM CELL - SHOCK ABSORBER								
	OE Height	2	FC41382	\$	Ea				
	50mm Lift	2	FC41388	\$	Ea				
	40MM ADJUSTA	BL	.E - SHOCK ABSO	RE	BER				
8	OE Height	2	BM401382	\$	Ea				
	50mm Lift	2	BM401388	\$	Ea				

LEAF SPRINGS - 45 SERIES - 30MM EYES							
مر یہ	0-300kg load	2	BP-014	\$	Ea		
	CONSTANT 300kg load	2	BP-014H	\$	Ea		
REAR I	REAR INDIVIDUAL COMPONENTS - 45 SERIES						
	Urethane Shackle bushes	1	TDUK-017	\$	Ea		
\bigcap	U-Bolt kit	2	TDUB-017	\$	Ea		
	Greaseable Shackle kit	1	TDGS-344/5	\$	Ea		
	Greaseable Pin kit	1	TDGP-347	\$	Ea		

LEAF SPRINGS - 47 SERIES - 35MM EYES							
مر به	0-300kg load	2	BP-016	\$	Ea		
	CONSTANT 300kg load	2	BP-016H	\$	Ea		
REAR I	REAR INDIVIDUAL COMPONENTS - 47 SERIES						
	Urethane Shackle bushes	1	TDUK-012	\$	Kt		
\bigcap	U-Bolt kit	2	TDUB-017	\$	Kt		
	Greaseable Shackle kit	1	TDGS-349/5	\$	Kt		
	Greaseable Pin kit	1	TDGP-351	\$	Kt		



TOYOTA LANDCRUISER 45, 47 SERIES 01/1965-1984 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
	STEERING [A	MPERS			
	Replacement Damper	1	EXT5511	\$	Ea	
<u>~,±</u> ,	Return to Center (Non Power Steer)	1	SS5511-M/S	\$	Ea	
<u>~,±</u> ,	Return to Center (Power Steer)	1	SS5511-P/S	\$	Ea	
Note: RTC Stands for Return to Centre.						

	REA		
CONTENT	DESCRIPTION	PART NO	RRP
			•

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top & bottom eyering	2	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	






FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	1	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pin (Optional)	1	Ea

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Urethane Shackle bushes	1	Kt			
	U-Bolt kits	1	Kt			
	Greaseable Shackle kit	1	Kt			
▋▋≖█▗┴▏▎▝▀▀▀	Greaseable Pin kit	1	Kt			
0 0						

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	OE Height	2	FC41113	\$ Ea					
	50mm Lift	2	FC41163	\$ Ea					
	40MM ADJUSTA	BL	.E - SHOCK ABSO	RBER					
8	OE Height	2	BM401113	\$ Ea					
	50mm Lift	2	BM401163	\$ Ea					

CONTENT	DESCRIPTION	₫	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	OE Height - 11/80 - 10/85	2	FC41366	\$	Ea			
	50mm Lift - 11/80 - 10/85	2	FC41382	\$	Ea			
	50mm Lift - 10/85 - 90	2	FC41350	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBEF	8			
8	OE Height - 11/80 - 10/85	2	BM401366	\$	Ea			
	50mm Lift - 11/80 - 10/85	2	BM401382	\$	Ea			
	50mm Lift - 10/85 - 90	2	BM401350	\$	Ea			

LEAF SPRINGS							
	Up to Steel Bar	2	T43L	\$	Ea		
	With Steel Bar & Winch	2	T43H	\$	Ea		
	Up to Steel Bar - With Factory Turbo Diesel	2	T53	\$	Ea		
	With Steel Bar & Winch - With Factory Turbo Diesel	2	T53H	\$	Ea		

	LEAF SPI	RIN	IGS			
	0-300kg load	1	T44L-LH	\$	Ea	
	0-300kg load	1	T44L-RH	\$	Ea	
	CONSTANT 300kg load	1	T44H-LH	\$	Ea	
	CONSTANT 300kg load	1	T44H-RH	\$	Ea	
	CONSTANT 500kg load	1	T44HM-LH	\$	Ea	
	CONSTANT 500kg load	1	T44HM-RH	\$	Ea	
Note: 1 LEFT hand and 1 RIGHT hand side leaf spring pack should be ordered						

STEERING DAMPERS						
-	Heavy Duty Damper	1	EXT5001	\$	Ea	
<u></u>	Return to Center	1	SS5001-P/S	\$	Ea	
·	9 Stage Adjustable	1	SV5001	\$	Ea	

STEERING DAMPERS						
	Heavy Duty Damper	1	EXT5001	\$	Ea	
<u>~</u> ±.	Return to Center	1	SS5001-P/S	\$	Ea	
• ±	9 Stage Adjustable	1	SV5001	\$	Ea	





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-012	\$ Kt			
\bigcap	U-Bolt kit	2	TDUB-019	\$ Kt			
	Greaseable Shackle Kit	1	TDGS-348	\$ Kt			
	Greaseable Pin Kit	1	TDGP-351	\$ Kt			

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	REAR INDIVIDUAL	C	OMPONENTS			
	Urethane Shackle Bush kit	1	TDUK-012	\$ Kt		
\bigcap	U-Bolt kit	2	TDUB-017	\$ Kt		
	Greaseable Shackle Kit	1	TDGS-357	\$ Kt		
	Greaseable Pin Kit	1	TDGP-351	\$ Kt		

	OFFSET K	ING	PINS	
	0.5 Degree	1	TAK-005	\$ Ea
	0.75 Degree	1	TAK-075	\$ Ea
	1.0 Degree	1	TAK-001	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	ADJ00191	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering - #1382/1366	2	404702	\$	Ea
8	Fits top & bottom eyering - #1350	2	ADJ00191	\$	Ea





FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Damper (Optional) 1 Ea

REAR						
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST					
You need to order the following items	You need to order the following items for the rear end of your vehicle.					
 	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	Ck	ABSORBER		
°	OE Height	2	FC41005	\$ E	a
8	50mm Lift	2	FC41007	\$ E	ā

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	(ABSORBER	
	OE Height - RHS	1	FC43005	\$ Ea
	OE Height - LHS	1	FC41107	\$ Ea
	40mm Lift - RHS	1	FC41350	\$ Ea
3	40mm Lift - LHS	1	FC41108	\$ Ea

COIL SPRINGS						
	Up to Steel bar	1	TDC941L	\$	Pr	

COIL SPRINGS					
	0-300kg	1	TDC942L	\$	Pr

STEERING DAMPERS					
	HD Steering Damper	1	EXT5001	\$	Ea
<u></u>	Return to Center	1	SS5001-P/S	\$	Ea
••••• <u></u>	9 Stage Adjustable	1	SV5001	\$	Ea

FRONT INDIVIDUAL COMPONENTS					
	Bush Kit - Radius Rod to Chassis	1	TDUK-041	\$	Kt
	Bush Kit - Radius Rod to Diff	2	TDUK-042	\$	Kt

F	REAR INDIVIDUAL	C	OMPONENTS	
	Bush Kit - Radius Rod to Chassis	1	TDUK-041	\$ Kt
	Bush Kit - Radius Rod to Diff	2	TDUK-042	\$ Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pin	4	TW959	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits bottom eyering #1107 & #1108	2	ADJ00191	\$	Ea
	Fits top pin #1107 & 1108	2	TW959	\$	Ea
8	Fits top & bottom eyering #3005 & #1350	2	ADJ00191	\$	Ea





EST. LIFT FRONT: 50MM | REAR: 50MM

FRONT							
FRONT SUSPENSION	ON CHECK LIST						
You need to order the following items	You need to order the following items for the front end of your vehicle.						
ŮÎ\$ ≷	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Steering Damper (Optional)	1	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	Ck	ABSORBER		
	Up to 50mm Lift	2	FC41050	\$	Ea
	40MM ADJUSTA	۱BI	LE - SHOCK ABSC	RBI	ER
	Up to 50mm Lift	2	BM401050	\$	Ea
	45MM ADJUSTA	۱BI	E - SHOCK ABSC	RBI	ΞR
8	Only 50mm Lift	2	BMX1050/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 50mm Lift	2	TDR1050	\$	Ea

	COIL SPE	RIN	IGS	
	Up to Steel bar	1	TDC950SL	\$ Pr
	With Steel Bar & Winch	1	TDC950L	\$ Pr

STEERING DAMPERS					
	HD Steering Damper	1	EXT5001	\$	Ea
~~~~~~ ±	Return to Center	1	SS5001-P/S	\$	Ea
O@	9 Stage Adjustable	1	SV5001	\$	Ea

REA	R		
REAR SUSPENSIO	N CHECK LIST		
You need to order the following items	s for the rear end of your ve	hicle.	
	Shock Absorber	2	Ea
	Leaf Spring	2	Ea
	Urethane Shackle bush kit	1	Kt
	U-Bolt kit	1	Kit
—— i i			

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHO	CK	ABSORBER			
	50mm Lift	2	FC41377	\$ E	ā	
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER		
	50mm Lift	2	BM401377	\$ E	а	
	45MM ADJUSTABLE - SHOCK ABSORBER					
8	50mm Lift	2	BMX1377/2	\$ E	ā	
	RALPH -	SH	OCK ABSORBER			
	50mm Lift	2	TDR1377	\$ E	а	

	COIL SPF	RIN	igs		
	0.200kg load	1	T44L-LH	6	Г.
	0-300kg load	1	T44L-RH	Ф	Ea
	CONSTANT 300kg load	1	T44H-LH	•	Г.
		1	T44H-RH	\$	Ea
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered					

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt	
\cap	U-Bolt kit	2	TDUB-017	\$	Kt	





FRONT You

FRONT SUSPENSION CHECK LIST							
need to order the following items for the front end of your vehicle.							
<u> </u>	0	Shock Absorber	2	Ea			
0		Leaf Spring	2	Ea			
		Leaf Spring Fitment Kit	1	Kt			
		Offset King Pin (Optional)	1	Kt			
***** i i		Steering Damper (Optional)	1	Kt			
NITENIT	DESCRIPTION	≻ DART NO	DDI				

CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	OE Height	2	FC41113	\$ Ea				
	50mm Lift	2	FC41163	р са				
<u> </u>	40MM ADJUSTA	BL	.E - SHOCK ABSO	RBER				
	OE Height	2	BM401113	\$ Ea				
	50mm Lift	2	BM401163	р са				
	45MM ADJUSTA	BL	.E - SHOCK ABSO	RBER				
8	50mm Lift	2	BMX1163/2	\$ Ea				
	RALPH -	SH	IOCK ABSORBER					
	50mm Lift	2	TDR1163B	\$ Ea				

LEAF SPRINGS							
	Up to Steel Bar	2	T52	\$	Ea		

LEAF SPRING FITMENT KIT								
	Urethane Shackle bush kit			TDUK-012				
\cap	U-Bolt kit	1	TDFK-030	TDUB-019	\$ Kt			
	Greaseable Shackle kit	'	1DFK-030	TDGS-357	φ Ki			
••••§•••	Greaseable Pin kit			TDGP-351				

STEERING DAMPERS						
	Heavy Duty Damper	1	EXT5001	\$	Ea	
~──₩₩₩₩ ;±;	Return to Center	1	SS5001-P/S	\$	Ea	
•••••• <u>••</u>	9 Stage Adjustable	1	SV5001	\$	Ea	

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					

CONTENT	DESCRIPTION	QT	PART NO	RRF	•			
FOAM CELL - SHOCK ABSORBER								
	OE Height	2	FC41350	-\$	Ea			
	50mm Lift	2	FC41377	Φ	La			
<u> </u>	40MM ADJUSTA	BL	.E - SHOCK ABSO	RBE	R			
	OE Height	2	BM401350	\$	Ea			
	50mm Lift	2	BM401377	Φ	La			
	45MM ADJUSTA	BL	.E - SHOCK ABSO	RBEI	R			
8	50mm Lift	2	BMX1377/2	\$	Ea			
	RALPH -	SH	IOCK ABSORBER					
	50mm Lift	2	TDR1377	\$	Ea			

LEAF SPRINGS						
	0-300kg load	1	T44L-LH	d.	Г.	
		1	T44L-RH	D	Ea	
	CONSTANT 300kg load	1	T44H-LH	<u></u>		
		1	T44H-RH	\$	Ea	

LEAF SPRING FITMENT KIT								
	Urethane Shackle bush kit			TDUK-012				
\cap	U-Bolt kit	1	TDFK-031	TDUB-017	\$ K	_		
	Greaseable Shackle kit		1DFK-031	TDGS-357	\$ K	ι		
	Greaseable Pin kit			TDGP-351				



73, 74 SERIES LIFT FRONT: 50MM | REAR: 50MM



FRONT								
CONTENT	DESCRIPTION	۵T	PART NO		RRP			
FRONT INDIVIDUAL COMPONENTS								
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt			
\cap	U-Bolt kit	2	TDUB-019	\$	Kt			
	Greaseable Shackle kit	1	TDGS-357	\$	Kt			
8	Greaseable Pin kit	1	TDGP-351	\$	Kt			

REAR								
CONTENT	DESCRIPTION	۵T	PART NO	RRP				
REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt			
\cap	U-Bolt kit	2	TDUB-017	\$	Kt			
	Greaseable Shackle kit	1	TDGS-357	\$	Kt			
	Greaseable Pin kit	1	TDGP-351	\$	Kt			

OFFSET KING PINS							
	0.5 Degree	1	TAK-005	\$	Ea		
	0.75 Degree	1	TAK-075	\$	Ea		
	1.0 Degree	1	TAK-001	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front top pin	2	TW959	\$	Ea	
	Front bottom eyering	1	ADJ00191	\$	Ea	

REAR RE	PLACEMENT BUS	SHE	ES (QTY PER SHO	OCK)	
	Rear top & bottom eyering	2	ADJ00191	\$	Ea





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Eal 2 Leaf Spring

			Leaf Spring Fitm	ent Kit	1	Kt		
		Offset King Pins (Optional)			1	Ea		
▼ • • • • • • • • • • • • • • • • • • •		St	eering Damper (Optional)	1	Ea		
CONTENT	DESCRIPTION	QTY	PART NO KI	T INC.	RR	P		
F	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41113	В				
	50mm Lift - HZJ75 3/90-99	2	FC41163	3B	3	Ea		
	50mm Lift - All Except HZJ75	2	FC4116	3				
Å	40MM ADJUSTA	\BI	E - SHOCK	ABSO	RBE	R		
	50mm Lift - All models	2	BM40116	63	3	Ea		

45MM ADJUSTABLE - SHOCK ABSORBER

RALPH - SHOCK ABSORBER

BMX1163/2

TDR1163B

Ea

Ea

2

2

	LEAF SPRINGS									
a. .	<i>م</i> د.	Up to bar	2	T52	\$	Ea				
		With Steel Bar & Winch	2	Т52Н	\$	Ea				

50mm Lift - All models

50mm Lift

- All models

	LEAF SPRING FITMENT KIT											
	Urethane Shackle bush kit			TDUK-012								
\bigcap	U-Bolt kit	1	TDFK-030	TDUB-019	\$ Ki							
**************************************	Greaseable Shackle kit	ļ	1DFK-030	TDGS-357	\$ Ki							
	Greaseable Pin kit			TDGP-351								

REA	REAR									
REAR SUSPENSION CHECK LIST										
You need to order the following items	You need to order the following items for the front end of your vehicle.									
8 8 0	Shock Absorber	2	Ea							
	Leaf Spring	2	Ea							
	Leaf Spring Fitment Kit	1	Kt							
■	Bellow Airbags (Optional)	1	Kt							

CONTENT	DESCRIPTION	QTY	PART NO	KIT INC.	R	RP				
FOAM CELL - SHOCK ABSORBER										
	OE Height	2	FC4	1350	\$	Ea				
	50mm Lift - All models	2	FC4	1377	\$	Ea				
ľ	40MM ADJUSTA	\ΒL	_E - SHO	CK ABSO	RBI	ER				
	50mm Lift - All models	2	BM40	1377	\$	Ea				
	45MM ADJUSTA	BL	E - SHO	CK ABSO	RBI	ΞR				
	50mm Lift - All models	2	ВМХ1	377/2	\$	Ea				
	RALPH -	SH	OCK AB	SORBER		·				
	50mm Lift - All models	2	TDR	1377	\$	Ea				

	LEAF SPRINGS							
	0.300kg lood	1	T51-LH	\$	Ea			
	0-300kg load	1	T51-RH	\$	Ea			
مر یہ	CONSTANT 300kg load	1	FS751M-LH	\$	Ea			
		1	FS751M-RH	\$	Ea			
	CONCTANT FOOLer land	1	FS751HM-LH	\$	Ea			
	CONSTANT 500kg load	1	FS751HM-RH	\$	Ea			

	LEAF SPRING FITMENT KIT										
	Urethane Shackle bush kit			TDUK-018							
\cap	U-Bolt kit			TDUB-017							
10 10 10 10 10 10 10 10 10 10 10 10 10 1	Greaseable Shackle kit	1	TDFK-033	TDGS-357	\$ K	ίt					
	Greaseable Pin kit			TDGP-354							
l.	Brake Bias Bracket- Must be included			TDSP-014							





FRONT									
CONTENT	DESCRIPTION	ION 🛱 PART NO RRP							
STEERING DAMPERS									
-	Heavy Duty Damper	1	EXT5001	\$	Ea				
<u>~</u>	Return to Center	1	SS5001-P/S	\$	Ea				
○ ○	9 Stage Adjustable	1	SV5001	\$	Ea				

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	R	RP				
	AIR ASSIST - BELLOWS								
22	Bellows bag Kit 50mm - 75mm Lift	1	TDAA-115	\$	Kt				
	Bellows bag Kit Standard	1	TDAA-121	\$	Kt				
Note: Sepa	Note: Separate Air Assist components can be viewed on page 14.								

OFFSET KING PINS							
	0.5 Degree	1	TAK-005	\$	Ea		
	0.75 Degree	1	TAK-075	\$	Ea		
	1.0 Degree	1	TAK-001	\$	Ea		

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM								
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt			

FRONT INDIVIDUAL COMPONENTS										
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt					
\cap	U-Bolt kit	2	TDUB-019	\$	Kt					
	Greaseable Shackle kit	1	TDGS-357	\$	Kt					
<u>-</u>	Greaseable Pin kit	1	TDGP-351	\$	Kt					

REAR INDIVIDUAL COMPONENTS										
	Urethane Shackle bush kit	1	TDUK-018	\$	Kt					
\cap	U-Bolt kit	2	TDUB-017	\$	Kt					
	Greaseable Shackle kit	1	TDGS-357	\$	Kt					
	Greaseable Pin kit	1	TDGP-354	\$	Kt					
ı.	Brake Bias Bracket -Must be included	1	TDSP-014	\$	Ea					

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)										
	Fits top pin 2 TW959 \$									
8	Fits bottom eyering	1	ADJ00191	\$	Ea					

REAR REPLACEMENT BUSHES (QTY PER SHOCK)									
	Rear top & bottom eyering	2	ADJ00191	\$	Ea				





LIFT FRONT: 50MM | REAR: 50MM

FRONT FRONT SUSPENSION CHECK LIST You need to order

RONT SUSPENS	ION CHECK LIST			REA	AR SUSPENSIO	N CHECK LIST		
r the following item	s for the front end of your ve	ehicle		You need to order the following items for the rear end of your veh				
	Shock Absorber	2	Ea			Shock Absorber	2	Ea
	Coil Springs	1	Pr	8 8 0	0	Leaf Spring	2	Ea
	Panhard Rod (Optional)	1	Ea	Q.	.0	Urethane Shackle bushes	1	Kt
3 3	Castor Correction (Optional)	1	Kt			U-Bolt kits	2	Kt
≩ ≨	Steering Damper (Optional)	1	Ea			Greaseable Shackle kit	1	Kt
	Offset King Pin (Optional)	1	Ea			Greaseable Pin kit	1	Kt
						Bellows Airbags (Optional)	1	Kt
DESCRIPTION	} BARTNO	DD.		OONTENT D	FOODIDTION	≻		
DESCRIPTION	PART NO	RRI	,	CONTENT DE	ESCRIPTION	EØ PART NO	RR	Р

CONTENT	DESCRIPTION	QTY	PART NO	RF	RP					
FOAM CELL - SHOCK ABSORBER										
	Up to 50mm Lift	2	FC41050	\$	Ea					
	40MM ADJUSTA	BI	E - SHOCK ABSC	RBE	ER					
<u> </u>	Up to 50mm Lift	2	BM401050	\$	Ea					
	45MM ADJUSTA	BI	E - SHOCK ABSC	RBE	ER					
	Only 50mm Lift	2	BMX1050/2	\$	Ea					
8	75mm Lift	2	BMX1050/3	\$	Ea					
	RALPH -	SH	OCK ABSORBER							
	Up to 50mm Lift	2	TDR1050	\$	Ea					

CONTENT	DESCRIPTION	۵T	PART NO	RR	RP							
FOAM CELL - SHOCK ABSORBER												
	Up to 50mm Lift	2	FC41377	\$	Ea							
	40MM ADJUSTA	ιBl	LE - SHOCK ABSO	RBE	R							
2	Up to 50mm Lift	2	BM401377	\$	Ea							
	45MM ADJUSTABLE - SHOCK ABSORBER											
	Only 50mm Lift	2	BMX1377/2	\$	Ea							
ŏ	75mm Lift	2	BMX1377/3	\$	Ea							
	RALPH -	SH	OCK ABSORBER									
	Up to 50mm Lift	2	TDR1377	\$	Ea							

REAR

	COIL SPI	RIN	IGS			
	OE Height - Up to Steel Bar	1	TDC950SL	\$	Pr	
M 1 1 1 1 1 1	50mm Lift - Up to Steel Bar	1	TDC950L	\$	Pr	
	50mm Lift - With Steel Bar & Winch	1	1 TDC950HL \$			
	75mm Lift - With bar & Winch	1	TDC950/3H	\$	Pr	

	LEAF SPI	RIN	IGS	
	0-300kg load	2	FS761	\$ Ea
	CONSTANT 300kg load	2	FS761M	\$ Ea
	CONSTANT 500kg load	2	FS761HM	\$ Ea



TOYOTA LANDCRUISER 76 SERIES 2007 ON EST. LIFT FRONT: 50MM | REAR: 50MM

SV5004

\$

Ea



FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	ا	RRP				
STEERING DAMPERS									
-	HD Steering Damper	1	EXT5004	\$	Ea				
<u>~</u>	Return to Center	1	SS5004-P/S	\$	Ea				

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
				•					

CASTER CORRECTION								
	2 Degree	1	TDUK-054/2	\$	Kt			
	3 Degree	1	TDUK-054/3	\$	Kt			

9 Stage Adjustable

	AIR ASSIST -	BE	LLOWS		
	Bellows Bag kit - OEM Height	1	TDAA-121	\$	Kt
	Bellows Bag kit - Up to 75mm lift	1	TDAA-115	\$	Kt
Note: Sepa	arate Air Assist compone	ents	can be viewed on page	14.	
AIR ASS	SIST - BELLOWS W	/IR	ELESS AIR SYSTI	EM	
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt

PANHARD RODS					
·	Adjustable	1	TDPR-015	\$	Ea

OFFSET KING PINS						
	0.5 Degree	1	TAK-8005	\$	Ea	
	0.75 Degree	1	TAK-8075	\$	Ea	
	1.0 Degree	1	TAK-8001	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
0	30mm Urethane Spring spacer	1	TDUK-1961/30	\$	Ea	
• •	Swaybar spacer kit	1	TDSP-013	\$	Ea	
Use if tailshaft contacts						
	Swaybar 33mm	1	TDSB-007	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
T	Urethane Shackle Bush kit - Pre 01/2017	1	TDUK-048	\$	Kt	
Note Al	e: TDUK-048 OEM replace Il use when fitted TDGS-3	eme 387,	ent bush kit Pre 1/17. /18 and TDGP-388.			
\cap	U-Bolt kit	2	TDUB-024	\$	Kt	
	Greaseable Shackle kit	1	TDGS-387/18	\$	Kt	
	Greaseable Pin kit	1	TDGP-388	\$	Kt	
	Urethane Shackle bush kit - Post 1/2017	1	TDUK-048/14	\$	Kt	
Note: TDU	K-048/14 OEM replacem All when reusing OEM	ent pin	bush kit Post 1/2017 - O s and shackle.	nly.		
	Brake Bias Bkt Suits Up to 01/2017	1	TDSP-014	\$	Kt	
Note:	TDSPR-014 Must be fitte	d to	all kits before 1/2017.			
	Handbrake Relocation Bkt	1	TDSP-015	\$	Kt	
Note: TDSP-0	Note: TDSP-015 Must be fitted when using BMX/ TDR Shock in the rear.					

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom evering	2	ADJ00191	\$	Ea



TOYOTA LANDCRUISER 77 SERIES 1993-1999 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Leaf Spring 2 Ea Leaf Spring Fitment Kit 1 Kt Steering Damper (Optional) 1 Ea

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHO	Ck	ABSORBER				
	OE Height	2	FC41113B	\$ Ea			
	50mm Lift	2	FC41163B	\$ Ea			
<u> </u>	40MM ADJUSTABLE - SHOCK ABSORBER						
	50mm Lift	2	BM401163	\$ Ea			
	45MM ADJUSTA	BI	E - SHOCK ABSC	RBER			
8	50mm Lift	2	BMX1163/2	\$ Ea			
	RALPH -	SH	OCK ABSORBER				
	50mm Lift	2	TDR1163B	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41377	\$ Ea				
<u> </u>	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
	Up to 50mm Lift	2	BM401377	\$ Ea				
	45MM ADJUSTA	BL	E - SHOCK ABSC	RBER				
8	Only 50mm Lift	2	BMX1377/2	\$ Ea				
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift	2	TDR1377	\$ Ea				

LEAF SPRINGS						
مر ب	Up to Steel Bar	2	T52	\$	Ea	
	With Steel Bar & Winch	2	T52H	\$	Ea	

	LEAF SPI	RIN	IGS	
مر به	0-300kg load	2	FS761	\$ Ea
	CONSTANT 300kg load	2	FS761M	\$ Ea

LEAF SPRINGS								
	Urethane Shackle bush kit			TDUK-012				
\cap	U-Bolt kit		TDFK-029	TDUB-019	\$ Kt			
**************************************	Greaseable Shackle kit		1DFK-029	TDGS-348	Φ NI			
	Greaseable Pin kit			TDGP-351				

LEAF SPRINGS								
	Urethane Shackle bush kit			TDUK-018				
\bigcap	U-Bolt kit		TDEK 004	TDUB-017				
s) ds	Greaseable Shackle kit	1	TDFK-034	TDGS-357	\$ Kt			
	Greaseable Pin kit			TDGP-354				

STEERING DAMPERS						
	Heavy Duty Damper	1	EXT5001	\$	Ea	
<u></u>	Return to Center	1	SS5001-P/S	\$	Ea	
·	9 Stage Adjustable	1	SV5001	\$	Ea	



TOYOTA LANDCRUISER 77 SERIES 1993-1999 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
FRONT INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt		
\bigcap	U-Bolt kit	2	TDUB-019	\$	Kt		
	Greaseable Shackle kit	1	TDGS-348	\$	Kt		
·····8	Greaseable Pin kit	1	TDGP-351	\$	Kt		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-018	\$ Kt			
\cap	U-Bolt kit	2	TDUB-017	\$ Kt			
	Greaseable Shackle kit	1	TDGS-357	\$ Kt			
**************************************	Greaseable Pin kit	1	TDGP-354	\$ Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
0	Fits top pin	2	TW959	\$	Ea	
8	Fits bottom eyering	1	ADJ00191	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top & bottom eyering	2	ADJ00191	\$	Ea	



LANDCRUISER 78 SERIES (WITH COIL SPRING) KZ78 (INTERNATIONAL) EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Steering Damper (Optional) 1 Ea

REA	R						
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
1133	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	50mm Lift	2	FC41254	\$ Ea				
	40MM ADJUSTABLE - SHOCK ABSORBER							
	50mm Lift	2	BM401254	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	50mm Lift	2	FC41255	\$ Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER						
8	50mm Lift	2	BM401255	\$ Ea			

COIL SPRINGS						
	Up to Steel Bar	1	TDC960L	\$	Pr	
	With Bar & Winch	1	TDC960HL	\$	Pr	

COIL SPRINGS					
	0-300kg load	1	TDC961L	\$	Pr
	CONSTANT 300kg load	1	TDC961HL	\$	Pr

STEERING DAMPERS					
	Heavy Duty Damper	1	EXT5001	\$	Ea
<u></u>	Return to Center	1	SS5001-P/S	\$	Ea
06 	9 Stage Adjustable	1	SV5001	\$	Ea



THIS PAGE IS INTENTIONALLY BLANK





Greaseable Pin Kit

Bellow Airbags (Optional)

2 2 Ea

> Kt Κt Kt

Κt

Kt

FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



s for the front cha of your ve	······································	۱
Shock Absorber	2	Ea
Coil Springs	1	Pr
Panhard Rod (Optional)	1	Ea
Castor Correction (Optional)	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pin (Optional)	1	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41050	\$	Ea		
	75mm /3" Lift	2	FC41050/3	\$	Ea		
	100mm /4" Lift	2	FC41050/4	\$	Ea		
	40MM ADJUSTA	ABL	E - SHOCK ABSO	DRE	BER		
<u> </u>	Up to 50mm Lift	2	BM401050	\$	Ea		
	75mm /3" Lift	2	BM401050/3	\$	Ea		
•	45MM ADJUSTA	ABL	E - SHOCK ABSO	DRE	BER		
	Only 50mm Lift	2	BMX1050/2	\$	Ea		
8	75mm /3" Lift	2	BMX1050/3	\$	Ea		
	100mm /4" Lift	2	BMX1050/4	\$	Ea		
RALPH - SHOCK ABSORBER							
	Up to 50mm Lift	2	TDR1050	\$	Ea		
	75mm /3" Lift	2	TDR1050/3	\$	Ea		

COIL SPRINGS						
	OE Height - Up to Steel Bar	1	TDC950SL	\$	Pr	
	50mm Lift - Up to Steel Bar	1	TDC950L	\$	Pr	
	50mm Lift - With Steel Bar & Winch	1	TDC950HL	\$	Pr	
	75mm Lift - With Bar & Winch	1	TDC950/3H	\$	Pr	

REAR					
REAR SUSPENSION CHECK LIST					
You need to order the following items	You need to order the following items for the rear end of your veh				
	Shock Absorber	2			
	Leaf Spring	2			
	Urethane Shackle Bushes	1			
	U-Bolts Kits	1			
	Greaseable Shackle Kit	1			

CONTENT	DESCRIPTION	QTY	PART NO	R	RRP		
F	FOAM CELL - SHO	CK	ABSORBER				
	Up to 50mm Lift	2	FC41377	\$	Ea		
	75mm /3" Lift	2	FC41377/3	\$	Ea		
	100mm /4" Lift	2	FC41377/4	\$	Ea		
	40MM ADJUSTA	BL	E - SHOCK ABSC	RB	ER		
<u> </u>	Up to 50mm Lift	2	BM401377	\$	Ea		
	75mm /3" Lift	2	BM401377/3	\$	Ea		
•	45MM ADJUSTABLE - SHOCK ABSORBER						
	Only 50mm Lift	2	BMX1377/2	\$	Ea		
8	75mm /3" Lift	2	BMX1377/3	\$	Ea		
	100mm /4" Lift	2	BMX1377/4	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	Up to 50mm Lift	2	TDR1377	\$	Ea		

LEAF SPRINGS					
•	0-200kg load	2	BP-019	\$	Ea
		1	FS781-LH	\$	Ea
	CONSTANT 400kg load	1	FS781-RH	\$	Ea
	CONSTANT 600kg load	1	FS781HM-LH	\$	Ea
		1	FS781HM-RH	\$	Ea
	CONSTANT 900kg load	1	FS781XHD-LH	\$	Ea
		1	FS781XHD-RH	\$	Ea
IF FS781XHD springs selected, then select 1 X TDSB-008 as well					

OFFSET KING PINS						
	0.5 Degree	1	TAK-8005	\$	Ea	
	0.75 Degree	1	TAK-8075	\$	Ea	
	1.0 Degree	1	TAK-8001	\$	Ea	

Bellows Bag - OEM Height 1 TDAA-121 \$ K Bellows Bag - Up to 75mm lift 1 TDAA-115 \$ K	AIR ASSIST - BELLOWS						
Bellows Bag	22	Bellows Bag - OEM Height	1	TDAA-121	\$	Kt	
Op to rollilli liit		Bellows Bag - Up to 75mm lift	1	TDAA-115	\$	Kt	

Note: Separate Air Assist components can be viewed on page 14.



TOYOTA
LANDCRUISER
78, 79 SERIES (SINGLE CAB)
10/1999 ON
EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
STEERING DAMPERS - 6 CYLINDER						
	HD Steering Damper	1	EXT5001	\$	Ea	
<u>~</u> ±	Return to Center	1	SS5001-P/S	\$	Ea	
O(9 Stage Adjustable	1	SV5001	\$	Ea	
STEERING DAMPERS - V8 MODELS						
	Heavy Duty damper	1	EXT5004	\$	Ea	
<u>~</u> ±	Return to Center	1	SS5004-P/S	\$	Ea	
••••• •	9 Stage Adjustable	1	SV5004	\$	Ea	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRF	•	
AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

SWAY BARS						
	33MM Sway Bar - V8 Vehicles only	1	TDSB-007	\$	Ea	
	33MM Sway Bar - 6 Cylinder only	1	TDSB-011	\$	Ea	
•	Front sway bar spacer kit-If tailshaft contacts	1	TDSP-013	\$	Ea	

SWAY BARS					
	Sway Bar - Fit with CONSTANT 900kg Springs	1	TDSB-008	\$	Ea
	Sway Bar - Fit with CONSTANT 900kg Springs - 5 Star Ancap only 9/2016 - On	1	TDSB-012	\$	Ea
Note: Swaybar does not suit 6 Cylinder, only V8 Models.					
	Replacement bush for Sway bar	1	TDUK-033	\$	Kt

CASTER CORRECTION						
	2 Degree	1	TDUK-054/2	\$	Kt	
	3 Degree	1	TDUK-054/3	\$	Kt	

PANHARD RODS						
	Adjustable - 6 Cylinder	1	TDPR-079	\$	Ea	
	Adjustable - V8 Up to 08/2016	1	TDPR-015	\$	Ea	
~ 	Adjustable - V8 09/2016 on	1	TDPR-006	\$	Ea	
	Adjustable - 6 Cylinder LHD Only	1	TDPR-019	\$	Ea	
	Adjustable - V8 LHD Only	1	TDPR-025	\$	Ea	
	Panhard rod replacement bushes	1	TDUK-043	\$	Kt	

F	REAR INDIVIDUAL	C	OMPONENTS	
	Urethane Shackle bush kit - Suit V8 with greaseable pins & shackles	1	TDUK-048	\$ Kt
\cap	U-Bolt kit (230mm long)	2	TDUB-024	\$ Kt
\cap	U-Bolt kit (290mm long) - use with FS781XHD	2	TDUB-038	\$ Kt
	Greaseable Shackle kit	1	TDGS-387/18	\$ Kt
**************************************	Greaseable Pin Kit	1	TDGP-388	\$ Kt
ı.	Brake bias bracket - Not req after 1/17	1	TDSP-014	\$ Ea
	Handbrake relocation bracket - Must be fitted with BMX OR TDR shocks	1	TDSP-015	\$ Ea
	Urethane Shackle bush kit-Suit Ute before 6/09 w/standard pins & shackles	1	TDUK-048/14	\$ Kt
	Urethane Shackle bush kit-Suit T/ Carrier before 6/09 W/standard pins & shackles	1	TDUK-048/18	\$ Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW957	\$	Ea	
0	Urethane Spring Spacer 30mm	1	TDUK-1961/30	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top & bottom eyering	2	ADJ00191	\$	Ea	



TOYOTA LANDCRUISER 78, 79 SERIES (DUAL CAB) 2012 ON EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT

FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



for the front end of your ve	nicie.	
Shock Absorber	2	Ea
Coil Springs	1	Pr
Panhard Rod (Optional)	1	Ea
Castor Correction (Optional)	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pin (Optional)	1	Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Urethane Shackle Bushes	1	Kt				
	U-Bolts Kits	1	Kt				
	Greaseable Shackle Kit	1	Kt				
○ ○ ○ 	Greaseable Pin Kit	1	Kt				
	Bellow Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ı	FOAM CELL - SHOCK ABSORBER						
	Up to 50mm Lift	2	FC41050	\$	Ea		
	75mm /3" Lift	2	FC41050/3	\$	Ea		
	100mm /4" Lift	2	FC41050/4	\$	Ea		
	40MM ADJUST	ABI	E - SHOCK ABSO	DRB	ER		
<u> </u>	Up to 50mm Lift	2	BM401050	\$	Ea		
	75mm /3" Lift	2	BM401050/3	\$	Ea		
	45MM ADJUSTABLE - SHOCK ABSORBER						
	Only 50mm Lift	2	BMX1050/2	\$	Ea		
8	75mm /3" Lift	2	BMX1050/3	\$	Ea		
	100mm /4" Lift	2	BMX1050/4	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	50mm Lift	2	TDR1050	\$	Ea		
	75mm /3" Lift	2	TDR1050/3	\$	Ea		

CONTENT	DESCRIPTION	QTY	PART NO	R	RRP
ŀ	FOAM CELL - SHO	CK	ABSORBER		
	Up to 50mm Lift	2	FC41377	\$	Ea
	75mm /3" Lift	2	FC41377/3	\$	Ea
	100mm /4" Lift	2	FC41377/4	\$	Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RB	ER
2	Up to 50mm Lift	2	BM401377	\$	Ea
	75mm /3" Lift	2	BM401377/3	\$	Ea
	45MM ADJUSTA	ABI	E - SHOCK ABSC	RB	ER
	Only 50mm Lift	2	BMX1377/2	\$	Ea
8	75mm /3" Lift	2	BMX1377/3	\$	Ea
	100mm /4" Lift	2	BMX1377/4	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	50mm Lift	2	TDR1377	\$	Ea

COIL SPRINGS						
	OE Height - Up to Steel Bar	1	TDC950SL	\$	Pr	
M I A A A A	50mm Lift - Up to Steel Bar	1	TDC950L	\$	Pr	
	50mm Lift - With Steel Bar & Winch	1	TDC950HL	\$	Pr	
	75mm Lift - With Bar & Winch	1	TDC950/3H	\$	Pr	

LEAF SPRINGS						
		1	FS781-LH	\$	Ea	
	CONSTANT 300kg load	1	FS781-RH	\$	Ea	
مر يه	CONSTANT 500kg load	1	FS781HM-LH	\$	Ea	
		1	FS781HM-RH	\$	Ea	
	CONSTANT 800kg load	1	FS781XHD-LH	\$	Ea	
		1	FS781XHD-RH	\$	Ea	
IF FS781XHD springs selected, then select 1 X TDSB-008 as well						

STEERING DAMPERS - V8 MODELS						
	Heavy Duty damper	1	EXT5004	\$	Ea	
<u></u>	Return to Center	1	SS5004-P/S	\$	Ea	
O(9 Stage Adjustable	1	SV5004	\$	Ea	



TOYOTA LANDCRUISER 78, 79 SERIES (DUAL CAB) 2012 ON EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT						
CONTENT	DESCRIPTION	ESCRIPTION PART NO		RRP		
SWAY BARS						
	33MM Sway Bar - V8 Vehicles only	1	TDSB-007	\$	Ea	
•	Front sway bar spacer kit - If tailshaft contacts	1	TDSP-013	\$	Ea	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
SWAY BARS							
	Sway Bar - Fit with CONSTANT 900kg Springs	1	TDSB-008	\$	Ea		
	Replacement bush for Sway bar	1	TDUK-033	\$	Kt		

OFFSET KING PINS						
	0.5 Degree	1	TAK-8005	\$	Ea	
	0.75 Degree	1	TAK-8075	\$	Ea	
	1.0 Degree	1	TAK-8001	\$	Ea	

AIR ASSIST - BELLOWS						
	Bellows Bag - OEM Height	1	TDAA-121	\$	Kt	
	Bellows Bag - Up to 75mm lift	1	TDAA-115	\$	Kt	
Note: Sepa	arate Air Assist compone	nts	can be viewed on page	14.		
AIR ASS	IST - BELLOWS W	/IR	ELESS AIR SYST	ЕМ		
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

CASTER CORRECTION					
	2 Degree	1	TDUK-054/2	\$	Kt
	3 Degree	1	TDUK-054/3	\$	Kt

PANHARD RODS					
~ _	Adjustable - V8 RHD Only	1	TDPR-015	\$	Ea
~	Adjustable - V8 LHD Only	1	TDPR-025	\$	Ea

ŀ	REAR INDIVIDUAL	C	OMPONENTS	
	Urethane Shackle bush kit-Suit V8 w/ greaseable pins & shackles	1	TDUK-048	\$ Kt
\bigcap	U-Bolt kit (230mm long)	2	TDUB-024	\$ Kt
\cap	U-Bolt kit (290mm long) - use with FS781XHD	2	TDUB-038	\$ Kt
	Greaseable Shackle kit	1	TDGS-387/18	\$ Kt
**************************************	Greaseable Pin Kit	1	TDGP-388	\$ Kt
L	Brake bias bracket - Not req after 1/17	1	TDSP-014	\$ Ea
	Handbrake relocation bracket - Fit with BMX OR TDR shocks	1	TDSP-015	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW957	\$	Ea	
0	Urethane Spring Spacer 30mm	1	TDUK-1961/30	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top & bottom eyering	2	ADJ00191	\$	Ea	

FOR GVM UPGRADES, SEE PAGE 240



TOYOTA LANDCRUISER UTE 79 SERIES

V8 ENGINE ONLY, 2007 - 09/2022

3300_{KG*}

3950_{KG*}



The 79 Series Ute continues to stand out from the pack with its indestructible design and unparalleled power. Give it the upgrade it needs to take you into unchartered territory with a Tough Dog GVM Upgrade!

WHAT YOU GET:

- EXTRA PAYLOAD 650KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1480KG	1540KG				
REAR AXLE RATING	2300KG	2410KG				
GROSS VEHICLE MASS (GVM) SINGLE CAB	3400KG*	3950KG				
GROSS VEHICLE MASS (GVM) DUAL CAB	3300KG	3950KG				
TOWING CAPACITY (BRAKED)	3500KG	3500KG				
GROSS COMBINED MASS (GCM) SINGLE CAB	6900KG*	6900KG				
GROSS COMBINED MASS (GCM) DUAL CAB	6800KG	6800KG				

Payload increase is based on model variant.
 *09/2016 On

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG <u>APPROVED</u> GVM DEALER

V8 ENGINE ONLY, 2007 - 09/2022

DESCRIPTION	GVM UPGRADE	PART NO	RRP
SHOCKS: FOAM CELL	3950KG	TDGVM-044	
SHOCKS: FOAM CELL REAR: 700KG MIN. LOAD	3950KG	TDGVM-045	
SHOCKS: RALPH	3950KG	TDGVM-068	
SHOCKS: RALPH REAR: 700KG MIN. LOAD	3950KG	TDGVM-069	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



TOYOTA LANDCRUISER TROOPY 78 SERIES

V8 ENGINE ONLY, 2007 - 09/2022

3300_{KG}



The LandCruiser is still the King off the road, and the 78 Series is built for one specific purpose; hard work. Take the proven capabilities of your workhorse to the next level, with a Tough Dog GVM Upgrade!

WHAT YOU GET:

- EXTRA PAYLOAD 650KG
- **UPGRADED SUSPENSION**
- **IMPROVED HANDLING & LOAD CARRYING**

DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG
FRONT AXLE RATING	1480KG	1540KG
REAR AXLE RATING	2300KG	2410KG
GROSS VEHICLE MASS (GVM)	3300KG	3950KG
TOWING CAPACITY (BRAKED)	3500KG	3500KG
GROSS COMBINED MASS (GCM)	6800KG	6800KG

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER **V8 ENGINE ONLY, 2007 - 09/2022**

DESCRIPTION	GVM UPGRADE	PART NO	RRP
SHOCKS: FOAM CELL	3950KG	TDGVM-044	
SHOCKS: FOAM CELL REAR: 700KG MIN. LOAD	3950KG	TDGVM-045	
SHOCKS: RALPH	3950KG	TDGVM-068	
SHOCKS: RALPH REAR: 700KG MIN. LOAD	3950KG	TDGVM-069	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME

GVM UPGRADE



TOYOTA LANDCRUISER UTE 79 SERIES

V8 ENGINE ONLY, 09/2022 ON



The 79 Series Ute continues to stand out from the pack with its indestructible design and unparalleled power. Give it the upgrade it needs to take you into unchartered territory with a Tough Dog GVM Upgrade!

WHAT YOU GET:

- EXTRA PAYLOAD UP TO 690KG
- **UPGRADED SUSPENSION**
- **IMPROVED HANDLING & LOAD CARRYING**

VEHICLE S	PECIFICATIONS	
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG
FRONT AXLE RATING	1480KG	1650KG
REAR AXLE RATING	2300KG	2430KG / 2550KG [†]
GROSS VEHICLE MASS (GVM) SINGLE CAB	3510KG	3950KG / 4200KG [†]
GROSS VEHICLE MASS (GVM) DUAL CAB	3510KG	3950KG / 4200KG [†]
TOWING CAPACITY (BRAKED)	3500KG	3500KG
GROSS COMBINED MASS (GCM) SINGLE CAB	6900KG	6900KG
GROSS COMBINED MASS (GCM) DUAL CAB	6800KG	6800KG

† a Minimum 'Tyre Load Rating Index' of 117 is required to achieve 4200KG GVM Upgrade.

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER **V8 ENGINE ONLY, 09/2022 ON**

DESCRIPTION GVM UPGRADE PART NO RRP SHOCKS: FOAM CELL 3950KG / 4200KG[†] TDGVM-070 SHOCKS: FOAM CELL | REAR: 700KG MIN. LOAD 3950KG / 4200KG[†] TDGVM-071 SHOCKS: RALPH 3950KG / 4200KG[†] TDGVM-072 SHOCKS: RALPH | REAR: 700KG MIN. LOAD 3950KG / 4200KG[†] **TDGVM-073**



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME

GVM UPGRADE



TOYOTA LANDCRUISER TROOPY 78 SERIES

V8 ENGINE ONLY, 09/2022 ON

3510_{KG}

3950_{KG}



SHOCKS: RALPH | REAR: 700KG MIN. LOAD

The LandCruiser is still the King off the road, and the 78 Series is built for one specific purpose; hard work. Take the proven capabilities of your workhorse to the next level, with a Tough Dog GVM Upgrade!

WHAT YOU GET:

- EXTRA PAYLOAD 440KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG
FRONT AXLE RATING	1480KG	1650KG
REAR AXLE RATING	2300KG	2430KG
GROSS VEHICLE MASS (GVM)	3510KG	3950KG
TOWING CAPACITY (BRAKED)	3500KG	3500KG
GROSS COMBINED MASS (GCM)	6800KG	6800KG

Payload increase is based on model variant.

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER V8 ENGINE ONLY, 09/2022 ON DESCRIPTION GVM UPGRADE PART NO RRP SHOCKS: FOAM CELL SHOCKS: FOAM CELL | REAR: 700KG MIN. LOAD SHOCKS: RALPH 3950KG TDGVM-071 SHOCKS: RALPH



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME

3950KG

TDGVM-073



Offset King Pin (Optional)

1 Ea



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Springs 1 Panhard Rod (Optional) Ea Castor Correction (Optional) Kt Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	R	RP		
FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41002	\$	Ea		
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBI	ΞR		
	Up to 50mm Lift	2	BM401002	\$	Ea		
	45MM ADJUSTA	\BI	E - SHOCK ABSO	RBI	ΞR		
8	Only 50mm Lift	2	BMX1002/2	\$	Ea		
	RALPH - SHOCK ABSORBER						
	Up to 50mm Lift	2	TDR1002B	\$	Ea		

COIL SPRINGS - 25MM LIFT						
	03/1990-1991	80	Series			
	No Bar or Alloy Bar - Petrol	1	TDC943S	\$	Pr	
	Steel Bar - Diesel	1	TDC948L	\$	Pr	
	Steel Bar & Winch - Petrol or Diesel	1	TDC948HL	\$	Pr	
	COIL SP	RII	NGS - 50MM LIFT			
	03/1	990	-1991 80 Series			
	Steel Bar - Diesel	1	TDC943	\$	Pr	
	Steel Bar & Winch - Petrol or Diesel	1	TDC943H	\$	Pr	
	COIL SP	RII	NGS - 25MM LIFT			
M I A A A A	9/91-98 80 8	Serie	es & 3/98-07 105 Series			
	No Bar or Alloy Bar - Petrol	1	TDC948SL	\$	Pr	
	Steel Bar - Diesel	1	TDC948HSL	\$	Pr	
	Steel Bar & Winch - Petrol or Diesel	1	TDC948L	\$	Pr	
	COIL SP	RII	NGS - 50MM LIFT			
		Serie	es & 3/98-07 105 Series			
	No Bar or Alloy bar - 80 Series Only	1	TDC943S	\$	Pr	
	Steel Bar	1	TDC948L	\$	Pr	
	Steel Bar & Winch	1	TDC948HL	\$	Pr	
	Steel Bar, Winch & Dual Battery	1	TDC943H	\$	Pr	

REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following item	s for the rear end of your vel	nicle.				
ii 22	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
ii ss	Panhard Rods (Optional)	1	Ea			
	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
F	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41111	\$	Ea			
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RB	ER			
	Up to 50mm Lift	2	BM401111	\$	Ea			
	45MM ADJUSTA	BL	E - SHOCK ABSO	RB	ER			
8	Only 50mm Lift	2	BMX1111/2	\$	Ea			
	RALPH - SHOCK ABSORBER							
	Up to 50mm Lift	2	TDR1111	\$	Ea			

COIL SPRINGS - 25MM LIFT						
03/1990-1991 80 Series						
	0-300kg load	1	TDC945S	\$	Pr	
	CONSTANT 300kg load	1	TDC949L	\$	Pr	
	CONSTANT 500kg load	1	TDC949HL	\$	Pr	
	COIL SP	RII	NGS - 50MM LIFT			
	03/1	990	-1991 80 Series	,		
	0-300kg load	1	TDC945	\$	Pr	
	CONSTANT 300kg load	1	TDC945H	\$	Pr	
	COIL SP	RII	NGS - 25MM LIFT			
MILLAAA	9/91-98 80 8	Serie	es & 3/98-07 105 Series	_		
	0-300kg load	1	TDC949SL	\$	Pr	
	CONSTANT 300kg load	1	TDC949HSL	\$	Pr	
	CONSTANT 500kg load	1	TDC949L	\$	Pr	
	COIL SP	RII	NGS - 50MM LIFT			
	9/91-98 80 8	Serie	es & 3/98-07 105 Series	,		
	No Load	1	TDC945S	\$	Pr	
	0-300kg load	1	TDC949L	\$	Pr	
	CONSTANT 300kg load	1	TDC949HL	\$	Pr	
	CONSTANT 500kg load	1	TDC945H	\$	Pr	



TOYOTA LANDCRUISER 80 & 105 SERIES (2") 05/1990-2007 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP
CASTER CORRECTION					
©	2 Degree caster correction bush	1	TDUK-054/2	\$	Kt

REAR					
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RR	P
AIR ASSIST - COIL INSERT					
	Coil Insert bag - OEM Height	1	TDAA-021	\$	Kt
	Coil Insert bag - 25mm Lift	1	TDAA-010	\$	Kt
	Coil Insert bag - 50mm Lift	1	TDAA-011	\$	Kt
Note: Separate Air Assist components can be viewed on page 14.					
AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM					
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt

PANHARD RODS

1

1

TDPR-007

TDUK-047

\$

\$

Ea

Κt

Adjustable panhard

rod

Panhard rod bush kit

OFFSET KING PINS						
	0.5 Degree	1	TAK-8005	\$	Ea	
	0.75 Degree	1	TAK-8075	\$	Ea	
	1.0 Degree	1	TAK-8001	\$	Ea	

PANHARD RODS					
~_	Adjustable panhard rod - rhd	1	TDPR-006	\$	Ea
	Adjustable panhard rod - lhd	1	TDPR-001	\$	Ea
	Panhard rod bush kit	1	TDUK-043	\$	Kt

STEERING DAMPERS					
-	Heavy duty Steering Damper	1	EXT5001	\$	Ea
<u>~</u>	Return to centre Steering Damper	1	SS5001-P/S	\$	Ea
•••••• ••••	9 Stage adjustable damper	1	SV5001	\$	Ea

F	FRONT INDIVIDUAL COMPONENTS						
	Radius Rod to Chassis bush kit	1	TDUK-044	\$	Kt		
	Radius Rod to Diff bush kit	1	TDUK-050	\$	Kt		
	20mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/20	\$	Ea		
	30mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/30	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pins	4	TW957	\$	Ea

REAR INDIVIDUAL	C	OMPONENTS	
Trailing Arm bush kit - Upper	1	TDUK-045	\$ Kt
Trailing Arm bush kit - Lower	1	TDUK-046	\$ Kt
15mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/15	\$ Ea
30mm Urethane Coil	1	TDUK-1724/30	\$ Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW957	\$	Ea	
8	Fits bottom eyering	1	415024	\$	Ea	



TOYOTA
LANDCRUISER
80 & 105 SERIES (3")
05/1990-2007
EST. LIET ERONT: 75MM



EST. LIFT FRONT: 75MM | REAR: 75MM

FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Shock Absorber Coil Springs Pr Panhard Rod Ea **Castor Correction** Kt Steering Damper (Optional) Ea Offset King Pin (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	R	RP
	FOAM CELL - SHO	Ck	ABSORBER		
	75mm / 3" Lift	2	FC41002	\$	Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RB	ER
٥	75mm / 3" Lift	2	BM401002	\$	Ea
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RB	ER
8	75mm / 3" Lift	2	BMX1002/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	75mm / 3" Lift	2	TDR1002B	\$	Ea

COIL SPE	RIN	IGS	
75mm / 3" Lift with no bar or alloy bar	1	TDC943	\$ Pr
75mm / 3" Lift with Steel bar	1	TDC948/3	\$ Pr
75mm / 3" Lift with Steel bar & Winch	1	TDC943H	\$ Pr

	CASTER CO	RRI	ECTION	
©	2 Deg Castor correction bush kit	1	TDUK-054/2	\$ Kt

PANHARD RODS					
~	Adjustable - RHD	1	TDPR-006	\$	Ea
~	o Adjustable - LHD	1	TDPR-001	\$	Ea
	Panhard Rod bush kit	1	TDUK-043	\$	Kt

STEERING DAMPERS					
-	Heavy Duty	1	EXT5001	\$	Ea
~~~~~~ ±	Return to Center	1	SS5001-P/S	\$	Ea
·	9 Stage Adjustable	1	SV5001	\$	Ea

REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Brake Hose Kit	1	Ea				
1133	Panhard Rods	1	Ea				

CONTENT	DESCRIPTION	۵Ţ	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	75mm / 3" Lift	2	FC41111	\$ E	Ēa				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER					
	75mm / 3" Lift	2	BM401111	\$ E	Ēa				
	45MM ADJUSTA	λBI	E - SHOCK ABSO	RBER					
8	75mm / 3" Lift	2	BMX1111/2	\$ E	Ēa				
	RALPH - SHOCK ABSORBER								
	75mm / 3" Lift	2	TDR1111	\$ E	Ēa				

COIL SPRINGS						
	75mm / 3" Lift 0-300kg load	1	TDC949/3	\$	Pr	
	75mm / 3" Lift CONSTANT 300kg load	1	TDC945	\$	Pr	
	75mm / 3" Lift CONSTANT 500kg load		TDC945H	\$	Pr	

PANHARD RODS						
·	Adjustable	1	TDPR-007	\$	Ea	
	Panhard Rod bush kit	1	TDUK-047	\$	Kt	



TOYOTA LANDCRUISER 80 & 105 SERIES (3") 05/1990-2007 EST. LIFT FRONT: 75MM | REAR: 75MM



FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
OFFSET KING PINS									
	0.5 Degree	1	TAK-8005	\$	Ea				
	0.75 Degree	1	TAK-8075	\$	Ea				
	1.0 Degree	1	TAK-8001	\$	Ea				

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
BRAKE HOSE KITS - 80 & 105 SERIES NON ABS									
	Rubber	1	TDBH-003	\$	Ea				
	Braided	1	TDBH-197	\$	Ea				
	BRAKE HOS	BRAKE HOSE KITS - 80 SERIES ABS							
	Rubber	1	TDBH-300	\$	Ea				
*	Braided	1	TDBH-200	\$	Ea				
	BRAKE HOSE	ΕK	ITS - 105 SERIES	ABS	S				
	Rubber	1	TDBH-398	\$	Ea				
	Braided	1	TDBH-198	\$	Ea				

FRONT INDIVIDUAL COMPONENTS						
	Radius Rod to Chassis bush kit	1	TDUK-044	\$	Kt	
	Radius Rod to Diff bush kit	1	TDUK-050	\$	Kt	
	20mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/20	\$	Ea	
	30mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
-	Trailing Arm bush kit - Upper	1	TDUK-045	\$	Kt	
	Trailing Arm bush kit - Lower	1	TDUK-046	\$	Kt	
	15mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/15	\$	Ea	
	30mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/30	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pins	4	TW957	\$	Ea


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW957	\$	Ea	
	Fits bottom eyering	1	415024	\$	Ea	



TOYOTA LANDCRUISER 80 & 105 SERIES (4", 5", 6") 05/1990-2007

4WD Suspension
Across the World

EST. LIFT FRONT: 100MM | REAR: 100MM



CONTENT	DESCRIPTION	QTY	PART NO	RF	RP				
FOAM CELL - SHOCK ABSORBER									
2	100mm / 4" Lift	2	FC41002/4	\$	Ea				
	45MM ADJUSTABLE - SHOCK ABSORBER								
•	100mm / 4" Lift	2	BMX1002/4	\$	Ea				
	125mm / 5" Lift	2	BMX1002/6	\$	Ea				
8	150mm / 6" Lift	2	BMX1002/6	\$	Ea				

	COIL SPRINGS								
	100mm / 4" Lift - Up to Steel bar	1	TDC948/4	\$	Pr				
	100mm / 4" Lift - Up to Steel bar & Winch	1	TDC948/4H	\$	Pr				
MILLAAA	125mm / 5" Lift - Up to Steel bar	1	TDC948/5	\$	Pr				
	125mm / 5" Lift - Up to Steel bar & Winch	1	TDC948/5H	\$	Pr				
	150mm / 6" Lift - Up to Steel bar	1	TDC948/6	\$	Pr				
	150mm / 6" Lift - Up to Steel bar & Winch	1	TDC948/6H	\$	Pr				

CASTER CORRECTION							
	100mm / 4" Lift 3 Deg Castor Correction bush	1	TDUK-054/3	\$	Kt		
	125mm / 4" Lift & 150mm / 6" Lifts 5 Deg Castor Correction Plate	1	TDCP-006	\$	Ea		

PANHARD RODS					
~	Adjustable - RHD	1	TDPR-006	\$	Ea
~	Adjustable - LHD	1	TDPR-001	\$	Ea
	Panhard Rod bush kit	1	TDUK-043	\$	Kt

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Brake Hose Kit	1	Ea				
1133	Panhard Rods	1	Ea				
0 0							

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
<u> </u>	50mm Lift	2	FC41111/4	\$	Ea			
	45MM ADJUSTABLE - SHOCK ABSORBER							
	100mm / 4" Lift	2	BMX1111/4	\$	Ea			
	125mm / 5" Lift	2	BMX1111/6	\$	Ea			
8	150mm / 6" Lift	2	BMX1111/6	\$	Ea			

COIL SPRINGS						
	100mm / 4" Lift 0-300kg load	1	TDC949/4	\$	Pr	
	100mm / 4" Lift CONSTANT 300kg load	1	TDC949/4H	\$	Pr	
	125mm / 5" Lift 0-300kg load	1	TDC949/5	\$	Pr	
	125mm / 5" Lift CONSTANT 300kg load	1	TDC949/5H	\$	Pr	
	150mm / 6" Lift 0-300kg load	1	TDC949/6	\$	Pr	
	150mm / 6" Lift CONSTANT 300kg load	1	TDC949/6H	\$	Pr	

PANHARD RODS					
o 	Adjustable panhard rod	1	TDPR-007	\$	Ea
	Panhard rod bush kit	1	TDUK-047	\$	Kt



TOYOTA LANDCRUISER 80 & 105 SERIES (4", 5", 6") 05/1990-2007



EST. LIFT FRONT: 100MM | REAR: 100MM

FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PART NO		RRP		
STEERING DAMPERS							
	Return to Center - RHD	1	SS5001-XHD	\$	Ea		
<u> </u>	Return to Center - LHD	1	SS5002-XHD	\$	Ea		
• •••••	9 Stage Adjustable - RHD	1	SV5001/4	\$	Ea		
○ (9 Stage Adjustable - LHD	1	SV5002/4	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
				· · · · · ·		

OFFSET KING PINS						
	0.5 Degree	1	TAK-8005	\$	Ea	
	0.75 Degree	1	TAK-8075	\$	Ea	
	1.0 Degree	1	TAK-8001	\$	Ea	

BRAKE HOSE KITS - 80 & 105 SERIES NON ABS						
	Rubber	1	TDBH-003	\$	Ea	
	Braided	1	TDBH-197	\$	Ea	
	BRAKE HOS	Εk	KITS - 80 SERIES A	ABS		
	Rubber	1	TDBH-300	\$	Ea	
	Braided	1	TDBH-200	\$	Ea	
	BRAKE HOSE KITS - 105 SERIES ABS					
	Rubber	1	TDBH-398	\$	Ea	
	Braided	1	TDBH-198	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
	Radius Rod to Chassis bush kit	1	TDUK-044	\$	Kt	
	Radius Rod to Diff bush kit	1	TDUK-050	\$	Kt	
0	20mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/20	\$	Ea	
	30mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Trailing Arm bush kit - Upper	1	TDUK-045	\$	Kt	
	Trailing Arm bush kit - Lower	1	TDUK-046	\$	Kt	
	15mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/15	\$	Ea	
	30mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/30	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pins	4	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW957	\$	Ea	
	Fits bottom eyering	1	415024	\$	Ea	



(IFS) FRONT: 25MM | REAR: 25MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar Pr 1 Torsion Bar Strengthing Kit Κt

CONTENT	DESCRIPTION	QTY	PART NO	RR	P				
FOAM CELL - SHOCK ABSORBER									
	Up to 25mm Lift	2	FC41103	\$	Ea				
	RALPH -	SH	OCK ABSORBER						
	Up to 25mm Lift	2	TDR1103	\$	Ea				

TORSION BAR						
	32mm/1160mm - Petrol models	1	4WTB-1600	\$	Pr	
	32mm/1210mm - Diesel models	1	4WTB-1610	\$	Pr	
tha	Strengthening kit - Must be fitted when fitting new torsion bars	1	4WTB-1610/BKT	\$	Kt	

Torsion bars must only be adjusted so that the rim to guard measurements are not more than the measurements listed here. Lifting the vehicle higher than the specified measurement will result in the failure of front end components, including shock failure.

For 16" Rim - 740mm | For 17" Rim - 753mm

REAR									
REAR SUSPENSION CHECK LIST									
You need to order the following items for the rear end of your vehicle.									
	Shock Absorber	2	Ea						
	Coil Springs	1	Pr						
!!	Panhard Rods (Optional)	1	Ea						
ll ≾≾	Coil Insert Airbags (Optional)	1	Kt						

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
FOAM CELL - SHOCK ABSORBER							
	Up to 25mm Lift	2	FC41114	\$	Ea		
	40MM ADJUSTA	۱BI	E - SHOCK ABSO	RB	ER		
o I	Up to 25mm Lift	2	BM401114	\$	Ea		
•	45MM ADJUSTABLE - SHOCK ABSORBER						
8	Up to 25mm Lift	2	BMX1114/2	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	Up to 25mm Lift	2	TDR1114	\$	Ea		

COIL SPRINGS						
	OE height 0-300kg load	1	TDC949HSL	\$	Pr	
	25mm Lift 0-300kg load	1	TDC949L	\$	Pr	
	25mm Lift CONSTANT 300kg load	1	TDC949HL	\$	Pr	

PANHARD RODS					
·	Adjustable	1	TDPR-003	\$	Ea

AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-021	\$	Kt	
	Coil Insert bag - Up to 25mm lift	1	TDAA-010	\$	Kt	
	Coil Insert bag - Up to 50mm lift	1	TDAA-011	\$	Kt	

Note: Separate Air Assist components can be viewed on page 14.

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	



TOYOTA
LANDCRUISER
100 SERIES (IFS)
1998-2007
EST. LIFT FRONT: 25MM | REAR: 25MM





REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
REAR INDIVIDUAL COMPONENTS							
	Trailing arm bush kit - Upper	1	TDUK-025	\$	Kt		
	Trailing arm bush kit - Lower	1	TDUK-026	\$	Kt		
	Urethane spring spacer -15mm	1	TDUK-1724/15	\$	Ea		
	Urethane spring spacer -30mm	1	TDUK-1724/30	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom of top pin	1	404454A	\$	Ea		
	Fits top of top pin	1	404454B	\$	Ea		
Î	Fits bottom eyering - FC shock only	1	TW040-14	\$	Ea		
Î	Fits bottom eyering - TDR shock only	1	ADJ300/40A	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom of top pin	1	404454A	\$	Ea		
	Fits top of top pin	1	404454B	\$	Ea		
8	Fits bottom eyering	1	415024	\$	Ea		





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts Ea OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RF	RP			
ASSEMBLED STRUTS - FOAM CELL								
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
	OE Height Up to Steel bar	2	TOY-200/10	\$	Ea			
	OE Height With Steel bar & Winch	2	TOY-200/15	\$	Ea			
	40mm Lift Up to Steel bar	2	TOY-200/04	\$	Ea			
	40mm Lift With Steel bar & Winch	2	TOY-200/05	\$	Ea			
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAB	LE			
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 3	l x stru	ıt top			
	OE Height Up to Steel bar	2	TOY-200/11	\$	Ea			
242	40mm Lift Up to Steel bar	2	TOY-200/01	\$	Ea			
	40mm Lift With Steel bar & Winch	2	TOY-200/02	\$	Ea			
•	ASSEMBLED ST	RU	TS - 45MM ADJUS	TAB	LE			
T	Assembled struts are m	ade	up of: 1 x strut, 1 x coil :	L x stru	ıt top			
8	25mm Lift Up to Steel bar	2	TOY-200/12	\$	Ea			
	40mm Lift Up to Steel bar	2	TOY-200/07	\$	Ea			
	40mm Lift With Steel bar & Winch	2	TOY-200/08	\$	Ea			
	ASSEMBLED STRUTS - RALPH							
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil :	l x stru	ıt top			
	25mm Lift Up to Steel bar	2	TOY-200/18	\$	Ea			
	40mm Lift Up to Steel bar	2	TOY-200/16	\$	Ea			
	40mm Lift With Steel bar & Winch	2	TOY-200/17	\$	Ea			
	STRUT - FO	ΑM	CELL					
ļ	Up to 40mm Lift	2	FC404900	\$	Ea			
	STRUT -	40ľ	MM ADJUSTABLE					
	Up to 40mm Lift	2	BM404900	\$	Ea			
	STRUT -	45I	MM ADJUSTABLE					
	Up to 40mm Lift	2	BMX454900	\$	Ea			
ĺ	ST	RU	IT - RALPH					
	Up to 40mm Lift	2	TDR4900	\$	Ea			
45mm	Adjustable & Ralph Stru	t do	es not suit factory coils					


REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Εa					
ii 22	Coil Springs	1	Р					
	Panhard Rod (Optional)	1	E					
II ≼ ≰	Swaybar (Optional)	1	E					
jjgg	Coil Insert Airbag (Optional)	1	k					

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 20mm Lift	2	FC41114	\$ Ea					
	40MM ADJUSTA	λBI	E - SHOCK ABSC	RBER					
	Up to 20mm Lift	2	BM401114	\$ Ea					
	45MM ADJUSTA	ABI	E - SHOCK ABSC	RBER					
	Up to 20mm Lift	2	BMX1114/2	\$ Ea					
	RALPH - SHOCK ABSORBER								
	Up to 20mm Lift	2	TDR1114	\$ Ea					



200 SERIES 11/2007 <mark>ON</mark>

GX, GXL, VX





FRONT								
CONTENT	DESCRIPTION	QΤΥ	PART NO		RRP			
	COIL SPF	RIN	IGS					
	OE Height Up to Steel Bar	1	TDC930SL	\$	Pr			
	OE Height with Steel bar & Winch	1	TDC930HSL	\$	Pr			
	40mm Lift Up to Steel Bar	1	TDC930L	\$	Pr			
	40mm Lift with Steel bar & Winch	1	TDC930HL	\$	Pr			
	25mm Lift Up to Steel bar - BMX & RALPH	1	TDC932SL	\$	Pr			
	40mm Lift Up to Steel bar - BMX & RALPH	1	TDC932L	\$	Pr			
	40mm Lift with Steel bar - BMX & RALPH	1	TDC932HL	\$	Pr			

REAR								
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP				
COIL SPRINGS								
M 1 1 1 1 1 1	OE Height 0-300kg load	1	TDC931SL	\$	Pr			
	20mm Lift 0-300kg load	1	TDC931L	\$	Pr			
	20mm Lift CONSTANT 300kg load	1	TDC931HL	\$	Pr			
	20mm Lift CONSTANT 500kg load	1	TDC931VHL	\$	Pr			

UPPER CONTROL ARMS								
UU	Upper Control Arms	1	TDCA-004	\$	Pr			

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - COIL INSERT							
	Coil insert bag kit OE Height	1	TDAA-021	\$	Kt		
	Coil insert bag kit - 25mm lift	1	TDAA-010	\$	Kt		
	Coil insert bag kit - 50mm lift	1	TDAA-011	\$	Kt		
Note: Senarate Air Assist components can be viewed on page 14							

UPP	ER CONTROL ARMS - REP	L/	ACEMENT COMPO	NEN	TS
	Bush Kit to fit one UCA - for TDCA-004	1	TDSK-005	\$	Kt
	Ball joint kit to fit one UCA - for TDCA-004	1	TDSK-006	\$	Kt

SWAY BAR							
_	Sway Bar (38mm)	1	TDSB-005	\$	Ea		

FRONT INDIVIDUAL COMPONENTS					

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM									
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt				

	PANHARD ROD						
o		Adjustable	1	TDPR-200	\$	Ea	
		Rear Panhard rod replacement bush kit	1	TDUK-032	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
1 0	Strut Top	2	TOY-1020	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
_	33mm H/D Sway bar kit - non KDSS only	1	TDSB-006	\$	Ea		
0	Rear coil spacer - KDSS models	1	TDUK-087	\$	Kt		

Note: Due to the nature of the KDSS, models fitted with KDSS may experience a 10-15mm lean resulting in the right hand side of the vehicle being lower.

Part number TDUK-087 can be fitted to the top of the right rear coil which will assist with this issue.

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Front bottom eyering	1	4WAY-001	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear top of pin	1	404454B	\$	Ea
	Rear bottom of pin	1	404454A	\$	Ea
	Rear bottom eyering	1	415024	\$	Ea


FOR GVM UPGRADES, SEE PAGE 256



LANDCRUISER
200 SERIES SAHARA
11/2007 DN



EST. LIFT FRONT: 40MM | REAR: 20MM



CONTENT	DESCRIPTION	QΤΥ	PART NO	R	RP		
А	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	ор			
	Up to 40mm Lift - Sahara All applications	2	TOY-200/05	\$	Ea		
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAE	BLE		
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil	1 x str	ut top		
	Up to 40mm Lift - Sahara All applications	2	TOY-200/02	\$	Ea		
\$	ASSEMBLED ST	RU	TS - 45MM ADJUS	STAE	BLE		
#	Assembled struts are m	ade	up of: 1 x strut, 1 x coil	1 x str	ut top		
8	Up to 40mm Lift - Sahara All applications	2	TOY-200/08	\$	Ea		
	ASSEMBLED STRUTS - RALPH						
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil	1 x str	ut top		
	Up to 40mm Lift - Sahara All applications	2	TOY-200/17	\$	Ea		
	STRUT - FO	ΑM	CELL				
	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	FC404900	\$	Ea		
	STRUT -	40I	MM ADJUSTABLE				
Ī	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	BM404900	\$	Ea		
1	STRUT -	45I	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	BMX454900	\$	Ea		
	ST	RL	JT - RALPH				
	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	TDR4900	\$	Ea		

REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
ii >>	Coil Springs	1	Pr				
	Panhard Rod (Optional)	1	Ea				
II≾≼	Coil Insert Airbag (Optional)	1	Kt				
ii ss							

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
	Up to 20mm Lift	2	FC41114	\$ Ea			
	40MM ADJUSTA	\ΒL	E - SHOCK ABSO	RBER			
	Up to 20mm Lift	2	BM401114	\$ Ea			
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
8	Up to 20mm Lift	2	BMX1114/2	\$ Ea			
	RALPH -	SH	OCK ABSORBER				
	Up to 20mm Lift	2	TDR1114	\$ Ea			



TOYOTA LANDCRUISER 200 SERIES SAHARA 11/2007 ON EST. LIFT FRONT: 40MM | REAR: 20MM



FRONT						
CONTENT	DESCRIPTION	ΩTΥ	PART NO		RRP	
	COIL SPE	RIN	IGS			
	OE Height with Steel Bar & Winch with FC or BM shocks	1	TDC930L	\$	Pr	
	OE Height - Up to Steel Bar with BMX or RALPH shocks	1	TDC932L	\$	Pr	
	40mm lift - Up to Bar & Winch with FC or BM shocks	1	TDC930HL	\$	Pr	
	40mm lift - Up to Bar & Winch with BMX or RALPH shocks	1	TDC932HL	\$	Pr	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	COIL SPF	RIN	IGS				
	OE Height 0-300kg load	1	TDC931SL	\$	Pr		
	20mm Lift 0-300kg load	1	TDC931L	\$	Pr		
	20mm Lift CONSTANT 300kg load	1	TDC931HL	\$	Pr		
	20mm Lift CONSTANT 500kg load	1	TDC931VHL	\$	Pr		

UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-004	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - COIL INSERT					
	Coil insert bag kit OE Height	1	TDAA-021	\$	Kt
	Coil insert bag kit - 25mm lift	1	TDAA-010	\$	Kt
	Coil insert bag kit - 50mm lift	1	TDAA-011	\$	Kt

Note: Separate Air Assist components can be viewed on page 14.

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-004	1	TDSK-005	\$	Kt	
Ball joint kit to fit one UCA - for TDCA-004	1	TDSK-006	\$	Kt	

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

PANHARD ROD					
· · ·	Adjustable	1	TDPR-200	\$	Ea
	Rear Panhard rod replacement bush kit	1	TDUK-032	\$	Kt

FRONT INDIVIDUAL COMPONENTS					
.I. 0	Strut Top	2	TOY-1020	\$	Ea

REAR INDIVIDUAL COMPONENTS					
0	Rear coil spacer - KDSS models	1	TDUK-087	\$	Kt

Note: Due to the nature of the KDSS, models fitted with kdss may experience a 10-15mm lean resulting in the right hand side of the vehicle being lower.

Part number TDUK-087 can be fitted to the top of the right rear coil which will assist with this issue.

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
=	Front bottom eyering	1	4WAY-001	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear top of pin	1	404454B	\$	Ea
	Rear bottom of pin	1	404454A	\$	Ea
	Rear bottom eyering	1	415024	\$	Ea

FOR GVM UPGRADES, SEE PAGE 257

GVM UPGRADE



TOYOTA LANDCRUISER 200 SERIES

GX SERIES 2011 - 08/2014 & 08/2014 - 2021

3350_{KG*}

3850_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO **500KG**
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1700KG*	1700KG				
REAR AXLE RATING	1950KG	2200KG				
GROSS VEHICLE MASS (GVM)	3350KG	3850KG**				
TOWING CAPACITY (BRAKED)	3500KG	3500KG				
GROSS COMBINED MASS (GCM) 6850KG 6850KG						
• Payload increase is based on model variant. • *From 08/2014, **Pre 08/2014 GVM = 3830KG						

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG <u>APPROVED</u> GVM DEALER GX SERIES 2011 - 08/2014 & 08/2014 - 2021 DESCRIPTION GVM UPGRADE PART NO RRP

DESCRIPTION	GVM UPGRADE	PART NO	RRP
SHOCKS: FOAM CELL	3850KG	TDGVM-043	



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME

GVM UPGRADE



TOYOTA LANDCRUISER 200 SERIES

GXL / VX / SAHARA SERIES 2007 - 08/2014 & 08/2014 - 2021

3350_{KG*}

3850_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO **500KG**
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS						
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG				
FRONT AXLE RATING	1700KG*	1700KG				
REAR AXLE RATING	1950KG	2200KG				
GROSS VEHICLE MASS (GVM)	3350KG	3850KG**				
TOWING CAPACITY (BRAKED)	3500KG	3500KG				
GROSS COMBINED MASS (GCM) 6850KG 6850KG						
• Payload increase is based on model variant. • *From 08/2014, **Pre 08/2014 GVM = 3830KG						

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER GXL / VX / SAHARA SERIES 2007 - 08/2014 & 08/2014 - 2021 DESCRIPTION GVM UPGRADE PART NO RRP SHOCKS: FOAM CELL 3850KG TDGVM-055



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



LANDCRUISER 300 SERIES 03/2021 ON

VX, GXL, GX, SAHARA
(EXCLUDES GR SPORT AND SAHARA ZX)
RONT: 50MM | REAR: 35MM



FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR Struts 2 Ea Coil Springs Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

			` ` `				
CONTENT	DESCRIPTION	QTY	PART NO	I	RRP		
А	SSEMBLED STRU	TS	- FOAM CELL				
Assemb	led struts are made up of	:1x	strut, 1 x coil 1 x strut to	р			
	OE Height Up to Steel Bar & Winch	2	TOY-010	\$	Ea		
	50mm Lift No Accessories	2	TOY-003	\$	Ea		
	50mm Lift Up to Steel Bar & Winch	2	TOY-004	\$	Ea		
	ASSEMBLED ST	RU	TS - 40MM ADJU	STA	BLE		
	Assembled struts are m	nade	up of: 1 x strut, 1 x coil	1 x st	rut top		
4	OE Height Up to Steel Bar & Winch	2	TOY-009	\$	Ea		
	50mm Lift No Accessories	2	TOY-001	\$	Ea		
7	50mm Lift Up to Steel Bar & Winch	2	TOY-002	\$	Ea		
8	ASSEMBLED ST	RU	TS - 45MM ADJU	STA	BLE		
	50mm Lift No Accessories	2	TOY-005	\$	Ea		
	50mm Lift Up to Steel Bar & Winch	2	TOY-006	\$	Ea		
	ASSEMBLED STRUTS - RALPH						
	50mm Lift No Accessories	2	TOY-007	\$	Ea		
	50mm Lift Up to Steel Bar & Winch	2	TOY-008	\$	Ea		
	STRUT - FO	ΑM	I CELL				
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404932	\$	Ea		
	STRUT -	401	MM ADJUSTABLE				
I	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404932	\$	Ea		
	STRUT -	45	MM ADJUSTABLE				
•	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BMX454932	\$	Ea		
0		RL	JT - RALPH				
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	TDR4932	\$	Ea		
45mm	Adjustable & Ralph Stru	t do	es not suit factory coils	;			

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
<u> </u>	Shock Absorber	2	Ea			
11 2 Z	Coil Springs	1	Pr			
	Sway bar bracket	1	Kt			
1133 🕿	Panhard Rod (Optional)	1	Ea			
1133	Coil Insert Airbag (Optional)	1	Kt			
88 —						

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	Up to 35mm Lift	2	FC43041	\$ Ea
	35mm Lift - For use with 500kg springs Only	2	FC43043	\$ Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER
	Up to 35mm Lift	2	BM403041	\$ Ea
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER
	Up to 35mm Lift	2	BMX3041	\$ Ea
	RALPH -	SH	OCK ABSORBER	
	Up to 35mm Lift	2	TDR3041	\$ Ea



300 SERIES 03/2021 ON

VX, GXL, GX, SAHARA (EXCLUDES GR SPORT AND SAHARA ZX) | REAR: 35MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
COIL SPRINGS							
	OE Height with FC or BM shocks inc Bar/Winch	1	TDC1077	\$	Pr		
	50mm Lift with FC or BM shocks No Accessories	1	TDC1055	\$	Pr		
aww	50mm Lift with FC or BM shocks Bar or Bar & Winch	1	TDC1056	\$	Pr		
	50mm Lift No Accessories Fit BMX & Ralph Struts only	1	TDC1057	\$	Pr		
	50mm Lift Bar or Bar & Winch Fit BMX & Ralph Struts	1	TDC1058	\$	Pr		

35mm Lift 0-300kg load 1 TDC1059 \$ Pr	REAR						
OE Height	CONTENT	DESCRIPTION	ΩTΥ	PART NO		RRP	
0-300kg load 1 TDC1078 \$ Pr 35mm Lift	COIL SPRINGS						
0-300kg load 1 TDC1059 \$ Pr 35mm Lift CONSTANT 300kg load 1 TDC1060 \$ Pr		OE Height 0-300kg load	1	TDC1078	\$	Pr	
CONSTANT 300kg load 1 TDC1060 \$ Pr			1	TDC1059	\$	Pr	
			1	TDC1060	\$	Pr	
35mm Lift CONSTANT 500kg load 1 TDC1061 \$ Pr		35mm Lift CONSTANT 500kg load	1	TDC1061	\$	Pr	

UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-011	\$	Pr	

only

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - COIL INSERT								
	Coil insert bag - OEM Height	1	TDAA-030	\$	Kt			
	Coil insert bag - Up to 35mm lift	1	TDAA-031	\$	Kt			
Note: Separate Air Assist components can be viewed on page 14.								

UPPER CONTROL ARMS - REP	LA	CEMENT COMPO	NE	NTS
Bush Kit to fit one UCA - for TDCA-011	1	TDSK-015	\$	Ea
Ball joint kit to fit one UCA - for TDCA-011	1	TDSK-016	\$	Ea

SWAY BAR										
	COMING SOON!									
	Sway Bar (42mm)	1	TDSB-017	\$	Ea					

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM									
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt				

SWAY BAR					SWAY	BAR				
COMING SOON!					COMING SOON!					
	Sway Bar (42mm)	1	TDSB-017	\$	Ea		Sway Bar (26mm)	1	TDSB-018	\$ Ea

PANHARD ROD							
•	Adjustable Panhard Rod	1	TDPR-027	\$	Ea		
	Rear Panhard rod	1	TDUK-032	\$	Kt		

FRONT INDIVIDUAL COMPONENTS								
1 0	Strut Top	2	TOY-4932	\$	Ea			

REAR INDIVIDUAL COMPONENTS									
a	Rear Sway Bar bracket	1	TDSP-028	\$	Kt				
	Note: Must be fitte	d wi	th every Kit						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Replacement bush kit	1	TDUK-057	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Replacement bush kit	1	TDUK-058	\$	Ea			

FOR GVM UPGRADES, SEE PAGE 260

GVM UPGRADE



TOYOTA LANDCRUISER 300 SERIES

GX / GXL / VX / SAHARA (EXC. SAHARA ZX / GR SPORT) 07/21 ON

3280_{KG*}

4139_{KG*}



WHAT YOU GET:

- EXTRA PAYLOAD UP TO 859KG
- UPGRADED SUSPENSION
- IMPROVED HANDLING & LOAD CARRYING

VEHICLE SPECIFICATIONS							
DESCRIPTION	ORIGINAL EQUIPMENT	TOUGH DOG					
FRONT AXLE RATING	1630KG	1900KG					
REAR AXLE RATING	1930KG	2239KG					
GROSS VEHICLE MASS (GVM)	3280KG	4139KG					
TOWING CAPACITY (BRAKED)	3500KG	3500KG					
GROSS COMBINED MASS (GCM)	6750KG	6750KG					
Payload increase is based on model variant.							

TOUGH DOG GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER									
GX / GXL / VX / SAHARA (EXC. SAHARA ZX / GR SPORT) 07/21 ON									
DESCRIPTION	GVM UPGRADE	PART NO	RRP						
SHOCKS: FOAM CELL	4139KG	TDGVM-041							



LOGIN INTO THE DEALER PORTAL TO START YOUR GVM ORDER!

WWW.TOUGHDOG.COM.AU/DEALER/PORTALHOME



THIS PAGE IS INTENTIONALLY BLANK





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		
А	SSEMBLED STRU	TS	- FOAM CELL			
Assemble	ed struts are made up o	f: 1 x	strut, 1 x coil 1 x strut to	р		
	OE Height	1	TOY-095/05-LH	-\$ Ea		
	- Up to Steel Bar	1	TOY-095/05-RH	Ф Са		
	40mm Lift	1	TOY-095/03-LH	ф Г-		
	- Up to Steel Bar	1	TOY-095/03-RH	\$ Ea		
_	40mm Lift - with Steel Bar & Winch	1	TOY-095/04-LH	Φ		
*		1	TOY-095/04-RH	\$ Ea		
*	ASSEMBLED STRUTS - 40MM ADJUSTABLE					
•	Assembled struts are m	ade	up of: 1 x strut, 1 x coil :	L x strut top		
Ţ	OE Height	1	TOY-095/06-LH	\$ Ea		
	- Up to Steel Bar	1	TOY-095/06-RH	ъ са		
	40mm Lift	1	TOY-095/01-LH	ф Г-		
	- Up to Steel Bar	1	TOY-095/01-RH	\$ Ea		
	40mm Lift	1	TOY-095/02-LH	ф Б-		
	- with Steel Bar & Winch	1	TOY-095/02-RH	\$ Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	OE Height	2	FC41108	\$ Ea
	40mm Lift	2	FC41113	\$ Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER
8	OE Height	2	BM401108	\$ Ea
	40mm Lift	2	BM401113	\$ Ea

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404100	\$	Ea	
I	STRUT -	STRUT - 40MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404100	\$	Ea	

	COIL SPE	RIN	IGS	
	OE height Up to steel bar	1	TDC971S	\$ Pr
	40mm lift Up to steel bar	1	TDC971	\$ Pr
	40mm lift with steel bar & winch	1	TDC971H	\$ Pr

COIL SPF	RIN	IGS	
25mm Lift 0-300kg load	1	TDC973S	\$ Pr
40mm Lift 0-300kg load	1	TDC973	\$ Pr
40mm Lift CONSTANT 300kg load	1	TDC973H	\$ Pr





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FRONT INDIVIDUAL COMPONENTS						
Tro	Strut Top	2	TOY-1081	\$	Ea		

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ť	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
8	Fits bottom eyering	1	ADJ00191	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 1 Ea Upper Control Arms (Optional) 1 Pr

		opp	per Control Arms (Optiona	ai) i Pr
CONTENT	DESCRIPTION	QTY	PART NO	RRP
A	SSEMBLED STRU	JTS	- FOAM CELL	
Assembl	ed struts are made up o	f: 1 x	strut, 1 x coil 1 x strut to	ор
	OE height	1	TOY-120/07-LH	-\$ Ea
	- Up to steel bar	1	TOY-120/07-RH	ъ са
	40mm lift	1	TOY-120/03-LH	-\$ Ea
	- Up to steel bar	1	TOY-120/03-RH	ъ ⊏а
	40mm lift - With steel bar &	1	TOY-120/04-LH	-\$ Ea
3	winch	1	TOY-120/04-RH	ф La
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE
#	Assembled struts are m	nade	up of: 1 x strut, 1 x coil	1 x strut top
	OE height - with steel bar	1	TOY-120/08-LH	-\$ Ea
		1	TOY-120/08-RH	ф La
	40mm lift	1	TOY-120/01-LH	-\$ Ea
	- Up to steel bar	1	TOY-120/01-RH	ψ La
	40mm lift - with steel bar &	1	TOY-120/02-LH	-\$ Ea
	winch	1	TOY-120/02-RH	у са
	FOAM CELI	L - S	STRUT	
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$ Ea
I	40MM A	oJU	STABLE - STRUT	
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$ Ea

REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
ii >>	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
	Coil Insert Airbag (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
ů	40mm Lift	2	FC41116	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER
	40mm Lift	2	BM401116	\$ Ea

COIL SPE	RIN	IGS	
 OE height Up to steel bar	1	TDC974S	\$ Pr
40mm lift Up to steel bar	1	TDC974	\$ Pr
40mm lift with steel bar & winch	1	TDC974H	\$ Pr

COIL SPRINGS - LWB					
	OE Height 0-300kg load	1	TDC975S	\$	Pr
	40mm Lift 0-300kg load	1	TDC975	\$	Pr
MIAAAA	40mm Lift CONSTANT 300kg load	1	TDC975H	\$	Pr
WWW #	COIL SPRINGS - SWB				
	40mm Lift 0-300kg load	1	TDC975S	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975	\$	Pr





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR						
CONTENT	DESCRIPTION	αту	PART NO	RRP		

OEM AIRBAG VEHICLES

Note: On conversion (replacing dampers only)

The electronically controlled dampers on the 120 series Prado can be replaced with Tough Dog Shock Absorbers without error indicators appearing on the instrument cluster. It is imperative that all four Shock Absorber are replaced at the same time. If operating correctly, the electronically adjustable height control of the rear air springs will not be affected if all four dampers are replaced at the same time.

Note: On conversion (replacing airbags & dampers)
When converting from air springs to conventional coils at the rear of the
120 series Prado, the electronic workaround detailed in the instructions
provided with the rear springs prevents the error indicator from being
displayed in the instrument cluster. The electronic workaround will also disable
the electronic dampering system, it is therefore important that all four dampers
be replaced if the air bag system is converted to Coil Springs.
Toyota genuine bump stop part number 48302-60080 spring-seat
sub-assembly should be ordered through Toyota.

COIL SPRINGS - AIRBAG CONVERSION					
	40mm Lift 0-300kg load	1	TDC975AB	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975HAB	\$	Pr
Note: Congrete Air Assist components can be viewed on page 14					

Note: Separate Air Assist components can be viewed on page 14.

UPPER CONTROL ARMS						
UU	Upper Control Arms	1	TDCA-005	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - COIL INSERT						
	OE height Coil insert bag kit	1	TDAA-020	\$	Kt	
	40mm lift Coil insert bag kit	1	TDAA-009	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-005	1	TDSK-007	\$	Kt	
Ball joint kit to fit one UCA - for TDCA-005	1	TDSK-008	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
1	Strut Top	2	TOY-1084	\$	Ea	
•	76mm Hole Spacing Sway Bar Spacer	1	TDSP-011	\$	Ea	

•	Sway Bar Spacer 1	TDSP-011	\$	Ea
FRONT RI	EPLACEMENT BUSHE	S (QTY PER S	НОСК	()

Front bottom eyering

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM						
	Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$	Kt	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top pin	2	TW967	\$	Ea	
8	Rear bottom eyering	1	415024	\$	Ea	

\$

Ea

ADJ300/40A





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
ii >>	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Coil Insert Airbag (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RR	Р			
A	SSEMBLED STRU	TS	- FOAM CELL					
Assemble	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	Up to 40m Lift With steel bar - SWB	1	TOY-150/05-LH	\$	Ea			
	With steel bar - SWB	1	TOY-150/05-RH	Ψ	La			
	Up to 40m Lift	1	TOY-150/06-LH	¢.	Ea			
	With steel bar & winch - SWB	1	TOY-150/06-RH	\$	Еа			
	40mm Lift	1	TOY-150/07-LH	•	_			
	Up to steel bar - LWB	1	TOY-150/07-RH	\$	Ea			
	With steel bar & winch - LWB	1	TOY-150/08-LH	6	_			
		1	TOY-150/08-RH	\$	Ea			
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
Ţ	OE height		TOY-150/01-LH					
J	With steel bar - SWB	1	TOY-150/01-RH	\$	Ea			
	Up to 40m Lift	1	TOY-150/02-LH					
	With steel bar & winch - SWB	1	TOY-150/02-RH	\$	Ea			
	40mm lift	1	TOY-150/03-LH	•	_			
	With steel bar - LWB	1	TOY-150/03-RH	\$	Ea			
	40mm lift	1	TOY-150/04-LH					
	With steel bar & winch - LWB	1	TOY-150/04-RH	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO			
°	40mm Lift	2	FC41118	\$ Ea
	40MM ADJUSTA	BI	LE - SHOCK ABSO	RBER
8	40mm Lift	2	BM401118	\$ Ea

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$	Ea	

COIL SPRINGS - SWB					
	40mm lift - Up to steel bar	1	TDC974S	\$	Pr
	40mm lift - with steel bar & winch	1	TDC974	\$	Pr

COIL SPRINGS - SWB					
MIAAAA	40mm Lift 0-300kg load	1	TDC975S	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975	\$	Pr





FRONT						
CONTENT	DESCRIPTION	₫₹	PART NO	RRP		
COIL SPRINGS - LWB						
A 1 1 1 1 1 1	40mm Lift - Up to Steel Bar	1	TDC974H	\$	Pr	
	40mm Lift - With Steel Bar & Winch	1	TDC974HH	\$	Pr	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
COIL SPRINGS - LWB						
	OE Height 0-300kg load	1	TDC975S	\$	Pr	
	40mm Lift 0-300kg load	1	TDC975	\$	Pr	
	40mm Lift CONSTANT 300kg load	1	TDC975H	\$	Pr	

UPPER CONTROL ARMS						
こと	Upper Control Arms	1	TDCA-005	\$	Pr	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

AIR ASSIST - COIL INSERT						
	OE height Coil insert bag kit	1	TDAA-020	\$	Kt	
	40mm lift Coil insert bag kit	1	TDAA-009	\$	Kt	
Note: Separate Air Assist components can be viewed on page 14.						

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS						
	Bush Kit to fit one UCA - for TDCA-005	1	TDSK-007	\$	Kt	
	Ball joint kit to fit one UCA - for TDCA-005	1	TDSK-008	\$	Kt	

FRONT INDIVIDUAL COMPONENTS							
Î	Strut Top	2	TOY-1083	\$	Ea		
@O O®	83mm Hole Spacing Sway Bar Spacer	1	TDSP-012	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ě	Front bottom eyering	1	ADJ300/40A	\$	ΕA	

Wireless Air System Suits Coil Insert Airbags	1	TDAS-002	\$ Kt


AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top pin	2	TW967	\$	Ea	
8	Rear bottom eyering	1	415024	\$	Ea	



4WD Suspension
Across the World

2011-2016 EST. LIFT FRONT: 40MM | REAR: 40MM



CONTENT	DESCRIPTION	QTY	PART NO	RRP		
A	SSEMBLED STRU	TS	- FOAM CELL			
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	р		
	Up to steel her	1	TOY-150/07-LH	\$ Ea		
	Up to steel bar	1	TOY-150/07-RH	Ф Ба		
_	With steel bar & winch	1	TOY-150/08-LH	\$ Ea		
*		1	TOY-150/08-RH	ъ ⊏а		
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE					
•	Assembled struts are	Assembled struts are made up of: $1 \times \text{strut}$, $1 \times \text{coil}$ $1 \times \text{strut}$ top				
	Up to stool bor	1	TOY-150/03-LH	\$ Ea		
	Up to steel bar	1	TOY-150/03-RH	ф Еа		
	With steel bar &	1	TOY-150/04-LH	\$ Ea		
	winch	1	TOY-150/04-RH	\$ Ea		

STRUT - FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$	Ea	
I	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$	Ea	

	COIL SPF	RIN	IGS	
MIAAAA	40mm lift - Up to steel bar	1	TDC974H	\$ Pr
	40mm lift - with steel bar & winch	1	TDC974HH	\$ Pr

REAR								
REAR SUSPENSIO	N CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
ii >>	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
0 0	Coil Insert Airbag (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	40mm Lift	2	FC41116	\$ Ea				
	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBER				
8	40mm Lift	2	BM401116	\$ Ea				

	COIL SPF	RIN	IGS	
MIAAAA	40mm Lift 0-300kg load	1	TDC975	\$ Pr
	40mm Lift CONSTANT 300kg load	1	TDC975H	\$ Pr



TOYOTA FJ CRUISER

2011-2016

EST. LIFT FRONT: 40MM | REAR: 40MM



TDAS-002

\$

Κt

FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-005	\$	Pr		

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RF	RP		
	AIR ASSIST - COIL INSERT						
	OE height Coil insert bag kit	1	TDAA-020	\$	Kt		
	40mm lift Coil insert bag kit	1	TDAA-009	\$	Kt		
Note: Separate Air Assist components can be viewed on page 14.							

AIR ASSIST - COIL INSERT WIRELESS AIR SYSTEM

Wireless Air System Suits Coil Insert Airbags

UPPER CON	TROL ARMS - REP	LA	ACEMENT COMPO	NE	NTS
	Bush Kit to fit one UCA - for TDCA-005	1	TDSK-007	\$	Kt
	Ball joint kit to fit one UCA - for TDCA-005	1	TDSK-008	\$	Kt

FRONT INDIVIDUAL COMPONENTS							
Æ :0	Strut Top	2	TOY-1083	\$	Ea		
•• ••	Swaybar spacer kit - 76mm spacing - 2006-2009 vehicles	1	TDSP-011	\$	Ea		
eO Oe	Swaybar spacer kit - 83mm spacing - 2010 on vehicles	1	TDSP-012	\$	Ea		

FRONT RE	FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front hottom evering	4	AD.J300/40A	φ.			
	FIONI DOMONI EVENDO		AIJJJJUU/4UA	1.70	- Fai		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top pin	2	TW967	\$	Ea	
8	Rear bottom eyering	1	415024	\$	Ea	



SXA, 10, 11 05/1994-2000 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT

	FRONT SUSPENSI	ON CHECK LIST		
You need to or	der the following item	s for the front end of your v	ehicle/	
	\$\$	Shock Absorber	2	Ea
		Coil Springs	1	Pr
0 0				
	FRO	NT		
CONTENT	DECODIDEION	≻ BARTNO		_

FRONT							
CONTENT	DESCRIPTION	ΩTY	PART NO	R	RP		
	NITROGEN G	AS -	STRUT				
	Up to 30mm lift	2	BDS4001	\$	Ea		

COIL SPRINGS						
	30mm lift	1	TDC981	\$	Pr	

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
ii ss	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NIT	TROGEN GAS - SI	100	CK ABSORBER			
å	Up to 30mm lift	2	BD1106TB	\$ Ea		
40MM ADJUSTABLE - SHOCK ABSORB						
0	30mm lift	2	BM401106	\$ Ea		

COIL SPRINGS						
	30mm lift	1	TDC982	\$	Pr	

REAR INDIVIDUAL COMPONENTS						
	Fits top pin		TW959	\$	Ea	
8	Fits bottom eyering		ADJ00191	\$	Ea	





FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Struts Coil Springs 1 Pr

FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
	STRUT - FO	ΑN	CELL			
Ĭ	Up to 45mm lift - Strut Only/ No Coil/ No Strut top	2	FC404910	\$ Ea		
	STRUT - 40MM ADJUSTABLE					
	Up to 45mm lift - Strut Only/ No Coil/ No Strut top	2	BM404910	\$ Ea		

	COIL SPE	RIN	IGS	
MIAAAA	45mm lift - No bar or alloy bullbar	1	TDC930L	\$ Pr
	45mm lift - With steel bar or bar & winch	1	TDC930HL	\$ Pr

REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
Å Å a	Shock Absorber	2	Ea				
0	Leaf Spring	2	Ea				
	Chassis Mount Bushes	1	Kt				
	U-Bolts Kits	2	Kt				

	REA	R				
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHO	Ck	ABSORBER			
Å	Up to 45mm lift	2	FC41117	\$ Ea		
	40MM ADJUSTABLE - SHOCK ABSORBER					
8	45mm lift	2	BM401117	\$ Ea		

	LEAF SP	RIN	IGS	
0	0-300kg load 45mm Lift - Includes bushes in spring	2	FS701	\$ Ea

REAR INDIVIDUAL COMPONENTS					
	Urethane chassis mount bush kit - Required for fitting FS701 springs	1	TDUK-076	\$	Kt
\bigcap	U-Bolt kit	2	TDUB-016HD	\$	Kt
	Urethane shackle bush kit - Not required when ordering FS701	1	TDUK-074	\$	Kt
Note: TDUK-074 not required when ordering rear suspension, as the bushes are already fitted to springs.					



UAZ, HUNTER, PATRIOT





	FRO	NT				
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
	FOAM CELL - SHO	CK	ABSORBER			
Suit UAZ 452	2 (1965-1972), UAZ 469 (1972	-1985), UAZ 3151 (1985	-2003	3)	
	Up to 40mm lift	2	FC41382	\$	Ea	
	40MM ADJUST	ABI	LE - SHOCK ABSO	DRB	ER	
	Up to 40mm lift	2	BM401382	\$	Ea	
	FOAM CELL - SHOCK ABSORBER					
<u> </u>	Suit hunter (2003 on)					
	Up to 40mm lift	2	FC41391	\$	Ea	
	40MM ADJUST	ABI	LE - SHOCK ABSO	DRB	ER	
	Up to 40mm lift	2	BM401391	\$	Ea	
8	FOAM CELL - SHOCK ABSORBER					
	Su	it Pa	atriot (2005 on)			
	Up to 40mm lift	2	FC41150	\$	Ea	
	40MM ADJUST	ABI	LE - SHOCK ABSO	DRB	ER	
	Up to 40mm lift	2	BM 401150	\$	Ea	

	REA	R				
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHO	CK	ABSORBER			
Suit UAZ 452	(1965-1972), UAZ 469 (1	.972	-1985), UAZ 3151 (1985-	2003)		
	Up to 40mm lift	2	FC41382	\$ Ea		
	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER		
	Up to 40mm lift	2	BM401382	\$ Ea		
	FOAM CELL - SHOCK ABSORBER					
<u> </u>	Su	it hu	ınter (2003 on)			
	Up to 40mm lift	2	FC41389	\$ Ea		
	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER		
	Up to 40mm lift	2	BM401389	\$ Ea		
8	FOAM CELL - SHOCK ABSORBER					
	Su	it Pa	itriot (2005 on)			
	Up to 40mm lift	2	FC41389	\$ Ea		
	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER		
	Up to 40mm lift	2	BM 401389	\$ Ea		

	COIL SPF	RIN	IGS	
	OE height	1	TDC150SL	\$ Pr
	40mm lift Up to steel bar	1	TDC150L	\$ Pr
	40mm lift with steel bar & winch	1	TDC150HL	\$ Pr

LEAF SPRINGS					
م ی	0-300kg load	2	FS160H	\$	Ea
	CONSTANT 300kg load	2	FS160HH	\$	Ea



VOLKSWAGEN

2010 ON EST. LIFT FRONT: 20MM | REAR: 20MM



EDONT

FRONT					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
	Note: Not suitable	wit	h OE coils.		
å	20mm lift	2	FC404730	\$ Ea	
	40MM ADJUSTA	ιBL	E - SHOCK ABSC	RBER	
I	Note: No	t su	itable with OE coils.		
8	20mm lift	2	BM404730	\$ Ea	

С	OIL SPRINGS - 2.0	LI	ENGINE ONLY		
	Note: Only suitable	wit	h TD shocks		
	20mm lift Up to steel bar	1	TDC110L	\$	Pr
	20mm lift with steel bar & winch	1	TDC110HL	\$	Pr
	COIL SPRING	s -	3.0L V6 ENGINE O	NLY	
	Note: Only	y su	itable with TD shocks		
	20mm lift Up to steel bar	1	TDC120L	\$	Pr
	20mm lift with steel bar & winch	1	TDC120HL	\$	Pr

UPPER CONTROL ARMS						
とり	Upper Control Arms	1	TDCA-008	\$	Pr	
Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted						

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include, but is not limited to, jumping of the vehicle.

FRUNI							
FRONT SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.							
1133	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
11 88	Upper Control Arms (Optional)	1	Pr				

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Urethane Shackle Bushes	1	Kt				
	U-Bolts Kits	1	Kt				
- I I	Bellows Airbag (Optional)	1	Kt				

REAR								
CONTENT	DESCRIPTION E PART NO RRP							
F	FOAM CELL - SHO	CK	ABSORBER					
	Up to 20mm lift	2	FC41390	\$ Ea				
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
8	Up to 20mm lift	2	BM401390	\$ Ea				

	LEAF SPI	ZIV	IGS	
ەت يە	0-300kg load	2	FS710M	\$ Ea
	CONSTANT 300kg load	2	FS710HM	\$ Ea

REAR INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit (leaf)	1	TDUK-072	\$	Kt		
	Urethane shackle bush kit (chassis)	1	1 TDUK-075 \$				
Note: Amarok chassis bush has two thicknesses - TDUK-075 includes both sizes. Please install the correct set.							
\cap	U-bolt kit	2	TDUB-005	\$	KT		

AIR ASSIST - BELLOWS					
	Bellows bag kit Up to Up to 20mm lift	1	TDAA-114	\$	Kt
Note: Separate Air Assist components can be viewed on page 14.					

UPPER CONTROL ARMS - REPLACEMENT COMPONENTS					
Bush Kit to fit one UCA - for TDCA-008	1	TDSK-013	\$	Kt	
Ball joint kit to fit one UCA - for TDCA-008	1	TDSK-014	\$	Kt	

AIR ASSIST - BELLOWS WIRELESS AIR SYSTEM						
	Wireless Air System Suits Bellows Airbags	1	TDAS-001	\$	Kt	

ROCK DOG



ROCK CRAWLING COMPETITION COILOVERS

COILOVER SETUP CAN BE COMPLEX - PLEASE CALL (02) 9672 8899 TO TAILOR A SOLUTION

COILOVER SETUPS						
CONTENT	PART NO	QTY	DESCRIPTION	RRP		
	SHOCK ABSORBER					
	BMX45305	2	12" Travel Shock (505/810mm)			
	BMX45356	2	14" Travel Shock (565/910mm)			
	BMX45406	2	16" Travel Shock (610/1015mm)			
	COIL SPRINGS					
	TDC-BMX160	1	160lbs Spring			
	TDC-BMX180	1	180lbs Spring			
	TDC-BMX100	1	100lbs Tender Coil Springs			
	TDC-BMX180T	1	180lbs Dual Rate (Tapered) Coil			
			Custom Coil Design Available - Contact us on (02) 9672 8899			
			COMPONENTS			
	TDUK-2000	1	Urethane Spring Connector			
	TDUK-2001	1	Urethane Protector Sleeve			
	361321	2	QA1 Heim Joints			



THIS PAGE IS INTENTIONALLY BLANK

PROMOTIONAL ITEMS

BROCHURES CORFLUTE SIGNS



BROCHURES




COMPLETE SUSPENSION: CAT-006



FLEET: CAT-001



GVM UPGRADES: CAT-005



AIR ASSIST: CAT-003



ARMOURED: CAT-002

CORFLUTE SIGNS



SUSPENSION: MER-007/3



PRODUCT: MER-007/4



GVM: MER-007/5

PROMOTIONAL ITEMS

OUTDOOR FLAGS IN-STORE DISPLAYS



OUTDOOR FLAGS



IN-STORE DISPLAYS







MDS KIT/WIDE 2



MDS KIT/SLIM 1

FITTING SHEET



PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS. RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE EXTENSIVE DELAYS IN PROCESSING

CUSTOMER DETAILS					
FITTED BY:			DATE		
OWNER'S NAME			YEAR		
ADDRESS			MAKE		
SUBURB	POSTCODE		MODEL		
PHONE NUMBER			ODOMETER:		
EMAIL:			COMMENTS:		
Measurements should be taken from the bottom of the rim to the wheel arch on each corner. In the case of a tray, measure to the same point each time					

BEFORE & AFTER MEASUREMENTS AFTERMARKET FITMENTS BEFORE & AFTER MEASUREMENTS PASSENGER FRONT SIDE DRIVERS FRONT SIDE ORIGINAL HEIGHT HEIGHT AFTER LIFT HEIGHT 500KM SERVICE Bullbar? Yes SHOCK FITTED (P/N) Alloy Steel SPRING FITTED (P/N) Winch......Yes 🗌 No 🔲 Siderails.....Yes 🗌 No 🗍 Dual Battery...Yes 🗌 No 🔲 **COMMENTS** Petrol Diesel T/Diesel Manual 🗌 Auto 🗌 Roof Rack....Yes No Steel Alloy **PASSENGER REAR SIDE** Roof Accessories: **DRIVERS REAR SIDE ORIGINAL HEIGHT** Main Fuel Tank Std L/Range **HEIGHT AFTER LIFT** Capacity____ litres
Auxilliary Tank: Yes \[\int No \[\] HEIGHT 500KM SERVICE Rear Accessories Fitted: SHOCK FITTED (P/N) SPRING FITTED (P/N) **COMMENTS** Total Rear Constant Kg: WHITH THE

CLAIM FORM



WARRANTY & RETURNS

PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS. RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE EXTENSIVE DELAYS IN PROCESSING

		CUSTOMER DE	TAILS		
NAME:					
ADDRESS:					
SUBURB:		PO	STCODE:		
		PURCHASE DE	TAILS		
DEALER NAME:					
PURCHASE DATE:		IN	VOICE NO:		
		VEHICLE DETA	AILS		
YEAR:		MAKE:		MODEL:	
		ITEM FOR WARRANT	TY/RETURN		
PART NO	QТY	REASONS FOR RETUR	N	CREDIT AC.	REPLACE ITEM

DISCLAIMER FORM



VEHICLES LIFTED MORE THAN 50MM

VEHICLES FITTED WITH A LIFT KIT GREATER THAN 50MM OVER ORIGINAL EQUIPMENT HEIGHT MAY REQUIRE ADDITIONAL CERTIFICATION TO REMAIN FIT FOR REGISTERED USE. CONSULT WITH YOUR DEALER ON THE STEPS TO OBTAIN ENGINEERING CERTIFICATION IN YOUR STATE / TERRITORY.

CUSTOMER DETAILS						
FITTED BY:			DATE			
OWNER'S NAME			YEAR			
ADDRESS			MAKE			
SUBURB	POSTCODE		MODEL			
PHONE NUMBER			ODOMETER:			
EMAIL:			COMMENTS:			

DECLARATION

The suspension components fitted to this vehicle (Registration______) are designed to lift the vehicle by more than 50mm. Vehicles with lifts greater than 50mm may require engineer's approval to continue to be used as a road-registered vehicle. Information on the certification process differs by jurisdiction.

Ensuring continuing compliance with the requirements of registration is the responsibility of the owner or operator of the vehicle and no liability shall be accepted by any other person. Compliance of the vehicle may be undertaken with the assistance of a qualified certifying engineer, at the expense of the vehicle owner.

SCHEDULE OF PARTS FITTED							
	FRONT	REAR					
SHOCK ABSORBER							
COIL SPRINGS							
STEERING STABILIZER							
PANHARD RODS							
CASTOR BUSHES/ PLATES							
TRANSMISSION SPACERS							
BRAKE HOSES							

Signed:	Date:
Name (Print)·	

DISCLAIMER

4 Way Suspension Products Pty Ltd markets a range of off road products that may require certification from a qualified engineer prior to driving on public roads. The fitment of these items and the operation of the vehicle on public roads or road related areas prior to certification may render the vehicle unroadworthy, and may affect the status of your registration. Please check with the relevant ADR authorities in your state or territory and a qualified engineer.

Details of suitable engineers are provided by the state/territory authority.

PURCHASE ORDER FORM



PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS. RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE EXTENSIVE DELAYS IN PROCESSING

CUSTOMER DETAILS

NAME:				DATE:		
ABN NO				STAFF MEMBER:		
ADDRESS:				PHONE NUMBER		
SUBURB		POSTCOD	E	FAX NUMBER:		
PHONE NUMBER		,	'	EMAIL		
;	SHIPPING DETA	AILS - NOTE: MU	ST BE A BUSINE	SS ADDRESS - NO DF	ROP SHIPPING	
ADDRESS			ORDER NUMBER:			
				FREIGHT SERVICE:	STANDARD	AIR / EXPRESS
FREIGHT (CIRCLE)	4WAY DEFAULT	OTHER (SPECIFY):		FREIGHT A/C NO:		
	SEND	ORDER BY EMAI	L TO SALES@4	WAYSUSPENSION.CO	M.AU	

